Rhyme® Fungicide



PRODUCT INFORMATION:

Prevent and protect your tomato crop with Rhyme[®] fungicide from FMC. Rhyme fungicide leverages one of the most systemic triazoles on the market to protect your tomatoes from root to fruit.

Plant tissues rapidly absorb the active ingredient, flutriafol. The power of Rhyme fungicide lies in its rapid movement to protect the whole plant from tough diseases like powdery mildew, early blight and charcoal rot. Quick penetration into plant tissues allows for rapid movement to the sites of established infections, taking down tough diseases to protect your yields.

Rhyme fungicide is labeled for use in chemigation systems, giving you the convenience of application and confidence of knowing your tomatoes are always protected.

QUICK FACTS:

- Preventative and arrestant activity to control powdery mildew, anthracnose, target spot, black mold, early blight and charcoal rot.
- One of the most systematic triazoles on the market.
- Translocates to protect the whole plant from disease.
- Rainfast within two hours.
- Labeled for use in chemigation systems; not labeled for use in greenhouses.



Re-Entry Interval: 12 hrs.

Pre-Harvest Interval: Zero days

Product Use Rate:

Powdery mildew, anthracnose or target spot: 5-7 fl. oz./A

Black mold or early blight: 3.5-7 fl. oz./A

Soilborne diseases or charcoal rot: 7 fl. oz./A

Maximum amount of Rhyme[®] fungicide per season: Do not apply more than four applications per year or 28 fl. oz./A per year.

Application Directions:

Apply preventively or when conditions are favorable for disease development. Repeat as necessary if conditions remain favorable for disease development.

Charcoal rot – Control is achieved via drip irrigation applications. Initial application should be early at transplanting then followed by additional applications every 30 days as needed.

Drip Irrigation: Use Rhyme fungicide for control of soilborne and foliar diseases. See label for specific use rates and timing.

Drip Irrigation and Micro-Sprinkler Chemigation Use Guidelines

For control of foliar powdery mildew, use Rhyme fungicide in two consecutive drip or micro-sprinkler applications as part of a standard foliar spray program.

Apply preventatively or when conditions are favorable for disease development.

Apply the second application seven to 14 days following the first application.

Apply in sufficient irrigation water to wet the rooting profile of the tomatoes or to 12 inches of soil.

Delay subsequent irrigation for 24 hours following a drip application or micro-sprinkler application for the best results.

Label:

Active Ingredient: Flutriafol

FRAC Group 3

Mode of Action: Demethylation inhibitors; blocks the synthesis of ergosterol in sensitive species of fungi.

To learn more about Rhyme fungicide, contact your FMC authorized retailer or visit FMCCrop.com.

Always read and follow all label directions, restrictions and precautions for use. Some products may not be registered for sale or use in all states. FMC, FMC logo and Rhyme are trademarks of FMC Corporation or an affiliate. Velum is a trademark of Bayer. Torina is a trademark of Nippon Soda Company, Ltd. Mettle is a trademark of Isagro USA, Inc. Quadris Top is a trademark of a Syngenta Group Company. ©2019 FMC Corporation. All rights reserved. 19-FMC-0351 02/19

Powdery Mildew Control in Tomatoes – 2016 Brenna Aegerter – Farm Advisor UC Extension

% Affected Foliage Eight Days after Second Drip Application

70 60 50 40 20 10 0

Untreated

25# sulfur dust 14-day retreatment interval

Velum[®] One fungicide 6.8 fl. oz. (drip) six weeks after transplanting

- Velum One fungicide 6.8 fl. oz. (drip) six weeks after transplanting fb 25# sulfur dust 14-day retreatment interval
- Velum One fungicide 6.8 fl. oz. (drip) six and 10 weeks after transplanting

Powdery Mildew Control in Tomatoes - 2014

Rhyme fungicide 6.8 fl. oz. (drip) six and 10 weeks after transplanting



