



POISON

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

EC	FORMULATION TYPE
	Emulsifiable Concentrate

ACTIVE CONSTITUENT:
450 g/L PROCHLORAZ

CONTENTS:
1 L



GROUP	3	FUNGICIDE
-------	---	-----------

For the control of certain post-harvest diseases of Tropical fruits, Pineapple disease in Sugarcane setts, and Dollar spot in Turf as specified in the Directions for Use Table.

SAFETY DIRECTIONS

Product is poisonous if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. **DO NOT** inhale vapour. When opening the container and preparing dip or spray wear elbow-length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet available from www.fmccrop.com.au.

GENERAL INSTRUCTIONS

FUNGICIDE RESISTANCE WARNING

GROUP	3	FUNGICIDE
-------	---	-----------

Sportak® is a member of the imidazole group of fungicides. For fungicide resistance management Sportak® is a Group 3 fungicide.

Some naturally occurring individual fungi resistant to Sportak® and other Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Sportak® and other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, FMC accepts no liability for any losses that may result from the failure of Sportak® to control resistant fungi.

Resistance Management Strategies

Resistant strains of fungi can develop to this and other fungicides, and therefore it is recommended that the

following strategies be adopted to reduce the possibility of this occurrence:

Post-harvest Dipping of Fruit

1. Handle fruit carefully to minimise potential infection sites caused by injury.
2. Ensure diseased fruit is promptly removed from the field and packing house and destroyed.
3. Dip fruit with a recommended fungicide promptly after harvest.
4. Don't store fruit in the packing house - move it through the packing house quickly.
5. Dispose of mouldy fungicide-treated fruit at harvest - **DO NOT** bring it into the packing house.
6. For the last pre-harvest spray, use a fungicide with a different mode of action to the fungicide planned for use as a post-harvest dip.
7. Resistant strains of fungi can develop within the packing house. Where alternatives are available, rotate to use products with as many different modes of action as possible.
8. Remove mouldy fruit from storage - isolate from other fruit.
9. **DO NOT** move fruit between packing houses - especially mouldy fruit.

MIXING

Add the required amount of Sportak® to the water in the dip or spray tank/reservoir and stir thoroughly to ensure complete mixing. Prepare and use spray and dip solutions only in well-ventilated areas.

APPLICATION

Post-harvest

Dip pineapples as directed. For tropical fruits, Sportak® should be used in non-recirculating spray systems only. Produce should be treated as soon as possible after harvest. Good coverage is essential. Fruit should be treated at shed temperature. Spraying equipment should be adjusted to ensure exposure of fruit for the periods recommended in the CRITICAL COMMENTS. **DO NOT** use this product as a foliar spray on fruit trees, as it may cause burning of foliage.

COMPATIBILITY

Sportak® is compatible with Sodium ANA.

PROTECTION OF LIVESTOCK

DO NOT graze stock on treated turf, or feed clippings from treated turf, treated fruit or by-products from treated processed fruit to livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Clean up spillages promptly.

DRIFT WARNING

DO NOT apply in weather conditions, or from spraying equipment, which could be expected to cause spray to drift onto adjacent crops, croplands, pasture or livestock.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area.

DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. If recycling, replace cap and return clean containers to recycler or designated collection point.

DO NOT dispose of undiluted chemicals on site. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations.

DO NOT burn empty containers or Sportak®.

DISPOSAL OF SPENT FRUIT DIP/SPRAY

Sportak® is readily adsorbed onto organic matter and is degraded by biological activity and by sunlight. Dispose of spent fruit dip in a disposal pit specifically marked and set up for the purpose. The addition of activated carbon, soil, manure or humus sludge will assist the degradation.

DIRECTIONS FOR USE

RESTRAINTS TURF DISEASES

DO NOT apply more than two consecutive sprays of fungicides from the same activity group (other than Group 14, 28, M2, M3, M4 or M5), unless mixed with a protectant fungicide from Group 14, 28, M2, M3, M4 or M5.

CROP	DISEASE	STATE	RATE	CRITICAL COMMENTS
Avocados	Anthracnose (<i>Glomerella cingulata</i>), Stem-end rot	Qld, NSW, WA, NT only	55 mL/ 100 L water	Spray fruit for 30 seconds. DO NOT use on avocado cultivar Rincon.
Bananas	Anthracnose (<i>black-end</i>) (<i>Colletotrichum musae</i>)			Spray fruit for 30 seconds.
Pawpaws	Anthracnose (<i>Colletotrichum spp.</i>), Stem-end rot			Spray fruit for 1 minute.
Mangoes	Anthracnose (<i>Colletotrichum gloeosporioides</i>)			Spray fruit for 30 seconds.
	Alternaria rot (<i>Alternaria alternata</i>)	Qld, WA, NT only		Spray fruit for 30 seconds.
Pineapples	Water blister (<i>Ceratocystis paradoxa</i>)	Qld, NSW, WA only		Dip fruit for 1 minute. Top-up the dip as required using a concentration of 85 mL/100 L water.
Sugarcane	Pineapple disease (<i>Ceratocystis paradoxa</i>)	Qld, NSW, WA, NT only	40 mL/ 200 L water	Apply as a dip or spray to setts at planting. Ensure thorough coverage of all cut ends.
Turf	Dollar spot (<i>Sclerotinia homoeocarpa</i>)	Qld, NSW, Vic, SA, WA, NT only	65 mL/ 50 to 100 L water/ 100 m ²	Apply in a monthly spray programme when disease first appears. Apply evenly to ensure thorough coverage.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

NOT REQUIRED WHEN USED AS DIRECTED.

TRADE EXPORTS

Export of Treated Produce

Growers should note that suitable MRLs or import tolerances may be established in all markets for produce treated with Sportak®. If you are growing produce for export, please check with FMC for the latest information on MRLs and import tolerances BEFORE using Sportak®.

NOTICE TO BUYER

To the extent permitted by the Competition and Consumer Act (2010) or any relevant legislation of any State or Territory (the "Legislation") all conditions and warranties and statutory or other rights of action, whether arising in contract or tort or whether due to the negligence of FMC or Seller, which buyer or any other user may have against FMC or Seller are hereby excluded provided however that any rights of the buyer pursuant to non-excludable conditions or warranties of the Legislation are expressly preserved. FMC hereby gives notice to buyer and other users that to the extent permitted by the Legislation it will not accept responsibility for any indirect or consequential loss of whatsoever nature arising from the storage, handling or use of this Product. Where permitted by the Legislation FMC's liability shall in all circumstances be limited to the replacement of the product, or a refund of the purchase price paid therefor.

The product must be used and applied strictly in accordance with the label instructions and other directions for use. It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of FMC or the Seller. Buyer accepts these risks.

The information set forth herein is furnished free of charge and is based on technical data that FMC believes to be reliable. It is intended for use by persons having technical skill at their own discretion and risk. FMC makes no warranties, expressed or implied, and assumes no liability in connection with any of this information. Nothing herein is to be taken as license to operate under or a recommendation to infringe on any patents.

APVMA Approval No.: 30484/129670

FMC and Sportak® are trademarks of FMC Corporation or an affiliate. © 2022 FMC Corporation. All rights reserved.

FMC Australasia Pty Ltd.
A.B.N. 45 095 326 891
Level 2, Building B 12 Julius Ave North
Ryde NSW 2113
Phone: 1800 066 355
www.fmccrop.com.au

SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 111

ALL HOURS – AUSTRALIA WIDE

Additional statements required by Globally Harmonised Systems for classification and labelling of chemicals (GHS) and Safe Work Australia:

Causes serious eye damage.

Suspected of causing cancer.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. IF exposed or concerned: Get medical advice/ attention. Store locked up. Dispose of contents/ container to an approved waste disposal plant