Tribal Herbicide



Version **Revision Date:** SDS Number: Date of last issue: -

23.02.2023 50002767 Date of first issue: 23.02.2023 1.0

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Tribal Herbicide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Company FMC Australasia Pty Ltd

Building B, Level 2, 12 Julius Avenue, Address

North Ryde NSW 2113

Australia

Telephone +6161029887900

Telefax +61610298870911

E-mail address SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:

1800 033 111 (lxom)

Medical emergency:

1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

repeated exposure

Specific target organ toxicity - : Category 2 (Thyroid, Nervous system)

GHS label elements

Hazard pictograms

Signal word Danger

Hazard statements H373 May cause damage to organs (Thyroid, Nervous system)

through prolonged or repeated exposure.

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Precautionary statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
tribenuron-methyl (ISO)	101200-48-0	75	
kaolin	1332-58-7	>= 10 -< 30	
Silicon dioxide	14464-46-1	>= 10 -< 20	

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

Causes damage to organs through prolonged or repeated

exposure if inhaled.

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

delayed May cause damage to organs through prolonged or repeated

exposure.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical Water spray Foam

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Thermal decomposition can lead to release of toxic and irritat-

ing vapors.

Nitrogen oxides (NOx)

Sulphur oxides Carbon oxides

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Hazchem Code : 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
kaolin	1332-58-7	TWA	10 mg/m3	AU OEL	
		TWA (Respirable par-	2 mg/m3	ACGIH	
		ticulate mat- ter)			
Silicon dioxide	14464-46-1	TWA (Respirable dust)	0.05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans				
		TWA (Res- pirable par- ticulate mat-	0.025 mg/m3 (Silica)	ACGIH	
		ter)			

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Colour : light brown

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Self-ignition : No data available

Vapour pressure : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong acids and strong bases

Strong oxidizing agents

Hazardous decomposition

products

Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: Based on data from similar materials

Components:

tribenuron-methyl (ISO):

Acute oral toxicity : LD50: > 5,000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5.14 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist





Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Components:

tribenuron-methyl (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Remarks : May cause mild irritation.

Based on available data, the classification criteria are not met.

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Components:

tribenuron-methyl (ISO):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405 Remarks : May cause mild irritation.

Based on available data, the classification criteria are not met.

kaolin:

Result : No eye irritation

Method : OECD Test Guideline 405

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Modified Buehler Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Remarks : Based on data from similar materials

Components:

tribenuron-methyl (ISO):

Test Type : Maximisation Test

Species : Guinea pig

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 406
Result : Causes skin sensitization.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

Germ cell mutagenicity -

: Did not show mutagenic effects in animal experiments.

Assessment

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess-

ment

This product contains crystalline silica (quartz) in a nonrespirable form. Inhalation of crystalline silica is unlikely to

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

occur from exposure to this product.

, Weight of evidence does not support classification as a car-

cinogen

Components:

tribenuron-methyl (ISO):

Remarks : No significant adverse effects were reported

Carcinogenicity - Assess-

ment

Did not show carcinogenic effects in animal experiments.

Silicon dioxide:

Carcinogenicity - Assess-

ment

Positive evidence from human epidemiological studies

Reproductive toxicity

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

Reproductive toxicity - As-

: No toxicity to reproduction

sessment

Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

STOT - single exposure

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

kaolin:

Remarks : No significant adverse effects were reported

Silicon dioxide:

Assessment : May cause respiratory irritation.

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

STOT - repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Thyroid, Nervous system) through prolonged or repeated exposure.

Product:

Assessment : This product contains crystalline silica (quartz) in a non-

respirable form. Inhalation of crystalline silica is unlikely to

occur from exposure to this product.

Components:

tribenuron-methyl (ISO):

Target Organs : Thyroid, Nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Silicon dioxide:

Exposure routes : Inhalation Target Organs : Lungs

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

tribenuron-methyl (ISO):

Species : Rabbit LOAEL : 80 mg/kg

Target Organs : Thyroid, Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Increased mortality or reduced survival

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Experience with human exposure

Components:

Silicon dioxide:

Inhalation : Target Organs: Lungs

Symptoms: Cancer

Remarks: Based on Human Evidence

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

tribenuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): > 320 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0208

mg/l

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 0.00424 mg/l

Exposure time: 14 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 114

mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

NOEC (Oncorhynchus mykiss (rainbow trout)): 560 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 41 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

NOEC (Eisenia fetida (earthworms)): 3.2 mg/kg

Exposure time: 56 d

Toxicity to terrestrial organ: LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

isms

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

Remarks: Dietary

LD50 (Apis mellifera (bees)): > 98.4 μg/bee

Exposure time: 48 h

End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 9.1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Components:

tribenuron-methyl (ISO):

Biodegradability : Biodegradation: 29.4 %

Exposure time: 28 d

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Bioaccumulative potential

Components:

tribenuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): < 1

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -0.38

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Mobility in soil

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a poten-

tial for leaching to groundwater.

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil

Other adverse effects

Product:

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Tribal Herbicide



Version **Revision Date:** SDS Number: Date of last issue: -

23.02.2023 50002767 Date of first issue: 23.02.2023 1.0

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

Class 9

ENVIRONM. Subsidiary risk

Packing group Ш

Labels 9 (ENVIRONM.)

IATA-DGR

UN 3077 UN/ID No.

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(Tribenuron-methyl)

Class 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-956

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Tribenuron-methyl)

Class Ш Packing group Labels 9 EmS Code F-A, S-F Marine pollutant

Remarks Environmentally hazardous substances/Marine Pollutants in

> single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section

2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number **UN 3077**

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z

Remarks : Environmentally hazardous substances meeting the descrip-

tions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : S

Scheduling of Medicines and

Poisons

: Schedule 5

APVMA Code: 62095

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

tribenuron-methyl (ISO)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 23.02.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Tribal Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.0 23.02.2023 50002767 Date of first issue: 23.02.2023

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N