

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : VANTACOR™ Insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Level 2, 12 Julius Avenue,
North Ryde NSW 2113
Australia

Telephone : +6161029887900

Telefax : +61610298870911

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
1800 033 111 (Ixon)

Medical emergency:
1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Chlorantraniliprole	500008-45-7	>= 30 -< 50
propane-1,2-diol	57-55-6	< 10
glycerol	56-81-5	< 10
SODIUM ALKYL NAPHTHALENE SULPHONATE.	68425-94-5	< 10

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
If on clothes, remove clothes.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion prod- : Thermal decomposition can lead to release of irritating gases

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA (particulate)	10 mg/m ³	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m ³	AU OEL
glycerol	56-81-5	TWA (Mist)	10 mg/m ³	AU OEL
Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica				

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid, suspension
- Colour : white
- Odour : like soap
- Odour Threshold : No data available
- pH : ca. 6.5
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : > 100 °C

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Evaporation rate	:	No data available
Flammability (liquids)	:	Not applicable
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not available for this mixture.
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.2623 g/cm ³ (23.3 °C)
Bulk density	:	ca. 1.25 g/cm ³
Solubility(ies)		
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Thermal decomposition can lead to release of irritating gases and vapours.
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	325.5 mm ² /s (23.1 °C) 274.6 mm ² /s (43.5 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

- Possibility of hazardous reactions : No decomposition if stored and applied as directed.
- Conditions to avoid : Avoid formation of aerosol.
Heat, flames and sparks.
Protect from frost, heat and sunlight.
- Incompatible materials : Avoid strong acids, bases, and oxidizers
- Hazardous decomposition products : Stable under recommended storage conditions.
-

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:

Chlorantraniliprole:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Remarks: Information source: Internal study report
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information source: Internal study report
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Information source: Internal study report

propane-1,2-diol:

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapour
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

SODIUM ALKYL NAPHTHALENE SULPHONATE.:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

Chlorantraniliprole:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : Information source: Internal study report

propane-1,2-diol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

glycerol:

Species : Rabbit
Result : No skin irritation

SODIUM ALKYL NAPHTHALENE SULPHONATE.:

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Remarks : No data available

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Components:

Chlorantraniliprole:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes
Remarks : Information source: Internal study report

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

glycerol:

Species : Rabbit
Result : No eye irritation

SODIUM ALKYL NAPHTHALENE SULPHONATE.:

Result : Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node assay (LLNA)
Species : mice
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 429

Components:

Chlorantraniliprole:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Result : Does not cause skin sensitisation.
GLP : yes
Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)
Species : mice
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

propane-1,2-diol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

glycerol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Carcinogenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1,076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1,155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

glycerol:

Species : Rat
Application Route : Oral
Exposure time : 2 years Years
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity - Parent: NOAEL: 20,000 ppm
General Toxicity F1: NOAEL: 20,000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 d

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

glycerol:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female
NOEL : 1188 - 1526 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

glycerol:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Inhalation
Exposure time : 14 d
Dose : 0, 1, 1.93, 3.91 mg/L
Symptoms : respiratory tract irritation, Fatality

Species : Rat
NOAEL : 0.165 mg/l
LOAEL : 0.662 mg/l
Application Route : Inhalation
Exposure time : 13 w
Dose : 0, 0.033, 0.165, 0.662 mg/L
Symptoms : respiratory tract irritation

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Further information

Product:

Remarks : No data available

Components:

Chlorantraniliprole:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 21 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: (Data on the product itself)
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.015 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: (Data on the product itself)
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 7.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 3.8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- LOEC (Raphidocelis subcapitata (freshwater green alga)): 7.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
- Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 160 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
- LD50 (Apis mellifera (bees)): > 150 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
- LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg
-

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

End point: Acute oral toxicity
Method: OECD Test Guideline 223

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Hyalella azteca (Amphipod)): 0.26 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0.0067 - 0.011 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l
Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): 2 mg/l
Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28 mg/l
Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 210

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water

LD50 (Apis mellifera (bees)): > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water

LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

glycerol:

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

- Toxicity to fish : LC50 (Fish): 885 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 2,900 mg/l
Exposure time: 192 h
- Toxicity to microorganisms : EC10 (Pseudomonas putida): 10,000 mg/l
Exposure time: 16 h

SODIUM ALKYL NAPHTHALENE SULPHONATE.:

- Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Persistence and degradability

Product:

- Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

Chlorantraniliprole:

- Biodegradability : Result: Not readily biodegradable.

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9
Degradation half life (DT50): 0.3 d (50 °C) pH: 9

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

glycerol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 24 h

SODIUM ALKYL NAPHTHALENE SULPHONATE.:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.75 (25 °C)
pH: 7.4

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : •3Z
Remarks : Environmentally hazardous substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version 1.0 Revision Date: 05.05.2023 SDS Number: 50002517 Date of last issue: -
Date of first issue: 05.05.2023

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

APVMA Code: 89966

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE
ACTI-GEL 208 (ACTIVE MINERALS)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 05.05.2023

SAFETY DATA SHEET



VANTACOR™ Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.05.2023	50002517	Date of first issue: 05.05.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substances Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N