

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ROVRAL LIQUID SEED DRESSING FUNGICIDE

Other means of identification : Iprodione 250 g/l FS

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Level 2, 12 Julius Avenue,
North Ryde NSW 2113
Australia

Telephone : 1 800 066 355

Telefax : (02)9923 6011

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
1800 033 111 (Ixon)

Medical emergency:
1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Carcinogenicity : Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
iprodione (ISO)	36734-19-7	>= 10 -< 30
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	64742-55-8	>= 30 -< 60
propane-1,2-diol	57-55-6	< 10
Styrylphenol polyethoxyester phosphate	90093-37-1	< 10

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
Call a physician if irritation develops or persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Suspected of causing cancer.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Chlorine compounds
Hydrogen cyanide
Hydrogen chloride
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Hazchem Code : •3Z
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel,
-

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not store near acids.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	64742-55-8	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
propane-1,2-diol	57-55-6	TWA (particulate)	10 mg/m ³	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m ³	AU OEL

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : viscous liquid

Colour : dark blue

Odour : slight

pH : 2 - 4 (23 °C)

Melting point/freezing point : No data available

Boiling point/boiling range : > 100 °C

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Density : 1.000 - 1.040 g/cm³

Partition coefficient: n-octanol/water : Not applicable

Viscosity
Viscosity, dynamic : 600 - 1,330 mPa,s

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Particle size : <= 12 µm

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Protect from frost, heat and sunlight.
Incompatible materials	:	Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 2.88 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality Highest attainable concentration. Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials

Components:**iprodione (ISO):**

Acute oral toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The component/mixture is minimally toxic after single ingestion.
Acute inhalation toxicity	:	LC50 (Rat): > 3.29 mg/l Exposure time: 4 h Test atmosphere: dust/mist Symptoms: Breathing difficulties Assessment: The component/mixture is minimally toxic after short term inhalation. Remarks: no mortality
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

Method: EPA OPP 81-2
 Symptoms: Irritation
 GLP: yes
 Assessment: The component/mixture is minimally toxic after single contact with skin.

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
 Method: OECD Test Guideline 401
 Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: The substance or mixture has no acute inhalation toxicity
 Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
 Method: OECD Test Guideline 402
 Remarks: Based on data from similar materials

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
 Exposure time: 2 h
 Test atmosphere: vapour
 Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

Styrylphenol polyethoxyester phosphate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
 Result : No skin irritation
 Remarks : Based on data from similar materials

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

Components:

iprodione (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : EPA OPP 81-5
Result : No skin irritation
GLP : yes

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

propane-1,2-diol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Styrylphenol polyethoxyester phosphate:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Components:

iprodione (ISO):

Species : Rabbit
Result : Mild eye irritant
Assessment : Mild eye irritation
Method : EPA OPP 81-4
GLP : yes

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

Styrylphenol polyethoxyester phosphate:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

Components:**iprodione (ISO):**

Test Type : Buehler Test
Species : Guinea pig
Assessment : Not a skin sensitizer.
Method : EPA OPP 81-6
Result : Does not cause skin sensitisation.

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

propane-1,2-diol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Styrylphenol polyethoxyester phosphate:

Result : Does not cause skin sensitisation.

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**iprodione (ISO):**

Genotoxicity in vitro : Test Type: Ames test

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

Metabolic activation: with and without metabolic activation
Result: negative

Test Type: in vitro DNA damage and/or repair study
Test system: Bacillus subtilis
Metabolic activation: with and without metabolic activation
Result: positive

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Test system: TA98
Metabolic activation: Metabolic activation
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Styrylphenol polyethoxyester phosphate:

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

Germ cell mutagenicity - Assessment : No genotoxic potential

Carcinogenicity

Suspected of causing cancer.

Components:

iprodione (ISO):

Species : Rat, male
Exposure time : 2 y
: 6.1 mg/kg bw/day
: 12.4 mg/kg bw/day
Result : positive
Symptoms : Testicular effects
Target Organs : Adrenal gland, Testes

Species : Rat, female
Exposure time : 2 y
: 8.4 mg/kg bw/day
: 16.5 mg/kg bw/day
Target Organs : Adrenal gland

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Species : Mouse
Application Route : Dermal
Exposure time : 78 weeks
Result : negative
Remarks : Based on data from similar materials

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Styrylphenol polyethoxyester phosphate:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified based on available information.

Components:

iprodione (ISO):

Effects on foetal development : Species: Rabbit
General Toxicity Maternal: NOAEL: 20 mg/kg bw/day
Developmental Toxicity: NOAEL: 60 mg/kg bw/day

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

Symptoms: Reduced body weight, Total Resorptions / resorption rate

Species: Rat
 General Toxicity Maternal: NOAEL: 20 mg/kg bw/day
 Developmental Toxicity: NOAEL: 20 mg/kg bw/day
 Symptoms: Reduced body weight, foetal mortality
 Target Organs: Adrenal gland

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Effects on fertility : Test Type: reproductive and developmental toxicity study
 Species: Rat, male and female
 Application Route: Oral
 Early Embryonic Development: NOAEL: 1,000 mg/kg bw/day
 Method: OECD Test Guideline 421
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Pre-natal
 Species: Rat
 Application Route: Dermal
 Teratogenicity: NOAEL: 2,000 mg/kg bw/day
 Symptoms: Maternal effects
 Result: negative
 Remarks: Based on data from similar materials

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
 Species: Mouse
 Application Route: Oral
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Oral
 Method: OECD Test Guideline 414
 Result: Animal testing did not show any effects on fertility.
 Remarks: Based on data from similar materials

Styrylphenol polyethoxyester phosphate:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Not classified based on available information.

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

Components:**iprodione (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Styrylphenol polyethoxyester phosphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Components:**iprodione (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Styrylphenol polyethoxyester phosphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****iprodione (ISO):**

Species : Rat, male
 NOAEL : 78 mg/kg
 LOAEL : 151 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Target Organs : Reproductive organs

Species : Rat, female
 NOAEL : 89 mg/kg
 LOAEL : 189 mg/kg
 Application Route : Oral
 Exposure time : 90 d
 Target Organs : Reproductive organs

Species : Rat, male
 NOAEL : 28 mg/kg
 LOAEL : 207 mg/kg
 Application Route : Inhalation
 Exposure time : 28 d
 Target Organs : Adrenal gland

Species : Rat, female
 NOAEL : 43 mg/kg
 LOAEL : 241 mg/kg
 Application Route : Inhalation

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

Exposure time : 28 d
Target Organs : Adrenal gland

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral - gavage
Exposure time : 13 weeks
Remarks : Effects are of limited toxicological significance.
Based on data from similar materials

Species : Rat, male and female
NOAEC : > 0.98 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 weeks
Remarks : No significant adverse effects were reported
Based on data from similar materials

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Components:

iprodione (ISO):

The substance does not have properties associated with aspiration hazard potential.

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

Styrylphenol polyethoxyester phosphate:

No aspiration toxicity classification

Further information

Product:

ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:**iprodione (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4.1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.25 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus subspicatus): > 0.5 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 0.26 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.17 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg
		LD50 (Apis mellifera (bees)): > 250 µg/bee Exposure time: 48 h Remarks: Contact
		LD50 (Apis mellifera (bees)): > 25 µg/bee Exposure time: 48 h Remarks: Oral

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l
Exposure time: 14 d
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEL: > 1.93 mg/l
Exposure time: 0.16 h

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Styrylphenol polyethoxyester phosphate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 3,000 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 550 mg/l
Exposure time: 24 h
Remarks: Based on data from similar materials

Persistence and degradability

Components:

iprodione (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 146 d pH: 5

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

Degradation half life (DT50): 0.2 d pH: 8

Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

Styrylphenol polyethoxyester phosphate:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

iprodione (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 70
Remarks: Bioaccumulation is unlikely.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 3 (20 °C)
pH: 7

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Mobility in soil

Components:

iprodione (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
-

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Iprodione)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

- UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Iprodione)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Iprodione)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as pro-

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

vided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iprodione)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	•3Z
Remarks	:	Environmentally hazardous substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons	:	Schedule 6
--	---	------------

APVMA Approval No.: 40394

Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
------------------------------------	---	---

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version 1.0 Revision Date: 25.09.2023 SDS Number: 50000571 Date of last issue: -
Date of first issue: 25.09.2023

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

3-(3,5-DICHLOROPHENYL)-N-ISOPROPYL-2,4-DIOXOIMIDAZOLIDINE-1-CARBOXAMIDE Styrylphenol polyethoxyester phosphate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 25.09.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

SAFETY DATA SHEET



ROVRAL LIQUID SEED DRESSING FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.09.2023	50000571	Date of first issue: 25.09.2023

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N