

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AFFINITY FORCE HERBICIDE

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Level 2, 12 Julius Avenue,
North Ryde NSW 2113
Australia

Telephone : +6161029887900

Telefax : +61610298870911

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
1800 033 111 (Ixon)

Medical emergency:
1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Carcinogenicity : Category 2

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.
H351 Suspected of causing cancer.

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

Supplemental Hazard Statements : AUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
carfentrazone-ethyl (ISO)	128639-02-1	>= 10 -< 30
Solvent naphtha (petroleum), heavy arom.	64742-94-5	>= 10 -< 30
propane-1,2-diol	57-55-6	< 10

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
Call a physician if irritation develops or persists.

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
Suspected of causing cancer.
Repeated exposure may cause skin dryness or cracking.
- Notes to physician : Treat symptomatically.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
Hydrogen cyanide
Hydrogen chloride
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Hazchem Code : •3Z
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH
propane-1,2-diol	57-55-6	TWA (particulate)	10 mg/m ³	AU OEL

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

		TWA (Total (vapour and particles))	150 ppm 474 mg/m ³	AU OEL
--	--	------------------------------------	----------------------------------	--------

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : off-white
- Odour : solvent-like
- pH : 4.29
- Melting point/freezing point : Not applicable
- Boiling point/boiling range : No data available
- Flash point : 104 °C
- Self-ignition : No data available
- Density : 8.8 lb/gal
- Viscosity
Viscosity, dynamic : 1,000 - 3,000 mPa,s
- Explosive properties : Not explosive
- Oxidizing properties : The product is not oxidizing.

AFFINITY FORCE HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2022	50002743	Date of first issue: 14.11.2022

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Protect from frost, heat and sunlight.
Incompatible materials	:	Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Nitrogen oxides (NO _x) Carbon oxides Chlorine compounds Fluorine compounds

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): 4,077 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 6.31 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 4,000 mg/kg Remarks: Based on data from similar materials

Components:**carfentrazone-ethyl (ISO):**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: FIFRA 81.01
Acute inhalation toxicity	:	LC50 (Rat): > 5.09 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 4,000 mg/kg Method: US EPA Test Guideline OPP 81-2 Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

toxicity

Solvent naphtha (petroleum), heavy arom.:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials
- Acute inhalation toxicity : LC50 (Rat): > 4.688 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

propane-1,2-diol:

- Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg
- Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapour
Remarks: no mortality
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

- Result : slight irritation
Remarks : Based on data from similar materials

Components:

carfentrazone-ethyl (ISO):

- Species : Rabbit
Method : US EPA Test Guideline OPP 81-5
Result : No skin irritation

Solvent naphtha (petroleum), heavy arom.:

- Species : Rabbit
Assessment : Repeated exposure may cause skin dryness or cracking.
Result : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.
Based on data from similar materials

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

propane-1,2-diol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : slight irritation
Remarks : Based on data from similar materials

Components:

carfentrazone-ethyl (ISO):

Species : Rabbit
Assessment : No eye irritation
Method : EPA OPP 81-4
Remarks : Minimal effects that do not meet the threshold for classification.

Solvent naphtha (petroleum), heavy arom.:

Species : Rabbit
Assessment : No eye irritation
Remarks : Minimal effects that do not meet the threshold for classification.
Based on data from similar materials

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

Components:

carfentrazone-ethyl (ISO):

Species : Guinea pig
Method : US EPA Test Guideline OPP 81-6
Result : Does not cause skin sensitisation.

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

Solvent naphtha (petroleum), heavy arom.:

Test Type : Maximisation Test
Species : Guinea pig
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

propane-1,2-diol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity - Assessment : Contains no ingredient listed as a mutagen

Components:

carfentrazone-ethyl (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: Metabolic activation
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative

Germ cell mutagenicity - Assessment : No genotoxic potential

Solvent naphtha (petroleum), heavy arom.:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration
Species: Rat
Application Route: inhalation (vapour)
Result: negative

AFFINITY FORCE HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2022	50002743	Date of first issue: 14.11.2022

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Components:**carfentrazone-ethyl (ISO):**

Species : Rat, male and female
Application Route : Oral
Exposure time : 104 weeks
NOAEL : 3 - 9 mg/kg bw/day
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 80 weeks
NOAEL : > 7,000 ppm
Result : negative

Species : Dog, male and female
Exposure time : 52 weeks
NOAEL : 150 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Solvent naphtha (petroleum), heavy arom.:

Species : Rat, male and female
Application Route : inhalation (vapour)
Exposure time : 12 month(s)
NOAEC : 1.8 mg/l
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

propane-1,2-diol:

Species : Rat

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

carfentrazone-ethyl (ISO):

Effects on fertility : Test Type: Multi-generation study
Species: Rat, male and female
Application Route: Ingestion
Fertility: NOEL: 4,000 ppm
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOEL: 100 mg/kg bw/day
Embryo-foetal toxicity: NOEL: 600 mg/kg bw/day
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOEL: 150 mg/kg bw/day
Embryo-foetal toxicity: NOEL: > 300 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Not classified based on available information.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

carfentrazone-ethyl (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 days

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Dermal
Exposure time : 21 days

Solvent naphtha (petroleum), heavy arom.:

Species : Rat, male and female
NOAEC : 0.9 - 1.8 mg/l
Application Route : inhalation (vapour)
Exposure time : 12 months

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

May be fatal if swallowed and enters airways.

AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

Components:**carfentrazone-ethyl (ISO):**

The substance does not have properties associated with aspiration hazard potential.

Solvent naphtha (petroleum), heavy arom.:

May be fatal if swallowed and enters airways.

Experience with human exposure**Components:****Solvent naphtha (petroleum), heavy arom.:**

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Neurological effects**Components:****carfentrazone-ethyl (ISO):**

No neurotoxicity observed in animal studies

Further information**Product:**

Remarks : Solvents may degrease the skin.

Components:**Solvent naphtha (petroleum), heavy arom.:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****carfentrazone-ethyl (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l
Exposure time: 96 h

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 9.8 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.012 mg/l
Exposure time: 72 h
- NOEC (algae): 0.001 mg/l
Exposure time: 96 h
- EC50 (Lemna gibba (gibbous duckweed)): 0.0057 mg/l
Exposure time: 14 d
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.22 mg/l
Exposure time: 21 d
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 820 mg/kg
- Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
End point: Acute oral toxicity
Remarks: Dietary
- LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm
End point: Acute oral toxicity
Remarks: Dietary
- LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute oral toxicity
- LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute contact toxicity

Solvent naphtha (petroleum), heavy arom.:

- Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50 (Daphnia magna (Water flea)): 0.89 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677.9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Persistence and degradability

Components:

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Solvent naphtha (petroleum), heavy arom.:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

Bioaccumulative potential

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 176
Remarks: Bioaccumulation is unlikely.

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

Partition coefficient: n-octanol/water : log Pow: 3.36 (20 °C)

Solvent naphtha (petroleum), heavy arom.:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.72
Method: QSAR

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Mobility in soil

Components:

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Remarks: Mobile in soils

Solvent naphtha (petroleum), heavy arom.:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers can be landfilled, when in accordance with the local regulations.

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Carfentrazone-ethyl)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Carfentrazone-ethyl)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Carfentrazone-ethyl)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Carfentrazone-ethyl)
Class : 9

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version 1.0 Revision Date: 14.11.2022 SDS Number: 50002743 Date of last issue: -
Date of first issue: 14.11.2022

Packing group : III
Labels : 9
Hazchem Code : •3Z
Remarks : Environmentally hazardous substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

APVMA Approval No.: 62003

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIIC : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE
high molecular weight polymeric emulsifier

ENCS : Not in compliance with the inventory
ISHL : Not in compliance with the inventory

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2022	50002743	Date of first issue: 14.11.2022

KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 14.11.2022

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



AFFINITY FORCE HERBICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2022	50002743	Date of first issue: 14.11.2022

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N