

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TRIBAL HERBICIDE

#### Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

#### Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Suite G.01, 12 Julius Avenue  
North Ryde NSW 2113  
Australia

Telephone : 1 800 066 355

Telefax : (02) 9923 6011

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:  
1800 033 111 (Ixm)

Medical emergency:  
1 800 033 111 (Transport and 24 h Medical information)


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Specific target organ toxicity - repeated exposure : Category 2 (Thyroid, Nervous system)

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H373 May cause damage to organs (Thyroid, Nervous system) through prolonged or repeated exposure.

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

Precautionary statements : **Prevention:**  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.

**Response:**  
P314 Get medical advice/ attention if you feel unwell.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
tribenuron-methyl (ISO)	101200-48-0	75
kaolin	1332-58-7	>= 10 -< 30
Silicon dioxide	14464-46-1	>= 10 -< 20

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Wash off with soap and water.  
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version 1.1	Revision Date: 24.09.2024	SDS Number: 50002767	Date of last issue: 23.02.2023 Date of first issue: 23.02.2023
----------------	------------------------------	-------------------------	---

Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure.

Notes to physician : Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Water spray  
Foam

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Thermal decomposition can lead to release of toxic and irritating vapors.  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Carbon oxides

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : 2Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against : Avoid dust formation.

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version 1.1      Revision Date: 24.09.2024      SDS Number: 50002767      Date of last issue: 23.02.2023  
Date of first issue: 23.02.2023

- fire and explosion      Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling      :    Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures      :    When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.
- Conditions for safe storage      :    Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability      :    No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA	10 mg/m <sup>3</sup>	AU OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
Silicon dioxide	14464-46-1	TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	AU OEL
		Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans		
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH

#### Personal protective equipment

- Respiratory protection      :    Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type      :    Particulates type

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version 1.1	Revision Date: 24.09.2024	SDS Number: 50002767	Date of last issue: 23.02.2023 Date of first issue: 23.02.2023
----------------	------------------------------	-------------------------	---

---

Hand protection Material	:	Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	granular
Colour	:	light brown
pH	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Self-ignition	:	No data available
Vapour pressure	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version 1.1	Revision Date: 24.09.2024	SDS Number: 50002767	Date of last issue: 23.02.2023 Date of first issue: 23.02.2023
----------------	------------------------------	-------------------------	---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong acids and strong bases Strong oxidizing agents
Hazardous decomposition products	: Stable under recommended storage conditions.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Remarks: Based on data from similar materials

#### Components:

##### tribenuron-methyl (ISO):

Acute oral toxicity	: LD50: > 5,000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat): > 6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402

##### kaolin:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

---

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### Components:

##### tribenuron-methyl (ISO):

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404  
Remarks : May cause mild irritation.  
Based on available data, the classification criteria are not met.

##### kaolin:

Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### Components:

##### tribenuron-methyl (ISO):

Species : Rabbit

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

---

Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

### **kaolin:**

Result	:	No eye irritation
Method	:	OECD Test Guideline 405

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Product:**

Test Type	:	Modified Buehler Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes
Remarks	:	Based on data from similar materials

### **Components:**

#### **tribenuron-methyl (ISO):**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 406
Result	:	Causes skin sensitization.

#### **kaolin:**

Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **tribenuron-methyl (ISO):**

Germ cell mutagenicity - Assessment	:	Did not show mutagenic effects in animal experiments.
-------------------------------------	---	---

#### **kaolin:**

Genotoxicity in vitro	:	Test Type: Ames test
-----------------------	---	----------------------



# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version 1.1	Revision Date: 24.09.2024	SDS Number: 50002767	Date of last issue: 23.02.2023 Date of first issue: 23.02.2023
----------------	------------------------------	-------------------------	---

---

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

### **Carcinogenicity**

Not classified based on available information.

#### **Product:**

Carcinogenicity - Assessment : This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.  
, Weight of evidence does not support classification as a carcinogen

#### **Components:**

##### **tribenuron-methyl (ISO):**

Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

##### **Silicon dioxide:**

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **tribenuron-methyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction  
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

##### **kaolin:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### **STOT - single exposure**

Not classified based on available information.

#### **Components:**

##### **tribenuron-methyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

---

### kaolin:

Remarks : No significant adverse effects were reported

### Silicon dioxide:

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs (Thyroid, Nervous system) through prolonged or repeated exposure.

### Product:

Assessment : This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

### Components:

#### tribenuron-methyl (ISO):

Target Organs : Thyroid, Nervous system  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Silicon dioxide:

Exposure routes : Inhalation  
Target Organs : Lungs  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

### Repeated dose toxicity

### Components:

#### tribenuron-methyl (ISO):

Species : Rabbit  
LOAEL : 80 mg/kg  
Target Organs : Thyroid, Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.  
Remarks : Increased mortality or reduced survival

### kaolin:

Remarks : No data available

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version 1.1	Revision Date: 24.09.2024	SDS Number: 50002767	Date of last issue: 23.02.2023 Date of first issue: 23.02.2023
----------------	------------------------------	-------------------------	---

---

### Aspiration toxicity

Not classified based on available information.

### Components:

#### tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

### Experience with human exposure

### Components:

#### Silicon dioxide:

Inhalation : Target Organs: Lungs  
Symptoms: Cancer  
Remarks: Based on Human Evidence

### Further information

### Product:

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### tribenuron-methyl (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Crustaceans): > 320 mg/l Exposure time: 48 h  EC50 (Daphnia magna (Water flea)): > 894 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0208 mg/l Exposure time: 120 h  EC50 (Lemna gibba (duckweed)): 0.00424 mg/l Exposure time: 14 d
Toxicity to fish (Chronic toxicity)	: NOEC (Cyprinodon variegatus (sheepshead minnow)): 114 mg/l Exposure time: 21 d Method: OECD Test Guideline 211  NOEC (Oncorhynchus mykiss (rainbow trout)): 560 mg/l Exposure time: 21 d

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version 1.1	Revision Date: 24.09.2024	SDS Number: 50002767	Date of last issue: 23.02.2023 Date of first issue: 23.02.2023
----------------	------------------------------	-------------------------	---

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 41 mg/l  
Exposure time: 21 d

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 3.2 mg/kg  
Exposure time: 56 d

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm  
Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm  
Remarks: Dietary

LD50 (Apis mellifera (bees)): > 98.4 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 9.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Version 1.1	Revision Date: 24.09.2024	SDS Number: 50002767	Date of last issue: 23.02.2023 Date of first issue: 23.02.2023
----------------	------------------------------	-------------------------	---

---

**Persistence and degradability****Components:****tribenuron-methyl (ISO):**

Biodegradability : Biodegradation: 29.4 %  
Exposure time: 28 d

**kaolin:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

**Bioaccumulative potential****Components:****tribenuron-methyl (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0.38

**kaolin:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

**Mobility in soil****Components:****tribenuron-methyl (ISO):**

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

**kaolin:**

Distribution among environmental compartments : Remarks: Low mobility in soil

**Other adverse effects****Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Tribenuron-methyl)  
Class : 9  
Subsidiary risk : ENVIRONM.  
Packing group : III  
Labels : 9 (ENVIRONM.)  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Tribenuron-methyl)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Tribenuron-methyl)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	2Z
Environmentally hazardous	:	yes
Remarks	:	Environmentally hazardous substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : Schedule 5  
Standard) Instrument

APVMA Code: 62095

Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
------------------------------------	---	---

### The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  tribenuron-methyl (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date	: 24.09.2024
Date format	: dd.mm.yyyy

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA	: 8-hour, time-weighted average
AU OEL / TWA	: Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;



# SAFETY DATA SHEET

## TRIBAL HERBICIDE



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
1.1	24.09.2024	50002767	Date of first issue: 23.02.2023

---

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N