

GREAT WEED CONTROL. EXCEPTIONAL VALUE.

PrecisionPac® CS-75-2525 herbicide offers a cost-effective solution for controlling low populations of wild oats. It combines a reduced rate of our GP Group 2 graminicide and PP-2525 herbicide for an all-in-one combination that provides wild oat activity and exceptional broadleaf weed control in spring and durum wheat. Great weed control for a great price.

Dispensed in easy-to-handle, premeasured pouches for your exact weed spectrum and sprayer size, you buy only the amount you need. That means customized, top-performing weed control, great value and no leftovers to store!

The flexibility of PrecisionPac® herbicides gives you the power to fully customize your weed control.

The end result is:



  @FMCagCanada

FMCcrop.ca | 1-833-362-7722

Always read and follow label directions.
Member of CropLife Canada.

FMC, Perimeter and PrecisionPac are registered trademarks or service marks of FMC Corporation and/or an affiliate.
© 2019 FMC Corporation. All rights reserved. 63589-01/19
Clearfield® (BASF)

FMC



PRECISIONPAC
APPLICATION INNOVATION

CS-75-2525
provides
tailor-made,
one pass control.

PRECISIONPAC[®] CS-75-2525 Herbicide

Offers a solution for controlling low populations of wild oats with the same powerful broadleaf performance of PrecisionPac[®] PP-2525 herbicide.

FMC

Grassy Weeds Controlled

- Wild oats*

Broadleaf Weeds Controlled

- Annual smartweed
- Canada thistle¹
- Common chickweed
- Cow cockle
- Dandelion³
- Flixweed
- Hemp-nettle
- Lamb's-quarters
- **Narrow-leaved hawk's-beard**
- Night flowering catchfly
- Perennial sow thistle
- Redroot pigweed
- Round-leaved mallow
- Russian thistle
- Scentless chamomile³
- Stinkweed
- **Volunteer canola²**
- White cockle³
- Wild buckwheat
- Wild mustard

* For control of low wild oat populations (<75 plants/m²) only

¹ Suppression

² Excluding Clearfield[®] Canola

³ When tank-mixed with MCPA



Crops:

Wheat (spring and durum)



Tank-mix Options:

Perimeter[®] II: For added broadleaf control including cleavers, round-leaved mallow and kochia

MCPA: for control of volunteer Clearfield[®] Canola



Timing:

Spring and durum wheat (3 leaf to before the flag leaf stage)



Crop Rotation:

10 months: Potato, sunflower

11 months: Diverse re-cropping options



Excellent Wild Buckwheat Control



Application Information:

Rates: Full Spectrum – 33 g/ac (81.5 g/ha)

Acres per grower bag: Minimum: 20 acres; Maximum: 200 acres

Water Volume: 5-10 gallons/acre

Rainfastness: Two (2) hours

Surfactant: Add a registered non-ionic surfactant (NIS) at 2.5 L per 1000 L of spray solution

Mixing Instructions: Ensure that PrecisionPac[®] CS-75-2525 herbicide is fully dissolved before adding tank-mix partners