WIDE RANGE OF BROADLEAF WEEDS, PARTICULARLY TOUGH ANNUAL WEEDS.

PrecisionPac® DB-8454 herbicide provides premium control of the toughest weeds in the brown soil zones. That includes challenging annual weeds like wild buckwheat, stinkweed, volunteer canola¹ and flixweed. It also offers solid control of Group 2-resistant kochia, narrow-leaved hawk's-beard, dandelion and Russian thistle. With active ingredients from Group 2 and Group 4. PrecisionPac® DB-8454 herbicide is a smart way to manage weed resistance and can be used in wheat (spring and durum) and barley.

PrecisionPac® DB-8454 herbicide is registered for aerial application!

The flexibility of PrecisionPac® herbicides gives you the power to fully customize your weed control.

The end result is:



High Performing Weed Control

Multiple

Modes of Action



Completely Customized Weed Control



Easy to Use



Right Product, Right Rate, Right Acre









Constantly Evolvina







@FMCAgCanada

FMCcrop.ca | 1-833-362-7722

Always read and follow label directions

Member of CropLife Canada.

FMC, Perimeter and PrecisionPac are registered trademarks or service marks of FMC Corporation and/or an affiliate.

© 2019 FMC Corporation. All rights reserved. 63589-01/19 Agral®, Traxos® (Syngenta); Ag-Surf® (IPCO); Clearfield®, Citowett® (BASF)

1excluding Clearfield® varieties



PRECISIONPAC® DB-8454 Herbicide

PrecisionPac® DB-8454 herbicide delivers control of a wide range of broadleaf weeds, particularly tough annual weeds.

FMC

Major Weeds Controlled

- Dandelion (spring or fall rosettes <15 cm in diameter)
- Kochia (including Group 2-resistant)
- Narrow-leaved hawk's-beard
- Russian thistle
- Wild buckwheat (up to 5-leaf)

Also Controls

- Annual smartweed (Green smartweed and Lady's-thumb)
- Ball mustard
- Chickweed (1–6 leaf)
- Common groundsel
- Corn spurry
- Cow cockle
- Flixweed
- Hemp-nettle
- Lamb's-quarters
- Redroot pigweed
- Shepherd's purse
- Stinkweed
- Tartary buckwheat
- Volunteer canola (excluding Clearfield® varieties)
- Volunteer sunflower
- Wild mustard

Weeds Suppressed

- Canada thistle
- Cleavers (1–3 whorls)
- Round-leaved mallow
- Scentless chamomile
- Sow thistle
- Stork's-bill (2-6 leaf)
- Toadflax

Application Information



Crops

Wheat (spring, durum) and barley



Timing

Wheat (spring, durum) and barley: 2-leaf to 5-leaf.



Crop Rotation

Any crop can be seeded the year following the application of PrecisionPac® DB-8454 herbicide.

Rates: 52 grams/ac (130 grams/ha).

Acres per grower bag: Minimum: 20 acres;

Maximum: 130 acres.

Surfactant: Add a registered surfactant such as Agral® 90, Ag-Surf® or Citowett® Plus at a rate of 2 L per 1000 L of spray solution. When tank-mixing with a grass herbicide, use the surfactant provided with the product.

Water Volume: Minimum 22 L/ac (5 imp. gal/ac).

Rainfastness: Four (4) hours.


Aerial Application: PrecisionPac® DB-8454 herbicide is registered for aerial application. See label for further details.

Mixing Instructions: Ensure that PrecisionPac® DB-8454 herbicide is fully dissolved. Reduce agitation then add tank-mix partner. If required, add the surfactant last.

Registered and Supported Tank Mix Options:

Clodinafop: One-pass grass and broadleaf weed control in spring and durum wheat.

Traxos®: One-pass grass and broadleaf weed control in spring and durum wheat.



Refer to the PrecisionPac® DB-8454 herbicide label for further details.