



Product Name:
PrecisionPac® NC-00439 Herbicide
PCP # 29929

PrecisionPac® NC-00439 Herbicide is considered a mechanical mixture of two individual products. Attached are the component product SDS which make up PrecisionPac® NC-00439 Herbicide:

Metsulfuron Methyl MUP Herbicide

PCP # 26677
SDS Date: 03/01/2018
Ref: 130000118729

Express® 50 SG MUP

PCP # 28176
SDS Date: 03/01/2018
Ref: 130000012165

Please review the attached SDS, for a full and complete understanding of the hazards associated with each product before use.

Manufacturer/Distributor:

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
USA

Telephone Numbers:

Product Information: 1-215-299-6000
Medical Emergency: 1-800-331-3148 (USA & Canada)
Preparation Date: 01/29/2019

Member of CropLife Canada
®/TM Registered trademarks/trademarks of FMC Corporation or an affiliate.

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Metsulfuron Methyl MUP Herbicide
 Tradename/Synonym : DPX-T6376 60XP MUP
 B11495142
 METSULFURON METHYL (Methyl 2-[[[(4-methoxy-6-methyl-1,3,4-triazin-2-yl)amino]carbonyl]amino]sulfonyl]benzoate)
 B10838190
 Metsulfuron Methyl 60DF

SDS Number : 130000118729

Product Use : Manufacturing Use Product (MUP)

Manufacturer : FMC Corporation
 2929 Walnut Street
 Philadelphia, PA 19104
 (215) 299-6000 (General Information)
 msdsinfo@fmc.com (E-Mail General Information)

Medical Emergency : 1 800 / 331-3148 (U.S.A. & Canada)
 1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
 1 800 / 424 9300 (CHEMTREC - U.S.A.)
 1 703 / 741-5970 (CHEMTREC - International)
 1 703 / 527 3887 (CHEMTREC - Alternate)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

CAUTION!

Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Skin

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

Modified Aromatic Sulfonate Salt : Causes skin irritation. May cause:, Pain, burning sensation, itching, redness, swelling, or rash..

Phosphate Salt : Causes skin irritation. May cause:, Pain, burning sensation, itching, redness, swelling, or rash..

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Metsulfuron methyl	74223-64-6	60 %
Modified Aromatic Sulfonate Salt		1 - 5 %
Phosphate Salt		1 - 5 %
Other Ingredients		30 - 38 %

*Hazardous Materials Information Review Act (HMIRA) Trade Secret – see Section 15 (Regulatory) for further information.

SECTION 4. FIRST AID MEASURES

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

Skin contact	: Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye contact	: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Inhalation	: No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
Ingestion	: No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
General advice	: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. See Section 1 for emergency phone numbers. See Label for Additional Precautions and Directions for Use.
Notes to physician	: Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Flash point : Not applicable

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Unsuitable extinguishing media : High volume water jet, (contamination risk)

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Wear full protective equipment.
(on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

- Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus.
- Spill Cleanup : Sweep up and shovel into suitable containers for disposal.
If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.
- Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas.
Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Store in a cool, dry place. Keep out of the reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Personal protective equipment
Skin and body protection : Wear protective clothing such as gloves, apron, boots, or coveralls, as appropriate.
- Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Exposure Guidelines
Exposure Limit Values
- No data available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form : solid, granular
Color : light brown
Odor : odourless
pH : 5.0

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

Specific gravity : 1.47 at 25 °C (77 °F)
Bulk density : Tapped
Water solubility : dispersible

SECTION 10. STABILITY AND REACTIVITY

Stability : Stable at normal temperatures and storage conditions.
Conditions to avoid : None reasonably foreseeable.
Incompatibility : No materials to be especially mentioned.

SECTION 11. TOXICOLOGICAL INFORMATION

Metsulfuron Methyl MUP Herbicide

Dermal LD50 : > 5,000 mg/kg , Rat

Oral LD50 : > 5,000 mg/kg , Rat

Skin irritation : No skin irritation, Rabbit

Eye irritation : slight irritation, Rabbit

Sensitisation : Animal test did not cause sensitization by skin contact., Guinea pig

Further information : This product has no known adverse effect on human health.

Metsulfuron methyl

Inhalation 4 h LC50 : > 5.3 mg/l , Rat

Repeated dose toxicity :

The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Oral
Rat

Reduced body weight gain, Organ weight changes, Liver

Dermal
Rabbit

Skin irritation

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

Carcinogenicity : Not classifiable as a human carcinogen.
Did not show carcinogenic effects in animal experiments.

Reproductive toxicity : No toxicity to reproduction
Animal testing did not show any effects on fertility.

Teratogenicity : Animal testing showed no developmental toxicity.

Phosphate Salt

Inhalation : Rat
An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
Information given is based on data obtained from similar substances.

Repeated dose toxicity : Ingestion
Dog
90 d
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., Information given is based on data obtained from similar substances.

Reproductive toxicity : No toxicity to reproduction
Animal testing showed no reproductive toxicity.
Information given is based on data obtained from similar substances.

Teratogenicity : Animal testing showed no developmental toxicity.
Information given is based on data obtained from similar substances.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Metsulfuron methyl

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 150 mg/l
72 h EC50 : Anabaena flos-aquae (cyanobacteria) 0.066 mg/l
14 d EC50 : Lemna minor (common duckweed) 0.00036 mg/l
48 h EC50 : Daphnia magna (Water flea) > 120 mg/l

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

Phosphate Salt

- 96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 100 mg/l OECD Test Guideline 203
Information given is based on data obtained from similar substances.
- 72 h ErC50 : Desmodesmus subspicatus (green algae) > 100 mg/l OECD Test Guideline 201
Information given is based on data obtained from similar substances.
- 72 h NOEC : Desmodesmus subspicatus (green algae) > 100 mg/l OECD Test Guideline 201
Information given is based on data obtained from similar substances.
- 48 h EC50 : Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202
Information given is based on data obtained from similar substances.

Environmental Fate

DuPont™ Metsulfuron Methyl MUP Herbicide

- Bioaccumulation : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

- Additional ecological information : Environmental Hazards: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

SECTION 13. DISPOSAL CONSIDERATIONS

- Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.
- Container disposal: : Refer to the product label for instructions.
Do not transport if this container is damaged or leaking.

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

SECTION 14. TRANSPORT INFORMATION

IATA_C	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Metsulfuron methyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9MI
IMDG	UN number	: 3077
	Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron methyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Metsulfuron methyl)

Not regulated as a hazardous material by DOT.

Not regulated as a hazardous material by TDG.

SECTION 15. REGULATORY INFORMATION

PCP Registration #	: 26677
Remarks	: Regulated under the Pest Control Products Act - WHMIS exempt.

SECTION 16. OTHER INFORMATION

MSDS preparation date : 03/01/2018

® Registered trademark of FMC Corporation

Metsulfuron Methyl MUP Herbicide

Version 1.0

Revision Date 03/01/2018

Ref. 130000118729

Contact person : FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Significant change from previous version is denoted with a double bar.

Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018

Ref. 130000012165

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Express® 50 SG MUP
Tradename/Synonym : B11646119
DPX-L5300 50SG
Tribenuron methyl 50SG
Affinity 2 Herbicide
Affinity 50 SG
Granstar 50 SG
Tribenuron methyl: Methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)methylamino]carbonyl]amino]sulfonyl]benzoate
Express® SG MUP

SDS Number : 130000012165

Product Use : Herbicide
Manufacturer : FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Medical Emergency : 1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527 3887 (CHEMTREC - Alternate)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Caution

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Skin

Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018

Ref. 130000012165

Tribenuron methyl : May cause allergic skin reaction.

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Tribenuron methyl	101200-48-0	50 %
Other Ingredients		50 %

SECTION 4. FIRST AID MEASURES

- Skin contact** : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact** : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- Inhalation** : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary. Remove person to fresh air. If signs/symptoms continue, get medical attention. Artificial respiration and/or oxygen may be necessary. Call a poison control center or doctor for treatment advice.
- Ingestion** : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.

Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018

Ref. 130000012165

General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
See Section 1 for emergency phone numbers. See Label for Additional Precautions and Directions for Use.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Flash point : Not applicable

Fire and Explosion Hazard : Not a fire or explosion hazard. Under severe dusting conditions, this material may form explosive mixtures in air.

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO₂)

Unsuitable extinguishing media : High volume water jet, (contamination risk)

Firefighting Instructions : Wear full protective clothing and self-contained breathing apparatus. (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.

Spill Cleanup : Sweep up and shovel into suitable containers for disposal.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018

Ref. 130000012165

SECTION 7. HANDLING AND STORAGE

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Wash the outside of gloves before removing. Remove personal protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.
- Handling (Physical Aspects) : Keep away from heat and sources of ignition.
- Storage : Store in original container. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in a cool, dry place. Keep out of the reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls : Use only with adequate ventilation.
- Personal protective equipment
 - Respiratory protection : No personal respiratory protective equipment normally required.
 - Skin and body protection : Applicators and other handlers must wear:
 - Long sleeved shirt and long pants
 - Shoes plus socks
 - Chemical resistant gloves made of any waterproof material, such as polyethylene or polyvinyl chloride.
 - PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
 - Coveralls
 - Chemical resistant gloves made of any waterproof material
 - Shoes plus socks
 - Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Notify workers of the application by warning them orally or by posting warning signs at entrances to treated areas.
- Exposure Guidelines
 - Exposure Limit Values
 - No data available

Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018

Ref. 130000012165

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: solid, granular
Color	: light brown
Odor	: mild
pH	: 8.4 - 9.4 at 10 g/l 20 °C (68 °F) (1% solution in water)
Oxidizing Substance	: The product is not oxidizing.
Bulk density	: 640 kg/m ³ packed
Water solubility	: soluble

SECTION 10. STABILITY AND REACTIVITY

Stability	: Stable at normal temperatures and storage conditions.
Conditions to avoid	: None reasonably foreseeable.
Incompatibility	: No materials to be especially mentioned.
Hazardous reactions	: Polymerization will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Express® SG herbicide	
Dermal LD50	: > 5,000 mg/kg , Rat
Oral LD50	: > 5,000 mg/kg , Rat
Skin irritation	: No skin irritation, Rabbit
Eye irritation	: No eye irritation, Rabbit
Sensitisation	: The product is a skin sensitiser, sub-category 1B., Guinea pig
Tribenuron methyl	
Inhalation 4 h LC50	: > 6.0 mg/l , Rat
Repeated dose toxicity	: The following effects occurred at levels of exposure that significantly

Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018

Ref. 130000012165

exceed those expected under labeled usage conditions.

Oral - feed
 Mouse
 90 d
 Reduced body weight gain

Oral
 Rat
 28 d
 Reduced body weight gain

- Carcinogenicity** : Not classifiable as a human carcinogen.
 An increased incidence of tumours was observed in laboratory animals.
 Target(s):
 Mammary glands
- Mutagenicity** : Animal testing did not show any mutagenic effects.
 Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Reproductive toxicity** : No toxicity to reproduction

SECTION 12. ECOLOGICAL INFORMATION
Aquatic Toxicity

Express® SG herbicide

- 96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 120 mg/l
- 72 h ErC50 : Pseudokirchneriella subcapitata (microalgae) > 0.080 mg/l
- 48 h EC50 : Daphnia (water flea) > 120 mg/l

- Additional ecological information** : Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

SECTION 13. DISPOSAL CONSIDERATIONS

Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018

Ref. 130000012165

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container disposal: : Container Refilling and Disposal:
Refer to the product label for instructions.
Do not transport if this container is damaged or leaking.

SECTION 14. TRANSPORT INFORMATION

IATA_C	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Tribenuron methyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9MI
IMDG	UN number	: 3077
	Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron methyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9

Not regulated as a hazardous material by TDG.
Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

SECTION 15. REGULATORY INFORMATION

PCP Registration # : HERBICIDE: 28262 /MUP: 28176

Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018

Ref. 130000012165

Remarks : Regulated under the Pest Control Products Act - WHMIS exempt.

SECTION 16. OTHER INFORMATION

MSDS preparation date : 03/01/2018

® Registered trademark of FMC Corporation

Contact person : FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.