

PMRA Annotated & Approved (HW)
Previously PMRA Approved 2020-1059
Proposed label 2024-02-01

GROUP 3 FUNGICIDE

FULLBACK® 125 SC Fungicide

Suspension Concentrate

FOR EMERGENCY USE ONLY

For sale and use only in Ontario, Quebec, Saskatchewan and P.E.I. for control of Halo blight
in hops **from 1 June 2024 to 31 May 2025**

COMMERCIAL

ACTIVE INGREDIENT: flutriafol, 125.08 g/L
Contains 1,2-Benzisothiazolin-3-one at 0.02% as a preservative.

POTENTIAL SKIN SENSITIZER

**KEEP OUT OF REACH OF CHILDREN AND PREVENT ACCESS BY
UNAUTHORIZED PERSONNEL**

READ THE LABEL AND ACCOMPANYING BOOKLET BEFORE USING

REGISTRATION NO.: **31679**
PEST CONTROL PRODUCTS ACT

IN CASE OF EMERGENCY, CALL 1-800-331-3148 (24 HOURS)

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
1-833-362-7722

NET CONTENTS: 1 L to Bulk

Label

PRECAUTIONS

- KEEP OUT OF REACH OF CHILDREN AND PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.
- Potential skin sensitizer.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Wear long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves (such as Natural Rubber, Selection Category A).
- Remove and wash contaminated clothing before reuse.
- Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
- **DO NOT** apply by air
- **DO NOT** apply in greenhouses.
- Apply only when the potential for drift to areas of human habitation or areas of human activity such as houses, cottages, schools and recreational areas is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment and sprayer settings.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. For medical emergencies call 1-800-331-3148.

TOXICOLOGICAL INFORMATION

No specific antidote. Treat symptomatically.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves, and shoes plus socks.

Mixers and loaders must wear: long-sleeved shirt and long pants, chemical resistant gloves, and shoes plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms and non-target terrestrial plants. Observe spray buffer zones specified under DIRECTIONS FOR USE.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

This product demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of flutriafol in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

Flutriafol is persistent and may carryover. It is recommended that any products containing flutriafol not be used in areas treated with this product during the previous season.

Surface Water Advisory: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application.

To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

RESTRICTED ENTRY INTERVAL: Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

CHEMIGATION: Do not apply this product through any type of irrigation system.

STORAGE:

Store unused product in original container in a cool, dry area.

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Shelf life of Fullback 125 SC is 3 years.

DISPOSAL:

1. Triple- or pressure rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements

5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FMC and ®**FULLBACK** are registered trademarks of FMC Corporation or an affiliate

GROUP 3 FUNGICIDE

FULLBACK® 125 SC Fungicide

Suspension Concentrate

FOR EMERGENCY USE ONLY

For sale and use only in Ontario, Quebec, Saskatchewan, Manitoba and P.E.I. for control of Halo blight in hops **from 1 June 2024 to 31 May 2025**

COMMERCIAL

ACTIVE INGREDIENT: flutriafol, 125.08 g/L
Contains 1,2-Benzisothiazolin-3-one at 0.02% as a preservative.

POTENTIAL SKIN SENSITIZER

**KEEP OUT OF REACH OF CHILDREN AND PREVENT ACCESS BY
UNAUTHORIZED PERSONNEL**

READ THE LABEL AND ACCOMPANYING BOOKLET BEFORE USING

REGISTRATION NO.: **31679**
PEST CONTROL PRODUCTS ACT

IN CASE OF EMERGENCY, CALL 1-800-331-3148 (24 HOURS)

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
1-833-362-7722

Booklet

PRECAUTIONS

- KEEP OUT OF REACH OF CHILDREN AND PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.
- Potential skin sensitizer.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Wear long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves (such as Natural Rubber, Selection Category A).
- Remove and wash contaminated clothing before reuse.
- Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
- **DO NOT** apply by air
- **DO NOT** apply in greenhouses.
- Apply only when the potential for drift to areas of human habitation or areas of human activity such as houses, cottages, schools and recreational areas is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment and sprayer settings.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. For medical emergencies call 1-800-331-3148.

TOXICOLOGICAL INFORMATION

No specific antidote. Treat symptomatically.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves, and shoes plus socks.

Mixers and loaders must wear: long-sleeved shirt and long pants, chemical resistant gloves, and shoes plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms and non-target terrestrial plants. Observe spray buffer zones specified under DIRECTIONS FOR USE.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

This product demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of flutriafol in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

Flutriafol is persistent and may carryover. It is recommended that any products containing flutriafol not be used in areas treated with this product during the previous season.

Surface Water Advisory: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application.

To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

RESTRICTED ENTRY INTERVAL: Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

CHEMIGATION: Do not apply this product through any type of irrigation system.

STORAGE:

Store unused product in original container in a cool, dry area.

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Shelf life of FULLBACK 125 SC Fungicide is 3 years.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.

5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

USE DIRECTIONS

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes

DO NOT apply by air.

GENERAL DIRECTIONS

Crop Rotation:

Crops	Plantback Interval (Days)
Labeled crops	Any time
Unlabeled crops	365
Field corn, popcorn	150
Sweet corn	200

Rainfastness: Disease control will be reduced if rainfall occurs within 2 hours of application.

TANK MIXES: This product may be tank mixed with registered pest control products, whose labels also allow tank mixing, provided the entirety of both labels, including Directions For Use, Precautions, Restrictions, Environmental Precautions, and Spray Buffer Zones are followed for each product. In cases where these requirements differ between the tank mix partner labels, the most restrictive label must be followed. Do not tank mix products containing the same active ingredient unless specifically listed on this label.

In some cases, tank mixing pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact FMC of Canada Limited at 1-833-362-7722 for information before applying any tank mix that is not specifically recommended on this label.

Compatibility Jar Test: Using a 1-litre jar, add the proportionate amounts of the products to approximately one quarter of water with agitation. Add wettable powders and water dispersible granular products first, next liquid flowables, then emulsifiable concentrates, and last liquid soluble products. After thorough mixing, allow this mixture to stand for 5 minutes. If the combination remains mixed or can be readily remixed, it is physically compatible. Once

compatibility has been proven, use the same procedure for adding products to the spray tank. Use tank-mix combinations on a small number of plants before treating larger areas.

DIRECTIONS FOR EMERGENCY USE

Use Directions for hops

Diseases	FULLBACK	Application Directions	Minimum Retreatment Interval
	Use Rate [mL/ha]		
Halo blight (<i>Diaporthe humulicola</i>)	[731-1024]	Apply in a minimum of 280 L of spray solution per hectare. Apply FULLBACK in sufficient water volume to provide uniform coverage. Apply FULLBACK as a foliar spray when conditions are favourable for disease development.	14 days
<p>Restriction: Do not apply more than 2048 mL per hectare per season. Do not apply more than 2 applications of FULLBACK per year. No single application may exceed 1024 mL/ha.</p> <p>Preharvest Interval: Do not apply within 17 days of harvest.</p>			

Resistance Management Recommendations

For resistance management, **Fullback 125 SC Fungicide** contains a Group 3 fungicide. Any fungal population may contain individuals naturally resistant to **Fullback 125 SC Fungicide** and other Group 3 fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay fungicide resistance:

- Where possible, rotate the use of **Fullback 125 SC Fungicide** or other Group 3 fungicides with different groups that control the same pathogens.
- Fungicide use should be based on an integrated disease management program that includes scouting, historical information related to pesticide use and crop rotation and considers host plant resistance, impact of environmental conditions on disease development, disease thresholds, as well as cultural, biological and other chemical control practices.
- Where possible, make use of predictive disease models to effectively time fungicide applications.
- Monitor treated fungal populations for resistance development. Notify FMC of Canada Limited if reduced sensitivity of the pathogen to **Fullback 125 SC Fungicide** is suspected.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product, and switch to another fungicide with a different site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific crops and pathogens.

For further information and to report suspected resistance, contact FMC of Canada Limited at 1-833-362-7722 or at <https://ag.fmc.com/ca/en>.

Spray Buffer zones:

Field sprayer application: **DO NOT** apply during periods of dead calm. Avoid application of this product when winds are gusty. **DO NOT** apply with spray droplets smaller than the American Society of Agricultural Engineers (ASAE S572.1) medium classification. Boom height must be 60 cm or less above the crop or ground.

Airblast application: **DO NOT** apply during periods of dead calm. Avoid application of this product when winds are gusty. **DO NOT** direct spray above plants to be treated. Turn off outward pointing nozzles at row ends and outer rows. **DO NOT** apply when wind speed is

greater than 16 km/h at the application site as measured outside of the treatment area on the upwind side.

Use of the following spray methods or equipment DO NOT require a spray buffer zone: hand-held or backpack sprayer and spot treatment.

The spray buffer zones specified in the table below are required between the point of direct application and the closest downwind edge of sensitive terrestrial habitats (such as grasslands, forested areas, shelter belts, woodlots, hedgerows, riparian areas and shrub lands) and sensitive freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands).

Spray buffer zones for aquatic and terrestrial habitat

Method of application	Crop		Spray Buffer Zones (meters) required for the protection of:		
			Aquatic habitat of depths:		Terrestrial habitat
			Less than 1 m	Greater than 1 m	
Field sprayer	Hops		1	0	1
Airblast	Hops	Early growth stage	2	0	2
		Late growth stage	1	0	1

When tank mixes are permitted, consult the labels of the tank-mix partners and observe the largest (most restrictive) spray buffer zone of the products involved in the tank mixture and apply using the coarsest spray (ASAE) category indicated on the labels for those tank mix partners.

For product information, call toll free, 1-833-362-7722

FMC and ®**FULLBACK** are registered trademarks of FMC Corporation or an affiliate