

Compatibility:

Barley and Oat Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser® Vibrance® Quattro	60 days	60 days	60 days
Dividend Extreme®	30 days	30 days	Not Recommended
EverGol® Energy	60 days	60 days	60 days
Insure® Cereal FX4	60 days	60 days	60 days
NipsIT™ SUITE	10 days	10 days	Not Recommended
Rancona® Trio	60 days	60 days	30 days
Raxil® PRO MD	60 days	60 days	30 days
Raxil® PRO Shield	60 days	60 days	30 days
Terraxa™ F4	60 days	60 days	Not Recommended
Vibrance® Quattro	60 days	60 days	60 days
Vibrance® Quattro + Cruiser® 5FS	60 days	60 days	60 days
Vitaflo® 280	Not Recommended	Not Recommended	Not Recommended

Canola Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application
Helix® Saltro®	60 days	•	•
Helix® Saltro® + Buteo™	60 days	•	•
Helix® Saltro® + Fortenza® Advanced	60 days	•	•
Helix® Vibrance®	60 days	•	•
Helix® Vibrance® + Buteo™	60 days	•	•
Helix® Vibrance® + Fortenza®	60 days	•	•
Helix® Vibrance® + Lumiderm®	60 days	•	•
Helix® Vibrance® + Buteo™ + Lumiposa™	60 days	•	•
LumiGEN®	60 days	•	•
Prosper® EverGol®	60 days	•	•
Prosper® EverGol® + Buteo™	30 days	•	•
Prosper® EverGol® + Fortenza®	60 days	•	•
Prosper® EverGol® + Lumiderm®	60 days	•	•
Visivio™	60 days	•	•
Visivio™ + Buteo™	30 days	•	•
Visivio™ + Fortenza®	60 days	•	•
Visivio™ + Lumiderm®	60 days	•	•

Wheat Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Avoda® PRO Seed Treatment (FMC)	60 days	60 days	30 days
Cruiser® Vibrance® Quattro	60 days	60 days	60 days
Dividend Extreme®	30 days	30 days	Not Recommended
EverGol® Energy	60 days	60 days	60 days
Insure® Cereal FX4	60 days	60 days	60 days
Lumivia™ CPL	60 days	60 days	60 days
NipsIT™ SUITE	10 days	10 days	Not Recommended
Rancona® Trio	60 days	60 days	30 days
Raxil® PRO MD	60 days	60 days	30 days
Raxil® PRO Shield	60 days	60 days	30 days
Straxan™	60 days	60 days	60 days
Terraxa™ F4	60 days	60 days	Not Recommended
Vibrance® Quattro	60 days	60 days	60 days
Vibrance® Quattro + Cruiser® 5FS	60 days	60 days	60 days
Vitaflo® 280	Not Recommended	Not Recommended	Not Recommended

1 Inoculant was tank-mixed with the seed treatment for four hours prior to applying to the seed.
Consult the seed treatment manufacturers' label for proper rates of seed treatments.

• Indicates not tested

Bare Seed: Add BioniQ® to recommended rate of water (see table on page 5), mix well and apply to seed.



Compatibility:

Liquid Formulation

Pea Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	Not Recommended	Not Recommended	Not Recommended
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Apron Maxx® Peas	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended
Stress Shield® 600 + Pro-lzed® Blue Colourant (high rate)	•	6 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

Lentil Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended

Lentil Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Stress Shield® 600 + Pro-lzed® Blue Colourant (104 ml + 20 ml rate)	•	24 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	24 hours	24 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Total	48 hours	8 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

Soybean Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Acceleron® Seed Applied Solutions STANDARD*	4 days	4 days	•
Cruiser Maxx® Vibrance® Beans	4 days	4 days	•
EverGol® Energy²	4 days	4 days	•
EverGol® Energy² + Stress Shield® (104 ml low rate)	4 days	4 days	•
Fortenza® + Vayantis® IV	4 days	4 days	•
ILeVO®	4 days	4 days	•
Intego™ Solo	4 days	4 days	•
Lumiderm®	4 days	4 days	•
Lumisena®	4 days	4 days	•
Rancona® Trio	24 hours	24 hours	•
Trilex® AL	4 days	4 days	•
Trilex® EverGol®	4 days	4 days	•
Vayantis® IV	4 days	4 days	•
Vayantis® IV + Cruiser® 5FS	4 days	4 days	•
Vayantis® IV RFC	4 days	4 days	•
Vibrance® Maxx RFC	4 days	4 days	•

Peat Formulation

Pea Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	24 hours	12 hours	•
Apron Maxx® Peas	48 hours	24 hours	24 hours
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
EverGol® Energy	24 hours	24 hours	•
EverGol® Energy + Stress Shield® 600	24 hours	24 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Apron Maxx® Peas	48 hours	48 hours	•
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
Lumivia™ CPL	48 hours	48 hours	•
Rancona® Trio	6 hours	2 hours	•
Stress Shield® 600 + Pro-lized® Blue Colourant (high rate)	•	6 hours	Not Recommended
Trilex® AL	30 hours	24 hours	Not Recommended
Trilex® EverGol®	48 hours	48 hours	48 hours
Trilex® EverGol® Shield (104 ml rate)	24 hours	24 hours	Not Recommended
Vibrance® Maxx	48 hours	48 hours	48 hours
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	48 hours	48 hours	•

Lentil Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	48 hours	24 hours	•
Crown®	24 hours	Not Recommended	•
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
EverGol® Energy	24 hours	24 hours	•
EverGol® Energy + Stress Shield® 600	6 hours	6 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo	48 hours	48 hours	•
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
Lumivia™ CPL	48 hours	48 hours	•
Rancona® Trio	6 hours	2 hours	•

Lentil Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Stress Shield® 600 + Pro-Ized® Blue Colourant (104 ml + 20 ml rate)	•	24 hours	Not Recommended
Trilex® AL	24 hours	6 hours	•
Trilex® EverGol®	48 hours	48 hours	48 hours
Trilex® EverGol® Shield (104 ml rate)	48 hours	48 hours	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	48 hours	48 hours	•

Soybean Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser Maxx® Vibrance® Beans	2 days	2 days	•
EverGol® Energy	2 days	2 days	•
EverGol® Energy + Stress Shield® 600	2 days	2 days	•
Fortenza® + Vayantis® IV	No Data	No Data	No Data
Lumiderm®	2 days	2 days	•
Lumisena®	2 days	2 days	•
Rancona® Trio	24 hours	24 hours	•
Stress Shield® 600	2 days	2 days	•
Trilex® EverGol®	2 days	2 days	•
Vayantis® IV	No Data	No Data	No Data
Vayantis® IV + Cruiser® 5FS	No Data	No Data	No Data
Vayantis® IV RFC	No Data	No Data	No Data
Vibrance® Maxx RFC	2 days	2 days	•
Vibrance® Maxx RFC + Cruiser® 50 g	2 days	2 days	•

Consult the seed treatment manufacturers label for proper rates of seed treatments.
1 Cell-Tech® was tank-mixed with the seed treatment for four hours prior to applying to the seed.
2 Tested with colourant and without PSF 1010.

• Indicates not tested
* Acceleron® Seed Applied Solutions STANDARD for soybeans (fungicides and insecticide) is a combination of four separate individually registered products, which together contain the active ingredients Penflufen, Prothioconazole, Metalaxyl, flupyradifurone, and tetraniliprole (East) or Penflufen, Prothioconazole, Metalaxyl and imidacloprid (West).

Planting Window for Peat Formulation on Bare Seed: 48 hours before seeding lentil, chickpea, soybean.

Planting Window for Liquid Formulation on Bare Seed: 48 hours before seeding pea and lentil. 4 days before soybean.

Compatibility:

Liquid Formulation

Canola and Mustard Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application ¹
Acceleron® Seed Applied Solutions for canola*	30 days	•	•
Helix® Vibrance®	30 days	•	•
Helix® Vibrance® + Fortenza®	30 days	•	•
Prosper® EverGol®	30 days	•	•

Chickpea Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application ¹
Trilex® AL	30 days	30 days	•

Lentil Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application ¹
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	30 days	30 days	30 days
Lumivia™ CPL + Rancona® Trio	30 days	30 days	•
Lumivia™ CPL + Trilex® EverGol®	30 days	30 days	•
Rancona® Trio	30 days	30 days	7 days
Trilex® AL	30 days	30 days	•
Trilex® EverGol®	30 days	30 days	15 days
Trilex® EverGol® + Stress Shield® 600 (208 ml/100 kg)	30 days	30 days	Not Recommended
Zeltera™ Pulse	30 days	30 days	Not Recommended

Pea Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	30 days	30 days	•
Apron Maxx® Peas	15 days	15 days	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	30 days	30 days	30 days
Lumivia™ CPL + Rancona® Trio	30 days	30 days	•
Lumivia™ CPL + Trilex® EverGol®	30 days	30 days	•
Rancona® Trio	30 days	30 days	7 days
Trilex® AL	30 days	30 days	•
Trilex® EverGol®	30 days	30 days	30 days
Trilex® EverGol® + Stress Shield® 600 (208 ml/100 kg)	30 days	30 days	Not Recommended
Zeltera™ Pulse	30 days	30 days	Not Recommended

Soybean Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser Maxx® Vibrance® Beans	120 days	120 days	30 days
EverGol® Energy²	120 days	120 days	30 days
EverGol® Energy² with Stress Shield® 600 (104 ml rate)	120 days	120 days	Not Recommended
Insure® Pulse	•	30 days	•
Trilex® AL	7 days	7 days	•

Wheat Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Avoda® PRO Seed Treatment (FMC)	30 days	30 days	30 days
Cruiser® Vibrance® Quattro	30 days	30 days	30 days
EverGol® Energy²	30 days	30 days	30 days
Insure® Cereal	30 days	30 days	30 days
NipsIT™ SUITE	30 days	30 days	•
Rancona® Trio	30 days	30 days	30 days
Raxil® PRO	30 days	30 days	30 days
Raxil® PRO Shield (co-pack)	30 days	30 days	30 days
Vibrance® Quattro	30 days	30 days	30 days

Consult the seed treatment manufacturers' label for proper rates of seed treatments.

¹ JumpStart® was tank-mixed with the seed treatment for four hours prior to applying to the seed.

² Tested with colourant and without PSF 1010.

• Indicates not tested.

*Acceleron® Seed Applied Solutions for canola contains the active ingredients difenoconazole, metalaxyl (M and S isomers), fludioxonil and thiamethoxam.

Planting Window for Liquid Formulation on Bare Seed:

- Alfalfa/sweet clover is 7 days.
- Wheat, pea, chickpea, dry bean and lentil is 30 days.
- Canola, mustard and corn is 60 days.
- Soybean is 120 days.

Compatibility:

Liquid Formulation

Seed Treatment	Sequential Application	Simultaneous Application	When using additional liquid additive (extender) ¹	
			Sequential Application	Simultaneous Application
Acceleron [®] Seed Applied Solutions BASIC*	120 days	120 days	•	220 days
Acceleron [®] Seed Applied Solutions STANDARD*	120 days	120 days	220 days	220 days
Acceleron [®] Seed Applied Solutions STANDARD* + ILeVO [®]	120 days	120 days	220 days	220 days
Acceleron [®] Seed Applied Solutions STANDARD* + Saltro [®]	120 days	120 days	220 days	220 days
Apron XL [®] + Vibrance [®] Maxx RFC	•	•	•	220 days
Apron XL [®] + Cruiser Maxx [®] Vibrance Beans	•	•	•	220 days
Apron XL [®] + Fortenza [®] Vibrance [®] Maxx	•	120 days	•	220 days
Cruiser Maxx [®] Vibrance [®] Beans	120 days	120 days	•	220 days
Cruiser Maxx [®] Vibrance [®] Beans + Apron XL [®] + Saltro [®]	120 days	120 days	220 days	220 days
Cruiser Maxx [®] Vibrance [®] Beans + Apron XL [®] + Vayantis [®]	120 days	120 days	220 days	220 days
Draco [™]	•	120 days	•	220 days
Draco [™] + Cruiser [®] 5FS + Vibrance [®] Trio + Vayantis [®] + Saltro [®]	•	120 days	•	220 days
Draco [™] + Fortenza [®] + Vibrance [®] Trio + Vayantis [®] + Saltro [®]	•	120 days	•	220 days
EverGol [®] Energy ²	120 days	120 days	•	220 days
EverGol [®] Energy ² + ILeVO [®]	120 days	90 days	220 days	220 days
EverGol [®] Energy ² + Stress Shield [®] 600 (104 ml low rate)	120 days	120 days	•	220 days
Fortenza [®]	•	120 days	•	220 days
Fortenza [®] + Acceleron [®] Seed Applied Solutions BASIC*	•	120 days	•	220 days
Fortenza [®] + Saltro [®] + Vayantis [®] IV	120 days	120 days	•	220 days

Liquid Formulation				
Seed Treatment	Sequential Application	Simultaneous Application	When using additional liquid additive (extender) ¹	
			Sequential Application	Simultaneous Application
Fortenza® + Vayantis® IV	•	120 days	220 days	220 days
Fortenza® + Vibrance® Maxx RFC	•	120 days	•	220 days
Fortenza® + Vibrance® Maxx RFC + Apron XL®	120 days	120 days	•	220 days
Fortenza® + Vibrance® Maxx RFC + Apron XL® + Saltro®	120 days	120 days	220 days	220 days
Fortenza® + Vibrance® Maxx RFC + Apron XL® + Vayantis®	120 days	120 days	220 days	220 days
Fortenza® + Vibrance® Maxx RFC + Apron XL® + Vayantis® + Saltro®	120 days	120 days	220 days	220 days
ILeVO®	60 days	60 days	220 days	220 days
Insure® Pulse	•	30 days	220 days	220 days
Integral®	90 days	90 days	•	220 days
Lumiderm®	120 days	120 days	•	60 days
Lumisena™	120 days	120 days	220 days	220 days
Rancona® Trio	Not Recommended	Not Recommended	220 days	220 days
Vayantis® IV	120 days	120 days	Not Recommended	Not Recommended
Vayantis® IV + Cruiser 5FS	120 days	120 days	220 days	220 days
Vayantis® IV RFC	120 days	120 days	220 days	220 days
Vibrance® Maxx RFC	120 days	120 days	220 days	220 days
Vibrance® Maxx RFC + Apron XL® + Vayantis®	•	120 days	•	220 days
Zeltera™ Pulse	Not Recommended	Not Recommended	Not Recommended	Not Recommended

• Indicates not tested
1 Additional liquid extender purchased separately.
2 Tested with colourant and without PSF 1010.
*Acceleron® Seed Applied Solutions BASIC for soybeans (fungicides only) is a combination of two separate individually registered products, which together contain the active ingredients Penflufen, Prothioconazole, and Metalaxyl.
Acceleron® Seed Applied Solutions STANDARD for soybeans (fungicides and insecticide) is a combination of four separate individually registered products, which together contain the active ingredients Penflufen, Prothioconazole, Metalaxyl, flupyradifurone, and tetraniliprole (East) or Penflufen, Prothioconazole, Metalaxyl and imidacloprid (West).

Bare Seed: Inoculate bare seed up to 220 days before seeding.

Compatibility:

Liquid Formulation

Lentil Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended
Stress Shield® 600 + Pro-Ized® Blue Colourant (104 ml + 20 ml rate)	•	24 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	24 hours	24 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

Pea Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application
Allegiance® FL	Not Recommended	Not Recommended	Not Recommended
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Apron Maxx® Peas	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended

Pea Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application
Stress Shield® 600 + Pro-Ized® Blue Colourant (high rate)	•	6 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

Peat Formulation

Chickpea Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL (kabuli)	6 hours	6 hours	•
Allegiance® FL/Crown®	4 hours	4 hours	•
Apron® Advance	6 hours	6 hours	•
Crown®	6 hours	6 hours	•
Cruiser® 5FS + Vibrance® Maxx	6 hours	6 hours	•
EverGol® Energy	•	6 hours	•
Insure® Pulse	6 hours	6 hours	6 hours
Intego™ Solo	6 hours	6 hours	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	6 hours	6 hours	Not Recommended
Rancona® Trio	6 hours	6 hours	•
Stress Shield® 480 (desi)	6 hours	6 hours	•
Trilex® AL	4 hours	4 hours	•
Vibrance® Total	6 hours	6 hours	•

Lentil Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	48 hours	24 hours	•
Crown®	24 hours	Not Recommended	•
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
EverGol® Energy	24 hours	24 hours	•
EverGol® Energy + Stress Shield® 600	6 hours	6 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo	48 hours	48 hours	Not Recommended

Lentil Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
Intego™ Solo + Trilex® EverGol®	48 hours	48 hours	•
Lumivia™ CPL	48 hours	48 hours	•
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	6 hours	2 hours	•
Trilex® AL	24 hours	6 hours	•
Trilex® EverGol®	48 hours	48 hours	48 hours
Trilex® EverGol® Shield (104 ml rate)	48 hours	48 hours	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	48 hours	48 hours	•

Pea Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	Not Recommended	Not Recommended	Not Recommended
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Apron Maxx® Peas	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended
Stress Shield® 600 + Pro-Ized® Blue Colourant (high rate)	•	6 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

Consult the seed treatment manufacturers' label for proper rates of seed treatments.

¹ TagTeam® was tank-mixed with the seed treatment for four hours prior to applying to the seed.

• Indicates not tested.

Planting Window for Liquid Formulation on Bare Seed:

- 48 hours before chickpea, lentil and pea.

Planting Window for Peat Formulation on Bare Seed:

- 48 hours before seeding lentil and pea.
- 6 hours before chickpea.