

## Compatibility:

### Barley and Oat Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser® Vibrance® Quattro	60 days	60 days	60 days
Dividend Extreme®	30 days	30 days	Not Recommended
EverGol® Energy	60 days	60 days	60 days
Insure® Cereal FX4	60 days	60 days	60 days
NipsIT™ SUITE	10 days	10 days	Not Recommended
Rancona® Trio	60 days	60 days	30 days
Raxil® PRO MD	60 days	60 days	30 days
Raxil® PRO Shield	60 days	60 days	30 days
Terraxa™ F4	60 days	60 days	Not Recommended
Vibrance® Quattro	60 days	60 days	60 days
Vibrance® Quattro + Cruiser® 5FS	60 days	60 days	60 days
Vitaflo® 280	Not Recommended	Not Recommended	Not Recommended

### Canola Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application
Helix® Saltro®	60 days	•	•
Helix® Saltro® + Buteo™	60 days	•	•
Helix® Saltro® + Fortenza® Advanced	60 days	•	•
Helix® Vibrance®	60 days	•	•
Helix® Vibrance® + Buteo™	60 days	•	•
Helix® Vibrance® + Fortenza®	60 days	•	•
Helix® Vibrance® + Lumiderm®	60 days	•	•
Helix® Vibrance® + Buteo™ + Lumiposa™	60 days	•	•
LumiGEN®	60 days	•	•
Modalex™	60 days	•	•
Modalex™ + Buteo™ Start	60 days	•	•
Modalex™ + Lumiderm®	60 days	•	•
Modalex™ + Lumiposa™ + Buteo™ Start	60 days	•	•
Lumiderm® ONIQ	60 days	•	•
Prosper® EverGol®	60 days	•	•
Prosper® EverGol® + Buteo™	30 days	•	•
Prosper® EverGol® + Fortenza®	60 days	•	•
Prosper® EverGol® + Lumiderm®	60 days	•	•
Visivio™	60 days	•	•

## Canola Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application
Visivio™ + Buteo™	30 days	•	•
Visivio™ + Fortenza®	60 days	•	•
Visivio™ + Lumiderm®	60 days	•	•

## Wheat Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Avoda® PRO Seed Treatment (FMC)	60 days	60 days	60 days
Cruiser® Vibrance® Quattro	60 days	60 days	60 days
Dividend Extreme®	30 days	30 days	Not Recommended
EverGol® Energy	60 days	60 days	60 days
Insure® Cereal FX4	60 days	60 days	60 days
Lumivia™ CPL	60 days	60 days	60 days
NipsIT™ SUITE	10 days	10 days	Not Recommended
Rancona® Trio	60 days	60 days	30 days
Raxil® PRO MD	60 days	60 days	30 days
Raxil® PRO Shield	60 days	60 days	30 days
Straxan™	60 days	60 days	60 days
Terraxa™ F4	60 days	60 days	Not Recommended
Vibrance® Quattro	60 days	60 days	60 days
Vibrance® Quattro + Cruiser® 5FS	60 days	60 days	60 days
Vitaflo® 280	Not Recommended	Not Recommended	Not Recommended

<sup>1</sup> Inoculant was tank-mixed with the seed treatment for four hours prior to applying to the seed.

Consult the seed treatment manufacturers' label for proper rates of seed treatments.

• Indicates not tested

**Bare Seed:** Add BioniQ® to recommended rate of water (see table on page 5 of the Biologicals by FMC Product Guide), mix well and apply to seed.

## Compatibility:

### Liquid Formulation

#### Lentil Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
EverGol® Rise	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (104 ml)	48 hours	48 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended
Stress Shield® 600 + Pro-Ized® Blue Colourant (104 ml + 20 ml rate)	•	24 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	24 hours	24 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Maxx RFC + Intego™ Solo	48 hours	48 hours	•
Vibrance® Total	48 hours	8 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

#### Pea Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	Not Recommended	Not Recommended	Not Recommended
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
EverGol® Rise	48 hours	48 hours	•

## Pea Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
EverGol Rise® + Stress Shield® (104 ml)	48 hours	48 hours	•
EverGol Rise® + Stress Shield® (208 ml)	6 hours	6 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Apron Maxx® Peas	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended
Stress Shield® 600 + Pro-lzed® Blue Colourant (high rate)	•	6 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Maxx RFC + Intego™ Solo	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

## Soybean Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Acceleron® Seed Applied Solutions STANDARD*	4 days	4 days	•
Cruiser Maxx® Vibrance® Beans	4 days	4 days	•
EverGol® Energy²	4 days	4 days	•
EverGol® Energy² + Stress Shield® (104 ml low rate)	4 days	4 days	•
Fortenza® + Vayantis® IV	4 days	4 days	•
ILeVO®	4 days	4 days	•
Intego™ Solo	4 days	4 days	•
Lumiderm®	4 days	4 days	•
Lumisena®	4 days	4 days	•
Rancona® Trio	24 hours	24 hours	•
Trilex® AL	4 days	4 days	•
Trilex® EverGol®	4 days	4 days	•

## Soybean Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Vayantis® IV	4 days	4 days	•
Vayantis® IV + Cruiser® 5FS	4 days	4 days	•
Vayantis® IV RFC	4 days	4 days	•
Vibrance® Maxx RFC	4 days	4 days	•

## Peat Formulation

### Lentil Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Alliance® FL	48 hours	24 hours	•
Crown®	24 hours	Not Recommended	•
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
EverGol® Energy	24 hours	24 hours	•
EverGol® Energy + Stress Shield® 600	6 hours	6 hours	•
EverGol® Rise	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (104 ml)	48 hours	48 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo	48 hours	48 hours	•
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
Lumivia™ CPL	48 hours	48 hours	•
Rancona® Trio	6 hours	2 hours	•
Stress Shield® 600 + Pro-Ized® Blue Colourant (104 ml + 20 ml rate)	•	24 hours	Not Recommended
Trilex® AL	24 hours	6 hours	•
Trilex® EverGol®	48 hours	48 hours	48 hours
Trilex® EverGol® Shield (104 ml rate)	48 hours	48 hours	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Maxx RFC + Intego™ Solo	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	48 hours	48 hours	•

## Pea Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	24 hours	12 hours	•
Apron Maxx® Peas	48 hours	24 hours	24 hours
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
EverGol® Energy	24 hours	24 hours	•
EverGol® Energy + Stress Shield® 600	24 hours	24 hours	•
EverGol® Rise	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (104 ml)	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (208 ml)	6 hours	6 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Apron Maxx® Peas	48 hours	48 hours	•
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•
Lumivia™ CPL	48 hours	48 hours	•
Rancona® Trio	6 hours	2 hours	•
Stress Shield® 600 + Pro-lized® Blue Colourant (high rate)	•	6 hours	Not Recommended
Trilex® AL	30 hours	24 hours	Not Recommended
Trilex® EverGol®	48 hours	48 hours	48 hours
Trilex® EverGol® Shield (104 ml rate)	24 hours	24 hours	Not Recommended
Vibrance® Maxx	48 hours	48 hours	48 hours
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Maxx RFC + Intego™ Solo	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	48 hours	48 hours	•

## Soybean Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser Maxx® Vibrance® Beans	2 days	2 days	•
EverGol® Energy	2 days	2 days	•
EverGol® Energy + Stress Shield® 600	2 days	2 days	•
Fortenza® + Vayantis® IV	No Data	No Data	No Data
Lumiderm®	2 days	2 days	•
Lumisena®	2 days	2 days	•
Rancona® Trio	24 hours	24 hours	•
Stress Shield® 600	2 days	2 days	•

## Soybean Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Trilex® EverGol®	2 days	2 days	•
Vayantis® IV	No Data	No Data	No Data
Vayantis® IV + Cruiser® 5FS	No Data	No Data	No Data
Vayantis® IV RFC	No Data	No Data	No Data
Vibrance® Maxx RFC	2 days	2 days	•
Vibrance® Maxx RFC + Cruiser® 50 g	2 days	2 days	•

Consult the seed treatment manufacturers label for proper rates of seed treatments.

<sup>1</sup> Cell-Tech® was tank-mixed with the seed treatment for four hours prior to applying to the seed.

<sup>2</sup> Tested with colourant and without PSF 1010.

• Indicates not tested

\* Acceleron® Seed Applied Solutions STANDARD for soybeans (fungicides and insecticide) is a combination of four separate individually registered products, which together contain the active ingredients Penflufen, Prothioconazole, Metalaxyl, flupyradifurone, and tetraniliprole (East) or Penflufen, Prothioconazole, Metalaxyl and imidacloprid (West).

**Planting Window for Peat Formulation on Bare Seed:** 48 hours before seeding lentil, chickpea, soybean.

**Planting Window for Liquid Formulation on Bare Seed:** 48 hours before seeding pea and lentil. 4 days before soybean.

## Compatibility:

### Liquid Formulation

#### Canola and Mustard Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Acceleron® Seed Applied Solutions for canola*	30 days	•	•
Helix® Vibrance®	30 days	•	•
Helix® Vibrance® + Fortenza®	30 days	•	•
Prosper® EverGol®	30 days	•	•

#### Chickpea Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Trilex® AL	30 days	30 days	•

#### Lentil Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	30 days	30 days	30 days
Lumivia™ CPL + Rancona® Trio	30 days	30 days	•
Lumivia™ CPL + Trilex® EverGol®	30 days	30 days	•
Rancona® Trio	30 days	30 days	7 days
Trilex® AL	30 days	30 days	•
Trilex® EverGol®	30 days	30 days	15 days
Trilex® EverGol® + Stress Shield® 600 (208 ml/100 kg)	30 days	30 days	Not Recommended
Zeltera™ Pulse	30 days	30 days	Not Recommended

## Pea Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Allegiance® FL	30 days	30 days	•
Apron Maxx® Peas	15 days	15 days	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	30 days	30 days	30 days
Lumivia™ CPL + Rancona® Trio	30 days	30 days	•
Lumivia™ CPL + Trilex® EverGol®	30 days	30 days	•
Rancona® Trio	30 days	30 days	7 days
Trilex® AL	30 days	30 days	•
Trilex® EverGol®	30 days	30 days	30 days
Trilex® EverGol® + Stress Shield® 600 (208 ml/100 kg)	30 days	30 days	Not Recommended
Zeltera™ Pulse	30 days	30 days	Not Recommended

## Soybean Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Cruiser Maxx® Vibrance® Beans	120 days	120 days	30 days
EverGol® Energy <sup>2</sup>	120 days	120 days	30 days
EverGol® Energy <sup>2</sup> with Stress Shield® 600 (104 ml rate)	120 days	120 days	Not Recommended
Insure® Pulse	•	30 days	•
Trilex® AL	7 days	7 days	•

## Wheat Planting Window

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Avoda® PRO Seed Treatment (FMC)	30 days	30 days	30 days
Cruiser® Vibrance® Quattro	30 days	30 days	30 days
EverGol® Energy <sup>2</sup>	30 days	30 days	30 days
Insure® Cereal	30 days	30 days	30 days
NipsIT™ SUITE	30 days	30 days	•
Rancona® Trio	30 days	30 days	30 days
Raxil® PRO	30 days	30 days	30 days
Raxil® PRO Shield (co-pack)	30 days	30 days	30 days
Vibrance® Quattro	30 days	30 days	30 days

Consult the seed treatment manufacturers' label for proper rates of seed treatments.

<sup>1</sup> JumpStart™ was tank-mixed with the seed treatment for four hours prior to applying to the seed.

<sup>2</sup> Tested with colourant and without PSF 1010.

• Indicates not tested.

\*Acceleron® Seed Applied Solutions for canola contains the active ingredients difenoconazole, metalaxyl (M and S isomers), fludioxonil and thiamethoxam.

## Planting Window for Liquid Formulation on Bare Seed:

- Alfalfa/sweet clover is 7 days.
- Wheat, pea, chickpea, dry bean and lentil is 30 days.
- Canola, mustard and corn is 60 days.
- Soybean is 120 days.

## Compatibility:

### Liquid Formulation

Seed Treatment	Sequential Application	Simultaneous Application	When using additional liquid additive (extender) <sup>1</sup>	
			Sequential Application	Simultaneous Application
Acceleron <sup>®</sup> Seed Applied Solutions BASIC*	120 days	120 days	•	220 days
Acceleron <sup>®</sup> Seed Applied Solutions STANDARD*	120 days	120 days	220 days	220 days
Acceleron <sup>®</sup> Seed Applied Solutions STANDARD* + ILeVO <sup>®</sup>	120 days	120 days	220 days	220 days
Acceleron <sup>®</sup> Seed Applied Solutions STANDARD* + Saltro <sup>®</sup>	120 days	120 days	220 days	220 days
Apron XL <sup>®</sup> + Vibrance <sup>®</sup> Maxx RFC	•	•	•	220 days
Apron XL <sup>®</sup> + Cruiser Maxx <sup>®</sup> Vibrance Beans	•	•	•	220 days
Apron XL <sup>®</sup> + Fortenza <sup>®</sup> Vibrance <sup>®</sup> Maxx	•	120 days	•	220 days
Cruiser Maxx <sup>®</sup> Vibrance <sup>®</sup> Beans	120 days	120 days	•	220 days
Cruiser Maxx <sup>®</sup> Vibrance <sup>®</sup> Beans + Apron XL <sup>®</sup> + Saltro <sup>®</sup>	120 days	120 days	220 days	220 days
Cruiser Maxx <sup>®</sup> Vibrance <sup>®</sup> Beans + Apron XL <sup>®</sup> + Vayantis <sup>®</sup>	120 days	120 days	220 days	220 days
Draco <sup>™</sup>	•	120 days	•	220 days
Draco <sup>™</sup> + Cruiser <sup>®</sup> 5FS + Vibrance <sup>®</sup> Trio + Vayantis <sup>®</sup> + Saltro <sup>®</sup>	•	120 days	•	220 days
Draco <sup>™</sup> + Fortenza <sup>®</sup> + Vibrance <sup>®</sup> Trio + Vayantis <sup>®</sup> + Saltro <sup>®</sup>	•	120 days	•	220 days
EverGo <sup>®</sup> Energy <sup>2</sup>	120 days	120 days	•	220 days
EverGo <sup>®</sup> Energy <sup>2</sup> + ILeVO <sup>®</sup>	120 days	90 days	220 days	220 days
EverGo <sup>®</sup> Energy <sup>2</sup> + Stress Shield <sup>®</sup> 600 (104 ml low rate)	120 days	120 days	•	220 days
EverGo <sup>®</sup> Rise	120 days	120 days	220 days	220 days
EverGo <sup>®</sup> Rise + Stress Shield <sup>®</sup>	120 days	120 days	220 days	220 days
Fortenza <sup>®</sup>	•	120 days	•	220 days
Fortenza <sup>®</sup> + Acceleron <sup>®</sup> Seed Applied Solutions BASIC*	•	120 days	•	220 days

Liquid Formulation				
Seed Treatment	Sequential Application	Simultaneous Application	When using additional liquid additive (extender) <sup>1</sup>	
			Sequential Application	Simultaneous Application
Fortenza <sup>®</sup> + Saltro <sup>®</sup> + Vayantis <sup>®</sup> IV	120 days	120 days	•	220 days
Fortenza <sup>®</sup> + Vayantis <sup>®</sup> IV	•	120 days	220 days	220 days
Fortenza <sup>®</sup> + Vibrance <sup>®</sup> Maxx RFC	•	120 days	•	220 days
Fortenza <sup>®</sup> + Vibrance <sup>®</sup> Maxx RFC + Apron XL <sup>®</sup>	120 days	120 days	•	220 days
Fortenza <sup>®</sup> + Vibrance <sup>®</sup> Maxx RFC + Apron XL <sup>®</sup> + Saltro <sup>®</sup>	120 days	120 days	220 days	220 days
Fortenza <sup>®</sup> + Vibrance <sup>®</sup> Maxx RFC + Apron XL <sup>®</sup> + Vayantis <sup>®</sup>	120 days	120 days	220 days	220 days
Fortenza <sup>®</sup> + Vibrance <sup>®</sup> Maxx RFC + Apron XL <sup>®</sup> + Vayantis <sup>®</sup> + Saltro <sup>®</sup>	120 days	120 days	220 days	220 days
ILeVO <sup>®</sup>	60 days	60 days	220 days	220 days
Insure <sup>®</sup> Pulse	•	30 days	220 days	220 days
Integral <sup>®</sup>	90 days	90 days	•	220 days
Lumiderm <sup>®</sup>	120 days	120 days	•	60 days
Lumisena <sup>™</sup>	120 days	120 days	220 days	220 days
Rancona <sup>®</sup> Trio	Not Recommended	Not Recommended	220 days	220 days
Vayantis <sup>®</sup> IV	120 days	120 days	Not Recommended	Not Recommended
Vayantis <sup>®</sup> IV + Cruiser 5FS	120 days	120 days	220 days	220 days
Vayantis <sup>®</sup> IV RFC	120 days	120 days	220 days	220 days
Vibrance <sup>®</sup> Maxx RFC	120 days	120 days	220 days	220 days
Vibrance <sup>®</sup> Maxx RFC + Apron XL <sup>®</sup> + Vayantis <sup>®</sup>	•	120 days	•	220 days
Zeltera <sup>™</sup> Pulse	Not Recommended	Not Recommended	Not Recommended	Not Recommended

• Indicates not tested

<sup>1</sup> Additional liquid extender purchased separately.

<sup>2</sup> Tested with colourant and without PSF 1010.

\*Acceleron<sup>®</sup> Seed Applied Solutions BASIC for soybeans (fungicides only) is a combination of two separate individually registered products, which together contain the active ingredients Penflufen, Prothioconazole, and Metalaxyl.

Acceleron<sup>®</sup> Seed Applied Solutions STANDARD for soybeans (fungicides and insecticide) is a combination of four separate individually registered products, which together contain the active ingredients Penflufen, Prothioconazole, Metalaxyl, flupyradifurone, and tetraniliprole (East) or Penflufen, Prothioconazole, Metalaxyl and imidacloprid (West).

**Bare Seed:** Inoculate bare seed up to 220 days before seeding.

## Compatibility:

### Liquid Formulation

#### Lintil Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
EverGol® Rise	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (104 ml)	48 hours	48 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended
Stress Shield® 600 + Pro-Ized® Blue Colourant (104 ml + 20 ml rate)	•	24 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	24 hours	24 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Maxx RFC + Intego™ Solo	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

#### Pea Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application
Allegiance® FL	Not Recommended	Not Recommended	Not Recommended
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
EverGol® Energy	•	6 hours	•
EverGol® Energy + Stress Shield®	•	Not Recommended	•
EverGol® Rise	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (104 ml)	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (208 ml)	6 hours	6 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Apron Maxx® Peas	Not Recommended	Not Recommended	Not Recommended

## Pea Planting Window (Liquid Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	Not Recommended	Not Recommended	Not Recommended
Lumivia™ CPL	48 hours	48 hours	24 hours
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	Not Recommended	Not Recommended	Not Recommended
Stress Shield® 600 + Pro-Ized® Blue Colourant (high rate)	•	6 hours	Not Recommended
Trilex® EverGol®	Not Recommended	Not Recommended	Not Recommended
Trilex® EverGol® Shield (104 ml rate)	Not Recommended	Not Recommended	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Maxx RFC + Intego™ Solo	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	Not Recommended	Not Recommended	•

## Peat Formulation

### Chickpea Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL (kabuli)	6 hours	6 hours	•
Allegiance® FL/Crown®	4 hours	4 hours	•
Apron® Advance	6 hours	6 hours	•
Crown®	6 hours	6 hours	•
Cruiser® 5FS + Vibrance® Maxx	6 hours	6 hours	•
EverGol® Energy	•	6 hours	•
Insure® Pulse	6 hours	6 hours	6 hours
Intego™ Solo	6 hours	6 hours	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	6 hours	6 hours	Not Recommended
Rancona® Trio	6 hours	6 hours	•
Stress Shield® 480 (desi)	6 hours	6 hours	•
Trilex® AL	4 hours	4 hours	•
Vibrance® Total	6 hours	6 hours	•

### Lentil Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application¹
Allegiance® FL	48 hours	24 hours	•
Crown®	24 hours	Not Recommended	•
Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	•

## Lentil Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
EverGol® Energy	24 hours	24 hours	•
EverGol® Energy + Stress Shield® 600	6 hours	6 hours	•
EverGol® Rise	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (104 ml)	48 hours	48 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo	48 hours	48 hours	Not Recommended
Intego™ Solo + Cruiser® 5FS + Vibrance® Maxx	48 hours	48 hours	Not Recommended
Intego™ Solo + Trilex® EverGol®	48 hours	48 hours	•
Lumivia™ CPL	48 hours	48 hours	•
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	6 hours	2 hours	•
Trilex® AL	24 hours	6 hours	•
Trilex® EverGol®	48 hours	48 hours	48 hours
Trilex® EverGol® Shield (104 ml rate)	48 hours	48 hours	Not Recommended
Vibrance® Maxx	48 hours	48 hours	Not Recommended
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Maxx RFC + Intego™ Solo	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	48 hours	48 hours	•

## Pea Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Allegiance® FL	24 hours	24 hours	6 hours
Cruiser 5FS + Vibrance® Maxx	48 hours	48 hours	•
EverGol® Energy	24 hours	24 hours	•
EverGol® Energy + Stress Shield® 600	24 hours	24 hours	•
EverGol® Rise	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (104 ml)	48 hours	48 hours	•
EverGol® Rise + Stress Shield® (208 ml)	6 hours	6 hours	•
Insure® Pulse	Not Recommended	Not Recommended	Not Recommended
Intego™ Solo + Apron Maxx Peas	48 hours	48 hours	48 hours
Intego™ Solo + Cruiser 5FS + Vibrance® Maxx	48 hours	48 hours	48 hours
Intego™ Solo + Trilex® EverGol®	48 hours	48 hours	48 hours
Lumivia™ CPL	48 hours	48 hours	•
Lumivia™ CPL + Trilex® EverGol®	24 hours	24 hours	•
Rancona® Trio	6 hours	2 hours	•
Trilex® AL	30 hours	24 hours	Not Recommended
Trilex® EverGol®	48 hours	48 hours	48 hours

## Pea Planting Window (Peat Formulation)

Seed Treatment	Sequential Application	Simultaneous Application	Tank-Mix Application <sup>1</sup>
Trilex® EverGol® Shield (104 ml rate)	24 hours	24 hours	Not Recommended
Vibrance® Maxx	48 hours	48 hours	48 hours
Vibrance® Maxx RFC	48 hours	48 hours	•
Vibrance® Maxx RFC + Intego™ Solo	48 hours	48 hours	•
Vibrance® Total	48 hours	48 hours	•
Zeltera™ Pulse	48 hours	48 hours	•

Consult the seed treatment manufacturers' label for proper rates of seed treatments.

<sup>1</sup> TagTeam® was tank-mixed with the seed treatment for four hours prior to applying to the seed.

• Indicates not tested.

**Planting Window for Liquid Formulation on Bare Seed:** 48 hours before chickpea, lentil and pea.

**Planting Window for Peat Formulation on Bare Seed:** 48 hours before seeding lentil and pea. 6 hours before chickpea.