Vantacor® Insect Control

Powered by Rynaxypyr® active



Control Worm Pests With Rapid, Long-Lasting and Convenient Control

Vantacor® insect control powered by Rynaxypyr® active is a convenient, fast-acting and long-lasting choice for California and Arizona growers of corn, sweet corn, alfalfa, carrots, onions, pecans, mint, cotton and more. This pest management tool is offered in a highly concentrated formulation for control of key worm pests.

Much like the trusted control of Prevathon® insect control powered by Rynaxypyr active, Vantacor insect control delivers the industry standard active ingredient for long residual control of Lepidopteran pests. However, Vantacor insect control is offered in a low use rate formulation applied at 0.7-2.5 fl. oz./A due to concentrated formula. This formulation also has improved mixing and less packaging for grower convenience. Growers spend less time handling and hauling jugs, shuttles and pumps to and from the field.

Quick Facts:

- Long-lasting residual control of damaging Lepidopteran worm pests.
- Highly concentrated formulation with a low use rate of 0.7-2.5 fl. oz./A.
- Offers all the proven benefits of Prevathon insect control plus improved mixing, low use rates, less packaging and an expanded crop label.
- Single active to be used at rate and timing of choosing for resistance management and added flexibility.
- No flaring of mites or aphids and minimal impact on many important beneficial insects.
- Labeled for use on a number of crops, including corn, sweet corn, alfalfa, carrots, onions, pecans, mint and cotton.

Vantacor® Insect Control Powered by Rynaxypyr® Active Use Rates

Crop	Application Method	Targeted Pest	Rate
Carrots	Foliar	Beet armyworm, western yellowstriped armyworm	1.2 - 2.5 fl. oz./A
Corn	At-Plant	European corn borer, fall armyworm, southern armyworm, black cutworm, dingy cutworm, army cutworm, clay-backed cutworm, sandhills cutworm, common stalk borer, true armyworm	1.7 - 2.5 fl. oz./A
	Foliar	Corn earworm, beet armyworm, European corn borer, fall armyworm, southern armyworm, southwestern corn borer, true armyworm, western bean cutworm, black cutworm, dingy cutworm, army cutworm, clay-backed cutworm, sandhills cutworm	1.2 - 2.5 fl. oz./A
		Grasshoppers	0.7 - 1.7 fl. oz./A
Cotton	Foliar	Beet armyworm, cotton bollworm**, fall armyworm, saltmarsh caterpillar, southern armyworm, tobacco budworm**, western yellowstriped armyworm, cutworms	1.2 - 2.5 fl. oz./A
		Cabbage looper, soybean looper*	1.7 - 2.5 fl. oz./A
		Grasshoppers	0.7 - 1.7 fl. oz./A
Sweet Corn	At-Plant	European corn borer, fall armyworm, southern armyworm, black cutworm, dingy cutworm, army cutworm, clay-backed cutworm, sandhills cutworm, common stalk borer, true armyworm	1.7 - 2.5 fl. oz./A
	Foliar	Corn earworm, beet armyworm, European corn borer, fall armyworm, southern armyworm, southwestern corn borer, true armyworm, western bean cutworm, black cutworm, dingy cutworm, army cutworm, clay-backed cutworm, sandhills cutworm	1.2 - 2.5 fl. oz./A
		Grasshoppers	0.7 - 1.7 fl. oz./A
Alfalfa	Foliar	Alfalfa caterpillar, alfalfa looper, beet armyworm, western yellowstriped armyworm, fall armyworm, green cloverworm	1.2 - 2.5 fl. oz./A
		Grasshoppers	0.7 - 1.7 fl. oz./A
Pecans	Foliar	Hickory shuckworm, pecan nut casebearer	1.2 - 2.5 fl. oz./A
Sweet Potatoes	Foliar	Beet armyworm, western yellowstriped armyworm	1.2 - 2.5 fl. oz./A
Mint	Foliar	Armyworms, cutworms, loopers, mint root borer	1.2 - 2.5 fl. oz./A
Onions	Foliar	Beet armyworm, western yellowstriped armyworm	1.2 - 2.5 fl. oz./A

Contact your local crop protection retailer or FMC representative to learn more about Vantacor insect control. For more information, visit VANTACOR.AG.FMC.COM.

Always read and follow all label directions, precautions and restrictions for use. Some products may not be registered for sale or use in all states. Vantacor insect control may not be registered for sale or use in all states. Contact your local FMC retailer or representative for details and availability in your state. FMC, the FMC logo, Prevathon, Rynaxypyr and Vantacor are trademarks of FMC Corporation or an affiliate. ©2022 FMC Corporation. All rights reserved. 22-FMC-0654 06/22





^{*} Suppression only.

^{**} For Heliothine control (cotton bollworm and/or tobacco budworm in conventional non-transgenic/non-Bt cotton) make the first application at rates of 0.066 - 0.09 lb. ai per acre (1.7 – 2.3 fl. oz. product). Subsequent applications can be at rates of 0.047 - 0.09 lb. ai acre (1.2 – 2.3 fl. oz. product) depending on pest pressure.