



Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - Trade name: REBOOT 660 WG
 - · Article number: Greece eng
 - · Registration number 60433
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - · Sector of Use Agriculture use
 - · Application of the substance / the mixture Fungicide
- · 1.3 Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Gowan Crop Protection Limited

Rothamsted Research,

West Common,

Harpenden,

Hertfordshire,

England

ALS 2JQ

Tel +44 0 1582 280390

- · Further information obtainable from: sds@gowanco.com
- · 1.4 Emergency telephone number: Chemtrec Emergency Telephone 24 Hours: +1 703 527-3887

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 2

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT RE 2

H373 May cause damage to the thymus, the blood system and eyes through prolonged or

repeated exposure.



GHS09 environment

Aquatic Acute 1

H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4

H302 Harmful if swallowed.

Acute Tox. 4

H332 Harmful if inhaled.

Skin Sens. 1

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

(Contd. of page 1)

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS07

GHS08

GHS09

· Signal word Warning

· Hazard-determining components of labelling:

Cymoxanil (ISO) zoxamide (ISO)

· Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H317

May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H373 May cause damage to the thymus, the blood system and eyes through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P314 Get medical advice/attention if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

To avoid risks to human health and the environment, comply with the instructions for use.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.

- EU

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with non hazardous additions.

· Dangerous components:		
CAS: 57966-95-7 EINECS: 261-043-0 Index number: 616-035-00-5	Cymoxanil (ISO) The Repr. 2, H361fd; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	>25-≤50%
CAS: 156052-68-5 EC number: 605-037-1	zoxamide (ISO) \Diamond Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); \Diamond Skin Sens. 1, H317	>25-≤50%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
 - · Protective equipment:

Wear self-contained respiratory protective device.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

(Contd. of page 3)

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection:

No special measures required.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Protect from extreme temperatures (frost and >40°C).

- · Information about storage in one common storage facility: Store this product away from food or feed.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
 - · Appropriate engineering controls No further data; see section 7.
 - · Individual protection measures, such as personal protective equipment
 - · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

(Contd. of page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing against chemicals

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state

· Colour:

· Odour:

· Odour threshold:

· Melting point/freezing point:

· Boiling point or initial boiling point and boiling range

· Flammability

· Lower and upper explosion limit

· Lower:

· Upper:

· Flash point:

· Decomposition temperature:

· pH at 20 °C

· Viscosity:

· Kinematic viscosity

· Dynamic:

·Solubility

· water:

· Partition coefficient n-octanol/water (log value)

· Vapour pressure:

· Density and/or relative density

· Density at 20 °C:

· Relative density

· Vapour density

· Particle characteristics

See section 3.

Solid

Brown

Sweetish

Not determined.

Undetermined.

Undetermined.

Not determined.

Not determined.

Not determined.

Not applicable.

Not determined.

6.9

Not applicable.

Not applicable.

Dispersible.

Not determined.

Not applicable.

100 1000 100 10

 $0.64 \, \text{g/cm}^3$

Not determined. Not applicable.

,

(Contd. on page 6)

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

	(Contd. of page
9.2 Other information	
· Appearance:	
· Form:	granulated
· Important information on protection of health and	
environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	100.0 %
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity Harmful if swallowed or if inhaled.

		s relevant for classification:
Oral	LD50	1,469 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	4.4 mg/l (rat)

(Contd. on page 7)

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

(Contd.	of	nage	6)
(Collied.	O.	Pus	~,

CAS: 579	66-95-7 Cy	moxanil (ISO)
Oral	LD50	500 mg/kg (ATE)
CAS: 156	052-68-5 ze	oxamide (ISO)
Oral		>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	5.3 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to the thymus and the blood through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
 - · Remark: Very toxic for fish
 - · Additional ecological information:
 - · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13,1 Waste treatment methods
 - · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

(Contd. of page 7)

· Uncleaned packaging:
· Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number · ADR, IMDG, IATA	UN3077
14.2 UN proper shipping name · ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCA SOLID, N.O.S. (zoxamide (ISO), Cymoxanil (ISO))
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (zoxamide (ISO), Cymoxanil (ISO) MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (zoxamide (ISO), Cymoxanil (ISO))
14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group · ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substance. zoxamide (ISO), Cymoxanil (ISO) Yes
· Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
· Special marking (IATA):	Warning: Miscellaneous dangerous substances and articles.
· 14.6 Special precautions for user · Hazard identification number (Kemler code):	
· EMS Number:	F-A,S-F
· Stowage Category	A
· Stowage Code	SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9.
14.7 Maritime transport in bulk according to IMO)
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ):	EI
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1
2.000pron q (-2.)	Maximum not anantity now innov nachaging. (1) a
2.000,000 4	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

	(Contd. of page 8
· Tunnel restriction code · Remarks:	E Special provision 375 specified that packaging of 5kg or less are not sibject to any other provision of ADR.
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZOXAMIDE (ISO), CYMOXANIL (ISO)), 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Labelling according to Regulation (EC) No 1272/2008
 - · Hazard pictograms GHS07, GHS08, GHS09
 - · Signal word Warning
 - · Hazard-determining components of labelling:

Cymoxanil

Zoxamide

· Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H373 May cause damage to the thymus, the blood system and eyes through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P102+P405 Keep locked, out of reach of children.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing.

P501 Dispose of contents/ container to an approved waste disposal plant.

SP1 Do not contaminate the waters with the product or its container. (Do not wash the application equipment near surface waters. Avoid the contamination of field surroundings and roads.)

SPe3 For all crops included in the spectrum of action: Keep a 20m safety zone from surface waters. In case of low drift nozzles for 50% reduction of spray drift, keep a 10m safety zone.

EUH401 To avoid risks to man and the environment, comply with the instructions for use.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
 - · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 10)

Printing date 15.04.2024

Version number 1.0

Revision: 15.04.2024

Trade name: REBOOT 660 WG

(Contd. of page 9)

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H373 May cause damage to the thymus, the blood system and eyes through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: Supply Chain

· Contact: sds@gowanco.com

· Date of previous version: 20.03.2018

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4

Skin Sens. 1: Skin sensitisation - Category 1

Repr. 2: Reproductive toxicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

· * Data compared to the previous version altered.