



Version **Revision Date:** SDS Number: Date of last issue: -

00.00.0000 50000012 Date of first issue: 12.01.2022 0.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Corprima

Other means of identification Altacor

> Altacor 35 WG Prevathon 35WDG Valacor 35 WG

Manufacturer or supplier's details

Company FMC India Private Ltd

TCG Financial Centre, 2nd Floor C-53, Address

> Bandra Kurla Complex, Bandra (E), Bandra Suburban, Mumbai 400098

Emergency telephone 022 6704 5504/5404

000-800-100-7141 (CHEMTREC)

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Short-term (acute) aquatic

hazard

hazard

Category 1

Long-term (chronic) aquatic

Category 1

GHS label elements

Hazard pictograms



Corprima



Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Signal Word : Warning

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	>= 30 - < 50
kaolin	1332-58-7	>= 1 - < 10
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	>= 1 - < 10

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with plenty of water.

Take off contaminated clothing and shoes immediately.

Call a physician if irritation develops or persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Corprima



Version **Revision Date:** SDS Number: Date of last issue: -

00.00.0000 50000012 Date of first issue: 12.01.2022 0.0

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical

Carbon dioxide (CO2)

Foam Water spray

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Thermal decomposition can lead to release of irritating gases

and vapors.

Nitrogen oxides (NOx) Carbon oxides Bromine compounds

Chlorine compounds

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: Avoid dust formation.

tive equipment and emer-

gency procedures

Prevent product from entering drains. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Color : light brown

Corprima



Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Odor : slight, sweet

pH : 7 - 10 (25 °C)

Concentration: 10 g/l

Melting point/range : Not available for this mixture.

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Self-ignition : > 155 °C

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Relative vapor density : Not applicable

Relative density : Not applicable

Bulk density : 0.70 - 0.86 g/cm3packed

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not applicable

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Avoid dust formation.

Incompatible materials : Strong acids

Corprima



Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Strong bases

Strong oxidizing agents

Hazardous decomposition

products

Nitrogen oxides (NOx)

Carbon oxides Sulfur oxides

Halogenated compounds

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50(Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50(Rat): > 6.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: (Data on the product itself)
Information source: Internal study report

Acute dermal toxicity : LD50(Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

kaolin:





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LD50: 5.07 mg/l

Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

kaolin:

Method : OECD Test Guideline 405

Result : No eye irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : Moderate eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type : Local lymph node test

Species : Mouse

Method : OECD Test Guideline 406

Result : Animal test did not cause sensitization by skin contact.

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

Chlorantraniliprole:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

Test Type : Local lymph node assay (LLNA)

Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Lignosulfonic acid, sodium salt, sulfomethylated:

Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid ex-

change

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Lignosulfonic acid, sodium salt, sulfomethylated:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

NOAEL : 805 - 1,076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Oral

Exposure time : 18 month(s)

NOAEL : 158 - 1,155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

kaolin:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Reproductive toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 d

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

Corprima



Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Remarks : No significant adverse effects were reported

kaolin:

Remarks : No significant adverse effects were reported

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for

more information on target organs if applicable.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 days

Method : OECD Test Guideline 408

kaolin:

Remarks : No data available





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Aspiration toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : The toxicological data has been taken from products of similar

composition.

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 3.2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.029 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): > 5.0

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to soil dwelling or-

ganisms

> 1,000 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to terrestrial organ-

isms

LD50: > 2,250 mg/kg

Exposure time: 14 d

Species: Colinus virginianus (Bobwhite quail)

Corprima



Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Method: US EPA Test Guideline OPPTS 850.2100

Remarks: (Data on the product itself)
Information source: Internal study report

LD50: 285.7 µg/abeille285.7 µg/bee

Exposure time: 48 h

Species: Apis mellifera (bees) Method: OECD Test Guideline 214

GLP: yes

Remarks: Contact

(Data on the product itself)

Information source: Internal study report

Components:

Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0116 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/I

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): > 2 mg/l

Exposure time: 14 d

NOEC (Lemna gibba (duckweed)): 2 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 1.28 mg/l

Exposure time: 36 d

Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0.110 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00447 mg/l Exposure time: 21 d

Exposure time: 21 a

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: > 1,000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ: LD50: >0.005





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

isms Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

LD50: >0.0274 Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: > 2,250 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LC50: > 5,620 ppm

Species: Anas platyrhynchos (Mallard duck)

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 615 mg/l

Exposure time: 96 h

Persistence and degradability

Product:

Biodegradability : Result: Not biodegradable

Remarks: Estimation based on data obtained on active ingre-

dient.

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d pH: 9





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Lignosulfonic acid, sodium salt, sulfomethylated:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 5 % Exposure time: 28 d

Method: OECD Test Guideline 301E

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 15

Partition coefficient: n-

octanol/water

log Pow: 2.86 (20 °C)

pH: 7

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Lignosulfonic acid, sodium salt, sulfomethylated:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: -3.45

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environ: Koc: 244 - 464 mental compartments Remarks: immobile

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Corprima



Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

Other adverse effects

Product:

Results of PBT and vPvB

assessment

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very

persistent and very bioaccumulative (vPvB).

Additional ecological infor-

mation

Environmental hazards

Do not apply directly to water.

Drift and runoff may be hazardous to aquatic organisms in

water adjacent to treated areas.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorantraniliprole)

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Chlorantraniliprole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-

CARBOXANILIDE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

Further information

Other information : see user defined free text

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is





Version Revision Date: SDS Number: Date of last issue: -

0.0 00.00.0000 50000012 Date of first issue: 12.01.2022

used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

IN / EN