

CHLORANTRANILIPROLE 35% w/w WG
BRAND NAME
(Broad Spectrum Insecticide - For Agricultural Use)

Read leaflet before use

Chlorantraniliprole 35% w/w WG is an anthranilic diamide insecticide, recommended for managing lepidopteran pests of Okra and Tomato.


DOSAGE, DIRECTION FOR USE AND MANNER AND TIME OF APPLICATION: Please refer leaflet for details

RE-ENTRY: Do not enter treated areas for 24 hours until sprays have dried.

COMPONENT	% w/w
Chlorantraniliprole a.i.	35.0
Sodium alkyl naphthalene sulfonate	0.5
Sodium lignosulfonate	3.0
Sodium lignosulfonate, sulfomethylated	6.0
Amorphous silica	0.5
Sucrose	1.0
Clay	8.0
Lactose monohydrate	Q.S
Total	100.00

CAUTIONS:

1. Not to be used for any purpose other than specified on label/leaflet.
2. Destroy the container after use as directed on the leaflet.
3. This product is toxic to silkworms. Do not allow drift to nearby mulberry plantations and silk worm culture facilities. Do not rotate mulberry plantations after crops where chlorantraniliprole based formulation was commonly used in foliar or soil applications.
4. Based on Good Agricultural Practices (GAP), Chlorantraniliprole-based formulations should not be applied when bees are actively foraging.
5. The product is moderately toxic to freshwater fish and aquatic invertebrates and may be avoided near aquaculture.



Keep out of reach of Children.

Group	28	INSECTICIDE
-------	----	-------------

Reg. No.
Mfg. Lic. No.
Batch No.
Mfg. Date
Exp. Date
Max. Retail Price (Incl. of all taxes)
Net quantity
Customer care details (Company's name, QR Code, e-mail id and customer care numbers)



SAFETY PRECAUTIONS:

1. Do not eat, drink, smoke or chew betel leaves while applying the product.
2. Wear long sleeves shirt, long pants, chemical resistant gloves, mask, and covered shoes while handling the product.
3. Avoid spray drift onto your person by spraying with the direction of the wind.
4. Do not blow the spray nozzle with mouth, clean the blocked nozzle with a thin stem or brush.
5. In case of any spillage on the body, wash exposed parts with soap and plenty of water.
6. Wash hands and unprotected parts of the body properly after handling and before eating, drinking or smoking. Remove and wash contaminated clothing separately after use.

SYMPTOM OF POISONING:

May cause discharge from eyes, mouth and/ or nose.

FIRST AID:

1. **If ingested:** If person is conscious and alert, rinse mouth with and give 1 or 2 glass of water to drink. Never give anything by to an unconscious person. Call the doctor. Do not induce vomiting unless desired by attending physician.
2. **If inhaled:** Take the person to fresh air and take care of temperature. If the person is not breathing or breathing with difficulty administer artificial respiration, preferably with mouth to mouth breathing. Consult a physician.
3. **In case of skin contact:** Wash thoroughly the affected part with soap and plenty of water including hairs and under finger pain, redness or irritation persists, consult a doctor. Contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.
4. **In case of eye contact:** Rinse gently with plenty of water at least 15 minutes. If pain, irritation, redness or photophobia persists consult eye specialist.

ANTIDOTE:

No specific antidote is available, treat symptomatically.

MANUFACTURED BY:

Gowan Milling LLC, 12300 E. County 8th Street, Yuma Arizona, USA (designated manufacturer of FMC Corporation, 2929 Walnut Philadelphia, Pennsylvania, 19104, USA)

IMPORTED & REPACKED BY:

FMC India Private Limited,

REGISTERED OFFICE

TCG Financial Centre, 2nd Floor, C-53, Bandra Kurla Complex, B (E), Mumbai, Bandra Suburban, Maharashtra-400098, India

MARKETED BY:

FACTORY ADDRESS:

1. Plot No. 11, GIDC, Sawli, Village: Manjuser, District: Vadodra, Gujarat, India, Pin Code: 391775.
2. Site No. 146 Kilaivalam Village, Madurantakam Taluk, Kancheepuram District, Tamilnadu.

Authorised Signatory

[Signature]

FMC INDIA PRIVATE LIMITED

39391775
AUTHENTICATED
APPROVED



क्लोरेट्रानिलिप्रोल ३५% भा/भा डबल्यू जी

बांड का नाम

(बहुआयामी कीटनाशक - कृषि उपयोग के लिए)

योग करने से पहले पत्रक पढ़ें

क्लोरेट्रानिलिप्रोल ३५% भा/भा डबल्यू जी एक रेन्थानिलिक डायमाइड कीटनाशक जिसकी सिफारिश भिंडी और टमाटर के लेपिडोप्टेराइन कीटों के नियंत्रण के लिए जाती है।

योग एवं रीति के लिए सुराख, दिशा - निर्देश, अनुप्रयोग का समय :
यथा विवरण के लिए पत्रक को देखें

र: प्रवेश: छिड़काव सूखने तक २४ घंटे तक उपचारित खेतों में प्रवेश न करें

प्राथमिक संरचना:


घटक
क्लोरेट्रानिलिप्रोल स.त. ३५.०
डिजम अल्काइल नेफथेनोइल सल्फोनेट ०.५
डिजम लिग्नोसल्फोनेट ३.०
डिजम लिग्नोसल्फोनेट, सल्फोनियाइलेटिड ६.०
मोरफोस सिलिका ०.५
क्रोस १.०
रे ८.०
फ़ोटोस मोनोहाइड्रेट १००.०
पर्याप्त मात्रा

वधानियां:

तेबल/पुस्तिका पर निर्दिष्ट के अलावा अन्य किसी प्रयोजन से प्रयोग न किया जाए।

पुस्तिका पर निर्देश के अनुसार प्रयोग के बाद डिब्बे को नष्ट कर दें।
यह उत्पाद रेशम के कीड़ों के लिए विषाक्त है। मलबरी बागानों और रेशम कीड़ा पालन कि सुविधाएँ के पास बहाव न होने दें। फसलों के बाद मलबरी के बागानों को न लगाये जहां आमतौर पर क्लोरेट्रानिलिप्रोल आधारित सूत्रीकरण का उपयोग पतों या मिट्टी में किया जाता है।

अच्छी कृषि पद्धतियों (GAP) पर आधारित, क्लोरेट्रानिलिप्रोल आधारित सूत्रीकरण का प्रयोग मधुमाक्खियां सक्रिय होने पर न करें।
यह उत्पाद ताजे पानी में रहने वाली मछली और अन्य रीढ़विहीन जलीय जीवों के लिए मामूली रूप से विषाक्त है, इसलिये इसका प्रयोग मत्स्य पालन के पास नहीं किया जाना चाहिए।



बच्चों के पहुंच से दूर रखें

समूह २८ कीटनाशक

रजि. नं.
उत्पादन लाइसेंस नं.
बैच नं.
उत्पादन तिथि
समापन तिथि
अधिकतम विक्री मूल्य (सभी स्तरों सहित)
शुद्ध मात्रा
ग्राहक देखभाल विवरण (कंपनी का नाम, क्यू आर कोड, ई मेल आई डी और ग्राहक संपर्क संख्या)



सुरक्षा सावधानियां,

1. प्रोडक्ट का प्रयोग करते समय न कुछ खाएं, न पियें, न धूम्रपान करें न ही पान चबाएं।
2. प्रोडक्ट का प्रयोग करते समय पूरे बांह की शर्ट, लंबी पैंट, रासायनिक प्रतिरोधी दस्ताने, मास्क और ठके हुए जूते पहनें।
3. हवा की दिशा में स्प्रे करते हुए खुद पर स्प्रे की मार से बचें।
4. स्प्रे नोजल को मुंह से न खोलें, अवस्थ नोजल को पतली सीक या ब्रश से साफ करें।
5. शरीर पर किसी भी रिसाव की स्थिति में, खुले हिस्सों को साबुन और काफी सारे पानी से धोएं।
6. हाथों और शरीर के खुले हिस्सों को अच्छी तरह धोएं। प्रयोग के बाद दूषित कपड़ों को उतारकर धोएं।

विष के लक्षण:

आँखों, मुँह और/या नाक से साव पैदा हो सकता है।

प्राथमिक चिकित्सा:

1. निगल लिए जाने पर: यदि व्यक्ति होश में और सजग है, तो कुल्ल और १ या २ गिलास पानी पीने को दें। बेहोश व्यक्ति को मुंह से कुछ दें। डॉक्टर को बुलाएं। डॉक्टर के कहे बिना उल्टी न कराएं।
2. सांस न लेने पर: व्यक्ति को खुली हवा में ले जाएं और शरीर के ताप ध्यान रखें। यदि व्यक्ति सांस न ले रहा हो या सांस लेने में परेशानी मुंह से कृत्रिम श्वास दें। डॉक्टर की सलाह लें।
3. त्वचा से संपर्क होने पर: बालों और नाखूनों की जड़ों सहित शरीर के हिस्से को साबुन और काफी सारे पानी से अच्छी तरह धोएं। यदि दर्द, या खुजली जारी रहे, तो डॉक्टर की सलाह लें। सभी दूषित कपड़ों को रखें और प्रयोग करने से पहले साबुन और काफी सारे पानी से अच्छे धोएं।
4. आँख से संपर्क होने पर: कम से कम १५ मिनट तक काफी सारे पानी मारें। यदि दर्द, लालिमा, खुजली या फोटोफोबिया जारी रहे, तो डॉक्टर की सलाह लें।

विषनाशक:

कई विशिष्ट विषनाशक उपलब्ध नहीं हैं, लक्षणों के अनुसार उपचार करें।

निर्माता:

गोवान मिलिंग एलएलसी, १२३०० ई. काउंटी ८वीं स्ट्रीट, युमा आरिजोना ८ यूएसए [एफएमसी कॉरपोरेशन, २९२९ वालनट स्ट्रीट, फिलिडेल्फिया, पेन्सिल्वेनिया, १९१०४ यूएसए के द्वारा नामित निर्माता]

आयातकर्ता एवं, पुनः पैककर्ता:

एफएमसी इंडिया प्राइवेट लिमिटेड

रजिस्टर्ड ऑफिस:

टीसीजी फाइनेंशियल सेंटर, दूसरी मंजिल, सी-५३, बांद्रा कुर्ला कॉम्प्लेक्स, (ईस्ट), मुंबई, बांद्रा सबअर्बन, महाराष्ट्र-४०००९८, भारत

विक्रेता:

फैक्टरी का पता:

1. प्लॉट नं. ११, जी.आई.जी.सी., सावली, गांव: मंजुसर, जिला: वडोदरा, गुजरात, भारत। पिन कोड: ३९१७७५
2. साइट न. १४६, किलावलम विलेज, मद्रुरान्तकम तालुका, कांचीपुरम डिस्ट्रिक्ट, तमिलनाडु, भारत

FMC INDIA PRIVATE LIMITED

Authorised Signatory
R. S.
FMC INDIA PRIVATE LIMITED

उत्तरी प्रदेश
अनुसूचित
AUTHENTICATED
APPROVED



Secondary label of Ultra-small Pack/Small Pack

CHLORANTRANILIPROLE 35% w/w WG
BRAND NAME
(Broad Spectrum Insecticide - For Agricultural Use)

Read leaflet before use


Chlorantraniliprole 35% w/w WG is an anthranilic diamide insecticide, recommended for managing lepidopteran pests of Okra and Tomato.

DOSAGE, DIRECTION FOR USE AND MANNER AND TIME OF APPLICATION: Please refer leaflet for details

RE-ENTRY: Do not enter treated areas for 24 hours until sprays have dried.

COMPONENT	% w/w
Chlorantraniliprole a.i.	35.0
Sodium alkyl naphthalene sulfonate	0.5
Sodium lignosulfonate	3.0
Sodium lignosulfonate, sulfomethylated	6.0
Amorphous silica	0.5
Sucrose	1.0
Clay	8.0
Lactose monohydrate	Q.S
Total	100.00

Keep out of reach of Children.



Group	28	INSECTICIDE
-------	----	-------------

Reg. No.
Mfg. Lic. No.
Batch No.
Mfg. Date
Exp. Date
Max. Retail Price (incl. of all taxes)
Net quantity
Customer care details (Company's name, QR Code, e-mail id and customer care numbers)



SAFETY PRECAUTIONS, SYMPTOM OF POISONING, FI
AID: Please refer leaflet for details

ANTIDOTE:
No specific antidote is available, treat symptomatically.

CAUTIONS:

1. Not to be used for any purpose other than specified on label/leaflet.
2. Destroy the container after use as directed on the leaflet
3. This product is toxic to silkworms. Do not allow drift to n mulberry plantations and silk worm culture facilities. C rotate mulberry plantations after crops
4. chlorantraniliprole based formulation was commonly us foliar or soil applications.
5. Based on Good Agricultural Practices (Chlorantraniliprole-based formulations should not be al when bees are actively foraging.
6. The product is moderately toxic to freshwater fish and a invertebrates and may be avoided near aquaculture.

MANUFACTURED BY:

Gowan Milling LLC, 12300 E. County 8th Street, Yuma Ai 85365, USA (designated manufacturer of FMC Corporation, Walnut Street, Philadelphia, Pennsylvania, 19104, USA)

IMPORTED & REPACKED BY:

FMC India Private Limited,

REGISTERED OFFICE

TCG Financial Centre, 2nd Floor, C-53, Bandra Kurla Comi Bandra (E), Mumbai, Bandra Suburban, Maharashtra-400 India

MARKETED BY:

FACTORY ADDRESS:

1. Plot No. 11, GIDC, Savli, Village: Maniisar, District: Vadodara, Gujarat, India. Pin Code: 391775.
2. Site No. 146 Kilavalam Village, Madurantakam Taluk, Kancheepuram District, Tamilnadu.

Authorised Signatory
FMC INDIA PRIVATE LIMITED

प्रमाणित
अनुमोदित
AUTHENTICATED
APPROVED



क्लोरेन्ट्रानिलिप्रोल ३५% भा/भा डबल्यू जी

बांड का नाम

(बहुआयामी कीटनाशक - कृषि उपयोग के लिए)

योग करने से पहले पत्रक पढ़ें

क्लोरेन्ट्रानिलिप्रोल ३५% भा/भा डबल्यू जी एक ऐन्थ्रानिलिक डायमाइड टनाशक है, जिसकी सिफारिश फ़िंडी और टमाटर के लेपिडोप्टेरान कीटों के यंत्रण के लिए की जाती है।

योग एवं रीति के लिए खुराक, दिशा - निर्देश, अनुप्रयोग का समय :
या विवरण के लिए पत्रक को देखें


१: प्रवेश: छिड़काव सूखने तक २४ घंटे तक उपचारित खेतों में प्रवेश न करें

सायनिक संरचना:

घटक	% भा/भा
क्लोरेन्ट्रानिलिप्रोल स.त.	३५.०
डियम अल्काइल नेफ्थेलीन सल्फोनेट	०.५
डियम लिग्नोसल्फोनेट	३.०
डियम लिग्नोसल्फोनेट, सल्फोमिथाइलेटिड	६.०
मोरफॉस सिलिका	०.५
क्रोस	१.०
प्रे	८.०
क्लोस मोनोहाईड्रेट	पर्याप्त मात्रा
न	१००.०

Authorised Signatory

FMC INDIA PRIVATE LIMITED



बच्चों के पहुँच से दूर रखें

समूह	२८	कीटनाशक
------	----	---------

रजि. नं

उत्पादन लाइसेंस नं

बैच नं

उत्पादन तिथि

समापन तिथि

अधिकतम विक्री मूल्य (सभी करों सहित)

शुद्ध मात्रा

ग्राहक देखभाल विवरण (कंपनी का नाम, क्यू आर कोड, ई मेल आई डी और ग्राहक संपर्क संख्या)



प्रमाणीकृत
अनुमोदित
AUTHENTICATED
APPROVED

सुरक्षा सावधानियां, विष के लक्षण, प्राथमिक चिकित्सा : कृपया विवरण पत्रक को देखें

विषनाशक:

कोई विशिष्ट विषनाशक उपलब्ध नहीं है, लक्षणों के अनुसार उपचार :

सावधानियां:

1. लेबल/पुस्तिका पर निर्दिष्ट के अलावा अन्य किसी प्रयोजन से प्रयोग न करें।
2. पुस्तिका पर निर्देश के अनुसार प्रयोग के बाद डिब्बे को नष्ट कर दें।
3. यह उत्पाद रेशम के कीड़ों के लिए विषाक्त है। मलबरी बागानों और कीड़ा पालन कि सुविधाएँ के पास बहाव न होने दें। फसलों में मलबरी के बागानों को न लगायें जहाँ आमतौर पर क्लोरेन्ट्रानिलिप्रोल आधारित सूत्रीकरण का उपयोग पते या मिट्टी में किया जाता हो।
4. अच्छी कृषि पद्धतियों (GAP) पर आधारित, क्लोरेन्ट्रानिलिप्रोल आधारित सूत्रीकरण का प्रयोग मधुमक्खियाँ सक्रिय होने पर न करें।
5. यह उत्पाद ताज़े पानी में रहने वाली मछली और अन्य रीढ़विहीन जलीय जीवों के लिए मामूली रूप से विषाक्त है, इसलिए इसका उपयोग पालन के पास नहीं किया जाना चाहिए।

निर्माता:

गोवान मिलिंग एलएलसी, १२३०० ई. कांडी ८वीं स्ट्रीट, युमा आरिज़ोना ९५३६५, यूएसए (एफएमसी कॉरपोरेशन, २९२९ वालनट स्ट्रीट, फिलेडेल्फिया, पेन्सिल्वेनिया, १९१०४ यूएसए के द्वारा नामित निर्माता)

आयातकर्ता एवं, पुनः पैककर्ता :

एफएमसी इंडिया प्राइवेट लिमिटेड

रजिस्टर्ड ऑफिस:

टीसीजी फाइनैशियल सेंटर, दूसरी मंजिल, सी-५३, बांद्रा कुर्ला कॉम्प्लेक्स बांद्रा (ईस्ट), मुंबई, बांद्रा सबअर्बन, महाराष्ट्र-४०००९८, भारत

विक्रेता:

कैक्टरी का पता:

1. प्लॉट नं. ११, जी.आई.जी.सी., सावली, गांव: मंजुसर, जिला: वडोदरा, गुजरात, भारत। पिन कोड: ३९१७७५
2. साइट नं. १४६, किलावलम विलेज, मद्रुरान्तकम तालुका, कांचीपुर, डिस्ट्रिक्ट, तमिलनाडु, भारत

Primary Label of Ultra-small Pack/Small Pack

Authorised Signatory



FMC INDIA PRIVATE LIMITED

प्रमाणित
अनुमोदित
AUTHENTICATED
APPROVED



CHLORANTRANILIPROLE 35% w/w WG
BRAND NAME
(Broad Spectrum Insecticide- For Agricultural Use)
Read leaflet before use

CHEMICAL COMPOSITION:	
Chlorantraniliprole a.i.	% w/w
Adjuvants	35.0
Total	Q.S.
	100.0

ANTIDOTE:

No specific antidote is available, treat symptomatically.

MANUFACTURED BY:

Gowan Milling LLC, 12300 E. County 8th Street, Yuma Arizona 85365, USA (designated manufacturer of FMC Corporation, 2929 Walnut Street, Philadelphia, Pennsylvania, 19104, USA)


IMPORTED & REPAKED BY:

FMC India Private Limited,
REGISTERED OFFICE
TCG Financial Centre, 2nd Floor, C-53, Bandra Kurla Complex, Bandra (E), Mumbai, Bandra Suburban, Maharashtra- 400098, India

Factory Address:

- Plot No. 11, GIDC, Savli, Village: Manjusar, District: Vadodara, Gujarat, India. Pin Code: 391775.
- Site No. 146 Kilavalam Village, Madurantthakam Taluk, Kandheepuram District, Tamilnadu.

Keep out of reach of Children.
बच्चों के पहुँच से दूर रखें



Reg. No.	रजि. नं.
Mfg. Lic. No.	उत्पादन लाइसेंस नं.
Batch No.	बैच नं.
Mfg. Date	उत्पादन तिथि
Exp. Date	समापन तिथि
Max. Retail Price (incl. of all taxes)	अधिकतम विक्री मूल्य (सभी करों सहित)
Net quantity	शुद्ध मात्रा
Customer care details (Company's name, QR Code, e-mail id and customer care numbers)	ग्राहक देखभाल विवरण (कंपनी का नाम, क्यू आर कोड, ई मेल आई डी और ग्राहक संपर्क संख्या)

प्रमाणित
अनुमोदित
AUTHENTICATED
APPROVED



क्लोरेन्ट्रानिलिप्रोल ३५% भा/भा डब्ल्यू जी
ब्रांड का नाम
(बहुआयामी कीटनाशक - कृषि उपयोग के लिए)

उपयोग से पहले पत्रक पढ़ें

रासायनिक संघटन:	% अ
क्लोरेन्ट्रानिलिप्रोल स.त.	
अन्य तत्व	पर्याप्त
कुल	1

विन्याशक:

कोई विशिष्ट विन्याशक उपलब्ध नहीं है, लक्ष्यों के अनुसार उपचा करें।

निर्माता:

गोवान मिलिंग एलएलसी, १२३०० ई. काउंटी ८वीं स्ट्रीट, युमा अरि ८५३६५, यूएसए (एफएमसी कॉर्पोरेशन, २९२९ वालनट स्ट्रीट, फिलेडेल्फिया, पेन्सिल्वेनिया, १९१०४ यूएसए के द्वारा नामित नि

आयातकर्ता एवं, पुनः पैककर्ता:

एफएमसी इंडिया प्राइवेट लिमिटेड

रजिस्टर्ड ऑफिस:

टीसीजी फाइनेंशियल सेंटर, दूसरी मंजिल, सी-५३, बांद्रा कुर्ला कॉम्प्लेक्स (ईस्ट), मुंबई, बांद्रा सबअर्बन, महाराष्ट्र-४०००९८, भारत

पैकटरी का पता:

- प्लॉट नं. ११, जी.आई.जी.सी., सावली, गांव: मंजुसर, जिला: वडोदरा, भारत। पिन कोड: ३९१७७५
- साइट नं. १४६, किलावलम विलेज, मदुरान्तकम तालुका, कांचीपु डिस्ट्रिक्ट, तमिलनाडु, भारत

LEAFLET
CHLORANTRANILIPROLE 35% w/w WG
(Broad Spectrum Insecticide)

Purpose: For Agricultural Use

Crop and pest group: Chlorantraniliprole 35% w/w WG is an anthranilic diamide insecticide, recommended for managing lepidopteran pests of Okra and Tomato.

DOSAGE:

Crop	Common name of pest	Dosage per hectare			Pre-harvest interval (in days)
		a.i (g)	Formulation (g)	Dilution in (ltr)	
Okra	Fruit borers (<i>Helicoverpa armigera</i> & <i>Earias vittella</i>)	25	71	500	5
Tomato	Fruit borer (<i>Helicoverpa armigera</i>)	30	86	500	3

DIRECTIONS FOR USE/APPLICATION TECHNIQUE:

Weather condition in general: Avoid application during adverse weather conditions.

Time & number of application, frequency including maximum no. of application and Crop stage for application: The product is to be foliar applied. First application should be initiated at the onset of flowering when pest populations reaches ETL (Economic Threshold Level) followed by second application at 12-14 days interval and make no more than two applications per crop season.

Spray equipment and Nozzle type: Use high volume spraying equipment, such as knapsack sprayer, foot sprayer fitted with hollow cone nozzle to ensure thorough and uniform coverage.

Instructions for mixing: Fill spray tank $\frac{1}{4}$ to $\frac{1}{2}$ full of water. Add insecticide directly to the spray tank as per label rates and mix thoroughly, to fully disperse the insecticide. Do not store spray solution overnight in spray tank.

Soil and water: No specific soil and water management is required.

RE-ENTRY PERIOD:

Do not enter treated areas for 24 hours until sprays have dried.

SAFETY PRECAUTIONS:

1. Do not eat, drink, smoke or chew betel leaves while applying the product
2. Wear long sleeves shirt, long pants, chemical resistant gloves, mask, and covered shoes while handling the product.
3. Avoid spray drift onto your person by spraying with the direction of the wind
4. Do not blow the spray nozzle with mouth, clean the blocked nozzle with a thin stem or brush.
5. In case of any spillage on the body, wash exposed parts with soap and plenty of water
6. Wash hands and unprotected parts of the body properly after handling and before eating, drinking or smoking. Remove and wash contaminated clothing separately after use.



प्रमाणीकृत
अनुमोदित
AUTHENTICATED
APPROVED

Authorised Signatory
FMC INDIA PRIVATE LIMITED

RESISTANCE MANAGEMENT STATEMENT:

GROUP	28	INSECTICIDE
-------	----	-------------

Unless directed otherwise in the specific crop/insect sections of the label, the following practices are recommended to prevent or delay the development of insecticide resistance to Chlorantraniliprole and other Group 28 insecticides:

- Apply Chlorantraniliprole or other Group 28 insecticides using a "window" approach to avoid exposure of consecutive insect generations to the same mode of action. Multiple successive applications (refer to respective labels for maximum number of applications per crop) Chlorantraniliprole or other Group 28 insecticide are acceptable if they are used to treat a single insect generation and such application are justified. Following a "window" of Chlorantraniliprole or other Group 28 insecticide, always rotate to a "window" of applications by effective insecticides belonging to different modes of action.
- Length of a window should be equal to length of one generation of the targeted insect. The total exposure period of all "Group 28-active windows" applied throughout the crop cycle (from seedling to harvest) should not exceed 50% of the crop cycle.
- Incorporate Integrated Pest Management (IPM) & Insecticide Resistance Management (IRM) techniques into the overall pest management program.
- Monitor insect populations for any loss of field efficacy on regular basis.

STORAGE:

1. The packages containing the insecticide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles, away from the reach of children and livestock, animal feed, or shall be kept in a separate almirah under lock and key.
2. The rooms or premises meant for storing the insecticide shall be well built, dry, well-lit, ventilated and of sufficient dimensions so as to avoid contamination with vapors of insecticide.

DISPOSAL:

1. **Dangerous to reuse empty containers.** Container should be triple rinsed with water and rinsate should be poured to the spray mix.
2. Packages shall be broken and buried away from habitation.
3. The used packages shall not be left outside to prevent their re-use.
4. It shall be the duty of manufacturers, formulators of insecticides and operators to dispose packages or surplus materials and washing in a safe manner so as to prevent environmental or water pollution.

SYMPTOMS OF POISONING:

May cause discharge from eyes, mouth and/ or nose.

FIRST AID:

1. **If ingested:** If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician.
2. **If inhaled:** Take the person to fresh air and take care of body temperature. If the person is not breathing or breathing with difficulty, administer artificial respiration, preferably with mouth to mouth breathing. Consult a physician.
3. **In case of skin contact:** Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately before use.
4. **In case of eye contact:** Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist.



प्रमाणीकृत
अनुमोदित
AUTHENTICATED
APPROVED

Authorised Signatory
FMC INDIA PRIVATE LIMITED

ANTIDOTE:

No specific antidote is known. Treat symptomatically.

CAUTIONS:

1. Not to be used for any purpose other than specified on label/leaflet.
2. This product is toxic to silkworms. Do not allow drift to nearby mulberry plantations and silk worm culture facilities. Do not rotate mulberry plantations after crops where chlorantraniliprole based formulation was commonly used in foliar or soil applications.
3. Based on Good Agricultural Practices (GAP), Chlorantraniliprole-based formulations should not be applied when bees are actively foraging.
4. The product is moderately toxic to freshwater fish and aquatic invertebrates and may be avoided near aquaculture.

CHEMICAL COMPOSITION:

Component	% w/w
Chlorantraniliprole a.i.	35.0
Sodium alkyl naphthalene sulfonate	0.5
Sodium lignosulfonate	3.0
Sodium lignosulfonate, sulfomethylated	6.0
Amorphous silica	0.5
Sucrose	1.0
Clay	8.0
Lactose monohydrate	Q.S
Total	100.00

MANUFACTURED BY:

Gowan Milling LLC, 12300 E. County 8th Street, Yuma Arizona 85365, USA (designated manufacturer of FMC Corporation, 2929 Walnut Street, Philadelphia, Pennsylvania, 19104, USA)

IMPORTED & REPACKED BY:

FMC India Private Limited,

REGISTERED OFFICE:

TCG Financial Centre, 2nd floor, C-53, Bandra Kurla Complex, Bandra (E), Mumbai, Bandra Suburban- 400 098, India

FACTORY ADDRESSES:

Unit I: Plot No. 11, GIDC, Savli, Village: Manjusar, District: Vadodara, Gujarat, India. Pin Code: 391775.

Unit II: Site No. 146 Kilavalam Village, Maduranthakam Taluk, Kancheepuram District, Tamilnadu.



Online Label and Leaflet: (Company official website address)



प्रमाणीकृत
अनुमोदित
AUTHENTICATED
APPROVED

Authorised Signatory

[Signature]

FMC INDIA PRIVATE LIMITED

क्लोरेन्ट्रानिलिप्रोल ३५% भा/भा डब्ल्यू जी
(बहुआयामी कीटनाशक)

प्रयोजन: कृषि उपयोग हेतु ।

फसल और कीट समूह : क्लोरेन्ट्रानिलिप्रोल ३५% भा/भा डब्ल्यू जी एक ऐन्थ्रानिलिक डायामाइड कीटनाशक है, जिसकी सिफारिश भिंडी और टमाटर के लेपिडोप्टेरान कीटों के नियंत्रण के लिए की जाती है।

मात्रा:

फसल	कीट का सामान्य नाम	प्रति हेक्टेयर मात्रा			कटाई से पहले अंतराल (दिन)
		स. तत्व (ग्रा.)	मिश्रण (ग्रा.)	पानी की मात्रा (ली.)	
भिंडी	फल छेदक (हेलीकोवर्पा आर्मीगेरा और इयूरियास विटेला)	२५	७१	५००	५
टमाटर	फल छेदक (हेलीकोवर्पा आर्मीजेरा)	३०	८६	५००	३

इस्तेमाल के लिए निर्देश/आवेदन की तकनीक:

मौसम की स्थिति: मौसम की प्रतिकूल स्थिति के दौरान प्रयोग से बचें।

आवेदन का समय और संख्या, आवेदन की आवृत्ति समेत अधिकतम संख्या और आवेदन के लिए फसल चरण: इस उत्पाद का पत्तियों पर छिड़काव करें। पहला आवेदन फूल आने की शुरुआत में शुरू किया जाना चाहिए जब कीटों की आबादी ईटीएल (आर्थिक हानि स्तर) तक पहुंच जाए उसके बाद दूसरा आवेदन १२-१४ दिनों के अंतराल पर और प्रति फसल सीज़न उत्पाद को दो बार से अधिक इस्तेमाल न करें।

छिड़काव उपकरण और नोजल के प्रकार :

पूरी तरह से और एकसमान छिड़काव सुनिश्चित करने के लिए हाई वॉल्यूम वाले स्प्रे उपकरण इस्तेमाल करें, जैसे नैपसैक स्प्रेयर, फुट स्प्रेयर आदि जिसमें होलो कोन नोजल लगा हुआ होना चाहिए।

मिश्रण के लिए निर्देश:

स्प्रे टैंक को १/४ से १/२ तक पानी से भरें। कीटनाशक को लेबल दरों के अनुसार सीधे स्प्रे टैंक में डालें और अच्छी तरह मिश्रित कर लें। स्प्रे मिश्रण के घोल को पूरी रात के लिए स्प्रे टैंक में संग्रह न करें।

मिट्टी और पानी: किसी विशिष्ट मिट्टी और जल प्रबंधन की आवश्यकता नहीं है ।

पुनः प्रवेश अवधि:

छिड़काव सूखने तक २४ घंटे तक उपचारित खेतों में प्रवेश न करें

सुरक्षा संबंधी सावधानियां:

1. प्रोडक्ट का प्रयोग करते समय न कुछ खाएं, न पियें, न धूम्रपान करें न ही पान चबाएं।
2. प्रोडक्ट का प्रयोग करते समय पूरे बांह की शर्ट, लंबी पैंट, रासायनिक प्रतिरोधी दस्ताने, मास्क और ढके हुए जूते पहनें।
3. हवा की दिशा में स्प्रे करते हुए खुद पर स्प्रे की मार से बचें।
4. स्प्रे नोजल को मुंह से न खोलें, अवरोद्ध नोजल को पतली सीक या ब्रश से साफ करें।
5. शरीर पर किसी भी रिसाव की स्थिति में, खुले हिस्सों को साबुन और काफी सारे पानी से धोएं।
6. हाथों और शरीर के खुले हिस्सों को अच्छी तरह धोएं। प्रयोग के बाद दूषित कपड़ों को उतारकर धोएं।



**प्रमाणीकृत
अनुमोदित
AUTHENTICATED
APPROVED**

Authorised Signatory
[Signature]
FMC INDIA PRIVATE LIMITED

प्रतिरोधकता प्रबंधन कथन

समूह	२८	कीटनाशक
------	----	---------

लेबल के विशिष्ट फसल/कीट वर्गों में अन्यथा निर्दिष्ट न किए जाने पर, क्लोरेंट्रानिलिप्रोल और अन्य समूह २८ कीटनाशकों के कीटनाशक प्रतिरोध के विकास को रोकने या विलंब के लिए निम्न पद्धतियों की सिफारिश की जाती है:

- क्लोरेंट्रानिलिप्रोल या अन्य समूह २८ कीटनाशकों को एक ही मोड में लगातार कीट पीढ़ियों के संपर्क से बचने के लिए "विंडो" दृष्टिकोण अपनाते हुए प्रयोग करें। क्लोरेंट्रानिलिप्रोल या अन्य समूह २८ कीटनाशक के लगातार एक से अधिक प्रयोग (प्रति फसल अधिकतम संख्या के लिए संबंधित लेबल देखें) स्वीकार्य हैं यदि वे एक कीट उत्पत्ति का इलाज करने के लिए प्रयोग किए जाएं और ऐसे प्रयोग उचित हों। क्लोरेंट्रानिलिप्रोल या अन्य समूह २८ कीटनाशक की "विंडो" के बाद, हमेशा विभिन्न प्रकार के तरीकों से संबंधित प्रभावी कीटनाशकों के प्रयोगों की "विंडो" आजमाएं।
- एक खिड़की की लंबाई लक्षित कीट की पीढ़ी की लंबाई के बराबर होनी चाहिए। पूरे फसल चक्र (बुवाई से कटाई तक) में लागू सभी "समूह २८-सक्रिय विंडोज़" की कुल जोखिम अवधि फसल चक्र के ५०% से अधिक नहीं होनी चाहिए।
- समय कीट प्रबंधन कार्यक्रम में एकीकृत कीट प्रबंधन (आईपीएम) और कीटनाशक प्रतिरोध प्रबंधन (आईआरएम) तकनीकों को शामिल करें।
- खेत की प्रभावशीलता में किसी नुकसान के लिए नियमित तौर पर कीटों की निगरानी करें।

भंडारण:

1. पैकेज जिसमें सामग्री रखी हुई हो, को अन्य सामानों से अलग कमरे या परिसर में, बच्चों व पशुओं की पहुंच से दूर, पशुओं के चारे से दूर, अलग अलमारी में ताला-चाबी लगाकर रखना चाहिए।
2. कीटनाशक भंडारण का कमरा या परिसर मज़बूती से बना, प्रकाश वाला, हवादार और लंबा-चौड़ा हो, ताकि इसकी वाष्प से संदूषण न फैले।

खाली डिब्बों का निपटारा:

1. खाली डिब्बों का दुबारा प्रयोग खतरनाक है। डिब्बों को तीन बार पानी से खंगाला जाना चाहिए और इस खंगाले गए पानी को छिड़काव के घोल में डाला जाना चाहिए।
2. खाली डिब्बों को तोड़कर निवास से दूर जमीन में गाड़ दें।
3. खाली डिब्बों को दुबारा इस्तेमाल के लिए बाहर खुला न छोड़ें।
4. यह कीटनाशक निर्माताओं तथा उपयोगकर्ता का कर्तव्य है की वह डिब्बों/पैकेजिस या बची हुई कीटनाशक तथा साधनों के धोवन का निपटारा सुरक्षित ढंग से करे जिससे वातावरण या पानी प्रदूषित न हो।

विषाक्तता के लक्षण:

आँखों, मुँह और/या नाक से साव पैदा हो सकता है।

प्राथमिक उपचार:

1. **निगल लिए जाने पर:** यदि व्यक्ति होश में और सचेत है तो मुँह को पानी के साथ कुल्ला करवाएं और पीने के लिए १ या २ गिलास पानी दें। कभी भी किसी बेहोश व्यक्ति को मुँह के द्वारा कोई चीज न दें। चिकित्सक को बुलाएं। जब तक चिकित्सक द्वारा कहा न जाए, तब तक उल्टी करवाने की कोशिश न करें।
2. **सांस ले लेने पर:** व्यक्ति को खुली हवा में ले जाएं और शरीर के तापमान का ध्यान रखें। यदि व्यक्ति सांस न ले रहा हो या सांस लेने में परेशानी हो, तो मुँह से कृत्रिम श्वास दें। डॉक्टर की सलाह लें।
3. **त्वचा से संपर्क होने पर:** बालों और नाखूनों के नीचे के भाग सहित शरीर के प्रभावित अंगों को साबुन और खूब सारे पानी के साथ अच्छी तरह से धोएं। यदि दर्द, जलन या लालिमा बनी रहती है तो चिकित्सक से संपर्क करें। सभी दूषित कपड़ों को अलग करें और इस्तेमाल से पहले साबुन एवं पानी के साथ अलग से अच्छी तरह धोएं।
4. **आँखों से संपर्क होने पर:** कम से कम १५ मिनट तक खूब सारे पानी के साथ कोमलतापूर्वक आँखों को धोयें। यदि दर्द, जलन, लालिमा या प्रकाशभीति बनी रहती है तो आँखों के विशेषज्ञ से संपर्क करें।



प्रमाणीकृत
अनुमोदित
AUTHENTICATED
APPROVED


Authorised Signatory
FMC INDIA PRIVATE LIMITED

Authorised Signatory
FMC INDIA PRIVATE LIMITED

प्रमाणित
अनुमोदित
AUTHENTICATED
APPROVED



ऑनलाइन लेबल और पत्रक: (कंपनी की आधिकारिक वेबसाइट का पता)



युनिट II: साइट नं. १४६, किलावलम विलेज, मद्रासतकम तालुका, कांथापुरम डिस्ट्रिक्ट, तमिलनाडु
युनिट I: प्लॉट नं. ११, जी.आइ.डी.सी., सावली, गांव: मंजुसर, जिला: वडोदरा, गुजरात, भारत पिन कोड: ३९१७७५

फैक्टरी का पता:

भारत

टीसीजी फाइनरीशियल सेंटर, दूधसी मंजिल, सी-५३, बांद्रा कुली कॉम्प्लेक्स, बांद्रा (ईस्ट), मुंबई, बांद्रा सब अर्बन, महाराष्ट्र-४०००९८, राजिस्टर्ड ऑफिस:

एफएमसी इंडिया प्राइवेट लिमिटेड

आवातकता एवं पूरा: फैकली

जोवान मिलांग एलएलसी, ₹२३०० ई. काउंटी ८वीं स्ट्रीट, युमा आरिजोना ८५३८५, यूएसए (एफएमसी कॉरपोरेशन, २९२९ बालनट स्ट्रीट, फिलडेल्फिया, पेनसिल्वानिया, १९१०४ यूएसए के द्वारा नामित निर्माता)

निर्माता:

कुल	प्रत्येक मास
लैक्टोस मोनोहाइड्रेट	१००.०
क्ले	८.०
सुक्रोस	१.०
अमरफास सिलिका	०.५
सोडियम लिग्नोसल्फोनेट, सल्फोमिथाइलेटिड	३.०
सोडियम लिग्नोसल्फोनेट	३.०
सोडियम अल्काइल नैफथीन सल्फोनेट	०.५
क्लोरोट्रानिलिलिथोन स.त.	३५.०
संघटक	% भाग

रासायनिक संरचना:

1. लेबल/पुस्तिका पर निर्दिष्ट के अलावा अन्य किसी प्रयोजन से प्रयोग न किया जाए।
2. यह उत्पाद रेशम के कीड़ों के लिए विषाक्त है। मलबरी बागानों और रेशम कीड़ा पालन कि सुविधाएँ के पास बढ़ाव न होने दें। फसलों के बाद मलबरी के बागानों को न लगाये जहाँ आमदार पर क्लोरोट्रानिलिलिथोन आधारित सूत्रीकरण का उपयोग
3. अच्छी कृषि पद्धतियाँ (GAP) पर आधारित, क्लोरोट्रानिलिलिथोन आधारित सूत्रीकरण का प्रयोग मधुमक्खियाँ सक्रिय होने पर न करें।
4. यह उत्पाद ताजे पानी में रहने वाली मछली और अन्य शीतविहीन जलीय जीवों के लिए मायूरी रूप से विषाक्त है, इसलिये इसका प्रयोग मत्स्य पालन के पास नहीं किया जाना चाहिए।

सावधानियाँ:

कई डी/जी/जी विषनाशक विषनाशक नहीं है। लक्षणानुसार इलाज करें।

विषनाशक: