

READ LEAFLET BEFORE USE. / उपयोग से पहले संलग्न लीफलेट पढ़ें.
Verimark® CYANTRANILIPROLE 18.41% w/w SC
(Insecticide) PURPOSE : FOR AGRICULTURAL USE

Crop and Pest Group: Cyantraniliprole 18.41% w/w (20 % w/v) SC is an anthranilic diamide insecticide effective against a cross spectrum of chewing and sucking pests in Chilli, Capsicum, Cucumber, Tomato and Watermelon. **Dosage, Direction for use and Manner and time of application:** Please refer leaflet for details. **Re-entry:** Do not enter or allow worker entry into treated areas during the restricted-entry interval of 24 hours. **CHEMICAL COMPOSITION :** Cyantraniliprole a.i. : 18.41% w/w, Methyl methacrylate ethoxylated graft copolymer : 3.0% w/w, Mixture of ethyleneoxide/ propyleneoxide block co-polymer and ethoxylated alcohol: 2.0% w/w, Hydrous aluminum silicate : 1.0% w/w, Silicone emulsion : 0.05% w/w, 1,2-propanediol : 6.80% w/w, Xanthan gum : 0.25% w/w, Citric Acid anhydrous : 0.20% w/w, 1,2 - Benzisothiazol-3 (2H)-one : 0.10% w/w, Water: q.s., Total 100.00% w/w. **CAUTIONS:**

1. Not to be used for any purpose other than specified on label/leaflet. 2. Destroy the container after use as directed on the leaflet. 3. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. 4. The product is slightly toxic to aquatic organisms, fish and highly toxic to honeybees with long lasting effects, thus product containing molecules may be avoided near aquaculture and during active bee foraging period of the day. **SAFETY PRECAUTIONS :** 1. Do not eat, drink, smoke or chew betel leaves while doing the application. 2. Wear long sleeves shirt, long pants, chemical resistant gloves and covered shoes while handling the product. In addition, wear goggles during mixing and loading. 3. In case of any spillage on the body, wash exposed parts with soap and plenty of water. 4. Wash hands and unprotected parts of the body properly after handling and before eating, drinking or smoking. Remove and wash contaminated clothing separately after use. **SYMPTOMS OF POISONING :** Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. **FIRST AID:** 1. **If ingested:** If person is conscious and alert, rinse mouth with water and give 1 or 2 glass of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. 2. **If inhaled:** Take the person to fresh air and take care of body temperature. If the person is not breathing or breathing with difficulty, administer artificial respiration, preferably with mouth to mouth breathing. Consult a physician. 3. **In case of skin contact:** Wash thoroughly the affected part of body with soap and plenty of water including hairs and under fingernails. If pain, redness or irritation persists, consult a doctor. All the contaminated should be segregated and thoroughly washed with soap and water separately before use. 4. **In case of eye contact:** Rinse gently with plenty of water at least for 15 minutes. If pain, irritation, redness or photophobia persists, consult eye specialist. **ANTIDOTE:** No specific antidote is available, treat symptomatically.

FMC

Verimark®

Insecticide



300 ml

वेरीमार्क™
(कीटनाशक)

सायनट्रैनिलिप्रोल १८.४१% भा/भा एस सी

प्रयोजन: कृषि उपयोग के लिए

फसल और कीट समूह: सायनट्रैनिलिप्रोल १८.४१% भा/भा (२०% भा/भा)

खीरा और तरबूज में विभिन्न वर्गों के चबाने व चूसने वाले कीटों पर असरदार है।

उपयोग एवं रीति के लिए खुराक, दिशा-निर्देश, अनुप्रयोग का समय: कृपया

विवरण के लिए पत्रक को देखें। पुनः प्रवेश: २४ घंटे तक उपचारित खेतों में

प्रतिबंधित-प्रवेश अंतराल के दौरान प्रवेश न करें और कार्यकर्ता के प्रवेश की

अनुमति न दें। **रासायनिक संरचना:** सायनट्रैनिलिप्रोल स.त.: १८.४१% भा/भा,

मिथाइल मेथाक्रायलेट इथाक्सलेटेड ग्राफ्ट कपोलयमर: ३.०% भा/भा, मिक्चर

ओफ इथाइलीनोक्साइड / प्रोपाइलीनोक्साइड ब्लॉक को-पॉलीमर एंड

इथाक्सलेटेड एलकोहॉल: २.०% भा/भा, हेइस एल्यूमिनियम सिलिकेट:

१.०% भा/भा, सिलिकॉन इमल्शन: ०.०५% भा/भा, १,२-प्रोपेनेडिओल:

६.८०% भा/भा, जैथम गम: ०.२५% भा/भा, सिट्रिक एसिड एनहाइड्रस:

०.२०% भा/भा, १,२-बेन्-ज़ीसोथीआजोल -३(२ एच) - ओन: ०.१०%

भा/भा, पानी: पर्याप्त मात्रा, कुल: १००.००% भा/भा. **सावधानियां:** १.

लेबल/पुस्तिका पर निर्दिष्ट के अलावा अन्य किसी प्रयोजन से प्रयोग न किया जाए।

२. पुस्तिका पर निर्देश के अनुसार प्रयोग के बाद डिब्बे को नष्ट कर दें। ३. ४८ घंटों

के भीतर वर्षा होने की पूर्व अनुमान होने पर प्रयोग न करके इस उत्पाद के बहाव को

कम किया जा सकता है। ४. यह उत्पाद जलीय जीवों, मछलियों के लिए थोड़ा

विषैला और मधुमक्खियों के लिए अत्यधिक विषाक्त है, जिसके दीर्घकालिक

प्रभाव होते हैं। इसलिए जिस उत्पाद में यह सक्रिय घटक हो उसे जलकृषि के पास या

दिन के समय सक्रिय मधुमक्खियों की चार अवधि के दौरान इन्तेमाल नहीं करना

चाहिए। **सुरक्षा सावधानियां:** १. प्रयोग करते समय न कुछ खाएं, न पिएं, न

धूम्रपान करें न ही पान चबाएं। २. प्रोडक्ट का प्रयोग करते समय पूरे बांह की शर्ट,

लंबी पैंट, रासायनिक प्रतिरोधी दस्ताने और ढके हुए जूते पहनें। इसके अलावा,

मिक्सिंग और लोडिंग के दौरान चश्मे पहनें। ३. शरीर पर किसी भी रिसाव की स्थिति

में, खुले हिस्सों को साबुन और काफी सारे पानी से धोएं। ४. हाथों और शरीर के खुले

हिस्सों को अच्छी तरह धोएं। प्रयोग के बाद दूषित कपड़ों को उतारकर धोएं। **विष के**

लक्षण: त्वचा पर लम्बे समय तक या बार-बार संपर्क होने पर कुछ लोगों में एलर्जी

की प्रतिक्रियाएं हो सकती हैं। **प्राथमिक चिकित्सा:** १. **निगल लिए जाने पर:**

यदि व्यक्ति होश में और सजग है, तो कुल्ला कराएं और १ या २ गिलास पानी पीने

को दें। बेहोश व्यक्ति को मुंह से कुछ भी न दें। डॉक्टर को बुलाएं। डॉक्टर के कहे

बिना उल्टी न कराएं। २. **सांस ले लेने पर:** व्यक्ति को खुली हवा में ले जाएं और

शरीर के तापमान का ध्यान रखें। यदि व्यक्ति सांस न ले रहा हो या सांस लेने में

पेशानी हो, तो मुंह से कृत्रिम श्वास दें। डॉक्टर की सलाह लें। ३. **त्वचा से संपर्क**

होने पर: बालों और नाखुनों की जड़ों सहित शरीर के प्रभावित हिस्से को साबुन और

काफी सारे पानी से अच्छी तरह धोएं। यदि दर्द, लालिमा या खुजली जारी रहे, तो

डॉक्टर की सलाह लें। सभी दूषित कपड़ों और अलग रखें और प्रयोग करने से पहले

साबुन और काफी सारे पानी से अच्छी तरह धोएं। ४. **आँख से संपर्क होने पर:** कम

से कम १५ मिनट तक काफी सारे पानी से छीटे मारे। यदि दर्द, लालिमा, खुजली या

फोटोफोबिया जारी रहे, तो आँखों के डॉक्टर की सलाह लें। **विषनाशक:** कोई

विशिष्ट विषनाशक उपलब्ध नहीं है, लक्षणानुसार इलाज करें।

निर्माता : एफएमसी इंडिया प्राइवेट लिमिटेड, रजिस्टर्ड ऑफिस: टीसीजी

फाइनेशियल सेंटर, २ रा माळा, सी-५३, बांद्रा कुर्ला कॉम्प्लेक्स, बांद्रा (पूर्व),

बांद्रा सबर्बन, मुंबई - ४०००९८, महाराष्ट्र। **फैक्टरी:** प्लांट नं. ११,

जी.आई.डी.सी. सावली, गांव: मंजुसर, जिला: वडोदरा-३९१७७५, गुजरात।


विपणनकर्ता: एफएमसी इंडिया प्राइवेट लिमिटेड, रजिस्टर्ड ऑफिस: टीसीजी

फाइनेशियल सेंटर, २ रा माळा, सी-५३, बांद्रा कुर्ला कॉम्प्लेक्स, बांद्रा (पूर्व),

बांद्रा सबर्बन, मुंबई - ४०००९८, महाराष्ट्र।

Keep out of
reach of
children.

बच्चों की पहुँच
से दूर रखें।



GROUP	28	INSECTICIDE
समूह	२८	कीटनाशक

Manufactured by : FMC India Private Limited, Registered Office: TCG Financial Centre, 2nd Floor, C-53, Bandra Kurla Complex, Bandra (E), Bandra Suburban, Mumbai – 400098, Maharashtra. **Factory:** Plot No. 11, G.I.D.C. Savli, Village: Manjusar, District: Vadodara-391775, Gujarat. **Marketed by : FMC India Private Limited, Registered Office:** TCG Financial Centre, 2nd Floor, C-53, Bandra Kurla Complex, Bandra (E), Bandra Suburban, Mumbai – 400098, Maharashtra.

In Case of Complaints, please contact customer Cell
☎ : 1800 102 6545 or ✉: Ask@fmc.com or
write at Regd. Office of FMC India Private Limited.
Regn. No./रजि नं.: CIR-21246/2024-Cyantraniliprole
18.41% w/w SC (456)

Mfg. Lic. No./उ.ला. नं.: 1023

Batch No./बैच नं.:

Mfg.Date/निर्माण तिथि:

Expiry Date/अन्तिम तिथि:

MRP: ₹

(incl. of all taxes)/

अधिकतम खुदरा मूल्य

(कर सहित): ₹

Unit Sale Price

₹ per ml

यूनिट बिक्री मूल्य

₹ प्रति मिलि

Net Quantity/

शुद्ध मात्रा:

300 ml



FMC, the FMC Logo, Verimark, Cyazpyr and the Emblem are trademarks of FMC Corporation and/or an affiliate. ©2025 FMC Corporation. All rights reserved.