

Date: 02-07-2021

Ref.: SGEPL/CIL-I/ECComp/01/2021

To,  
**The Ministry of Environment, Forests & Climate Change**  
Regional Office, Western Region,  
"Kendriya Paryavaran Bhavan", Link Road No.3,  
E-5, Ravishankar Nagar,  
Bhopal - 462 016, State: M.P, India

**Sub: Submission of Compliance Report of M/s. Cheminova India Limited (Intermediate Division) for our EC No. IA-J-11011/53/2018-IA-II (I), dated 31/12/2019 for the period of December 2020 to May 2021.**

Respected Sir,

In accordance to the condition specified in our EC, we hereby submit duly filled datasheet for monthly Monitoring report (December 2020 to May 2021) for implementation of stipulated conditions of our EC together with point wise compliance status of various stipulations.

We hereby submit the duly filled datasheet as per data for the period of December 2020 to May 2021.

Following are the Annexure to this report:

Annexure No.	Annexure Details
A	Monitoring report data sheet
1.	Compliance report of EC
2.	Compliance report of CC&A/CTO Amendment
3.	Copy of existing EC and CC&A/CTO
4.	Annual return- Form-4 (2019-2020)
5.	Environmental statement- Form V (2019-2020)

Please find the above in order and acknowledge receipt.

Thanking You,

Yours faithfully,

**For M/s. Cheminova India Limited (Intermediate Division)**

  
**Authorized Signatory**  
**Copy to:**

1. The Secretary, Forest and Environment Department, Government of Gujarat, Block 14, 8<sup>th</sup> Floor, Sachivalaya, Gandhinagar (Gujarat)-10.
2. The Member Secretary, Central Pollution Control Board, Parivesh Bhavan, CBD-Cum Office Complex, East Arjun Nagar, New Delhi – 32.
3. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector – 10A, Gandhinagar (Gujarat) – 10.

# SIX MONTHLY EC COMPLIANCE REPORT

(December 2020 to May 2021)

For

M/s. Cheminova India Limited (Intermediate Division)  
(Manufacturing of Pesticides & Pesticide specific Intermediates)  
Plot No. (27+28)/A, Notified GIDC Industrial Estate, Panoli,  
Dist. Bharuch 394 116, State-Gujarat, India.

Submitted to:

The Ministry of Environment, Forests & Climate Change  
Regional Office, Western Region,  
"Kendriya Paryavaran Bhavan", Link Road No.3,  
E-5, Ravishankar Nagar,  
Bhopal - 462 016, State: M.P, India

## Table of Contents

A – SIX MONTHLY MONITORING REPORT - DATA SHEET.....	3
ANNEXURE 1 - COMPLIANCE REPORT OF ENVIRONMENT CLEARANCE.....	7
ANNEXURE 2 - COMPLIANCE REPORT OF CC&A/CTO AND ITS AMENDMENT.....	18
ANNEXURE 3 - COPY OF EXISTING EC, NOC/CTE & CC&A/CTO.....	36
ANNEXURE 4 - ANNUAL RETURN- FORM- 4 (2019-2020) .....	78
ANNEXURE 5 - ENVIRONMENTAL STATEMENT – FORM V (2019-2020).....	101

# SIX MONTHLY EC COMPLIANCE REPORT

## A – Six Monthly Monitoring Report - DATA SHEET

Monitoring the Implementation of Environmental Safeguards  
Ministry of environment & Forests  
Regional Office (W), Bhopal  
Six Monthly Monitoring Reports  
PART – 1  
From: 01.12.2020 to 31.05.2021

No. SC/Cheminova-Int/EC-Datasheet/01-2021		
1	Project Type : River-Valley / Mining Industry / Thermal / Nuclear / other (Specify)	: Pesticides Industry and Pesticide Specific Intermediates (Excluding Formulations)
2	Name of the Project	: Expansion of Pesticide and Pesticide Specific Intermediates at Existing Unit M/s. Cheminova India Limited (Intermediate Division).
3	Clearance Letter(s)/ OM No. & Date	: IA-J-11011/53/2018-IA-II(I), Date: 31 <sup>st</sup> December 2019
4	Location	
	a]. District (s)	: Bharuch
	b]. State (s)	: Gujarat
	c]. Latitude / Longitude	: 21°32'50.49"N/ 72°59'52.28"E
5	Address for Correspondence	: Plot No. (27+28)/A, Notified GIDC Industrial Estate, Panoli, Dist. Bharuch 394 116, State-Gujarat, India.
	a]. Address of Concerned Project Chief Engineer With Pin code & Telephone / Telex / Fax Numbers.	: Mr. Anil N Shah Tel. – 9714993368
	b]. Address of Executive Project Engineer / Manager (with Pin code / Fax Number)	: Mr. Anil N Shah Tel. – 9714993368
6	Salient Features	
	a]. Of the Project	: As detailed below
	Components	Proposed Scenario
	EC No.	IA-J-11011/53/2018-IA-II(I)
	Environmental Clearance accorded for-	Product name attached in Annexure-1
	Total Power Requirement	3500 KVA
	Source of Power	DGVCL
	Fresh Water requirement	764 KL/day
	Source of Water Supply	GIDC water supply
	Wastewater Generation	Industrial : 833 KL/day Domestic : 45 KL/day
	Process Emissions	HCl, NH <sub>3</sub> , Cl <sub>2</sub> , SO <sub>2</sub> , NO <sub>x</sub> , H <sub>2</sub> S, CO, HC, PM
	Flue Gas Emission	PM, SO <sub>2</sub> , NO <sub>x</sub>
	Fuel Type	Natural gas or Furnace oil, HSD, Briquettes/ Bagasse/ Groundnut shell
	Fuel Requirement	Natural Gas- 10800 Nm <sup>3</sup> /h, HSD- 90 L/h, Briquettes/ Bagasse/ Groundnut shell - Briquettes 5186 kg/h



## SIX MONTHLY EC COMPLIANCE REPORT

Man power		Total: 600 (Company + Contract) employee	
b). Of the Environmental Management Plans		:	As follows.
Sr. No.	Activity	Status	
1	Formulation of EHS cell Constitutes EHS in charge, ETP super visor and operators, Lab chemist and assistants	EHS cell consists of EHS in charge, ETP super visor and operators, Lab chemist and assistants.	
2	For Air Environment Management <ul style="list-style-type: none"> <li>✓ To monitor the ambient air quality parameters and flue gas emissions within premises and also in the nearby area regularly and to compare with the regulating standards so that any necessary corrective actions can be taken.</li> <li>✓ Work place monitoring to be carried out periodically to check fugitive emissions, if any.</li> <li>✓ To develop and maintain greenbelt, in and around the factory, for reducing the effect of air pollutants due to their deposition.</li> <li>✓ To follow proper loading and unloading practices to minimize dusting</li> <li>✓ To maintain proper record for the fuel consumption, start-up time and duration of boiler operation towards energy conservation</li> </ul>	<ul style="list-style-type: none"> <li>✓ Company maintains its own records and monitors the ambient air and flue gas emission within premises periodically. Monitoring of ambient air &amp; flue gas analysis is done by Siddhi Green Excellence Pvt Ltd., Ankleshwar.</li> <li>✓ Work place monitoring to be carried out periodically by Siddhi Green Excellence Pvt Ltd., Ankleshwar.</li> <li>✓ Unit has developed &amp; maintained greenbelt area.</li> <li>✓ Unit is having closed system for loading and unloading of chemicals.</li> <li>✓ Unit is maintaining records for the fuel consumption, start-up time and duration of boiler operation towards energy conservation</li> </ul>	
3	For Water Environment Management <ul style="list-style-type: none"> <li>✓ To investigate possibilities of water reuse and recycling for reducing water consumption and wastewater generation</li> <li>✓ Records of water consumption, effluent generation, effluent discharge, water characteristics, treated and untreated effluent characteristics to be maintained.</li> <li>✓ To monitor the adequacy and efficiency of ETP so that the effluent is given suitable treatment and the treated effluent meets specified norms of available CC&amp;A of GPCB</li> <li>✓ The effluent collection and discharge drainages, effluent handling and treatment systems to be maintained and regularly monitored to prevent leakages or sudden break-down.</li> <li>✓ Proper house-keeping to be adopted to prevent spillages and contaminated surface runoff going to storm water drains.</li> </ul>	<ul style="list-style-type: none"> <li>✓ Reuse and recycling options are being investigated together with feasibility of rainwater harvesting.</li> <li>✓ Unit is maintaining records of water consumption, effluent generation, effluent discharge, water characteristics, treated and untreated effluent characteristics.</li> <li>✓ The adequacy and efficiency of ETP is maintained well and the effluent is treated appropriately at all the stages. It is ensured that the treated effluent meets specified norms of as specified in CC&amp;A of GPCB.</li> <li>✓ The effluent collection and discharge drainages, effluent handling and treatment systems are maintained and regularly monitored to prevent leakages or sudden break-down by preventive maintenance of all ETP units is taken periodically by taking appropriate proactive actions.</li> <li>✓ Good house-keeping practices have been implemented by the unit to prevent spillages and contaminated surface runoff going to storm water drains.</li> </ul>	
4	For Hazardous / Non-hazardous waste management <ul style="list-style-type: none"> <li>✓ Proper storage and handling arrangements in compliance to the conditions of authorization granted by SPCB.</li> </ul>	<ul style="list-style-type: none"> <li>✓ Appropriate storage and handling arrangements for all the hazardous waste are provided as per the conditions specified in the authorization granted by GPCB.</li> </ul>	

## SIX MONTHLY EC COMPLIANCE REPORT

	<div><div><div>✓</div><div>Proper signboards to be provided at relevant places.</div></div><div><div>✓</div><div>All the necessary regulatory procedures as per the amended Hazardous Waste Management &amp; Handling Rules – 2003 to be followed and adhered with.</div></div><div><div>✓</div><div>The transportation of hazardous waste to the TSDF Site to be as per the guidelines and accompanied with Form-9.</div></div><div><div>✓</div><div>Monthly records of generation, storage and disposal of hazardous waste should be maintained in a record register as per the format of Form-3 as per amended Hazardous Waste rules – 2003 and annual returns of disposal to be submitted to SPCB in prescribed form – 4 and form – 13.</div></div></div> <div><div><div>✓</div><div>Signboards are provided at relevant places.</div></div><div><div>✓</div><div>Unit is following all the applicable regulatory procedures as per the amended Hazardous Waste Management &amp; Handling Rules – 2016.</div></div><div><div>✓</div><div>Unit is following guidelines for transportation of hazardous waste to all the TSDF &amp; CHWIF and is accompanied with form-9.</div></div><div><div>✓</div><div>Monthly records of generation, storage and disposal of hazardous waste are maintained in a record register as per the format of Form-3 as per amended Hazardous Waste rules – 2003 and annual returns of disposal of all the hazardous waste are submitted to GPCB in prescribed forms – 4 and form – 13.</div></div></div>																													
Note: Environment Statement – Form V (Financial year - 2019-2020) is attached as Annexure-4.																														
7	Production details during compliance period and (or) during the previous financial year	<table><tr><th colspan="2">Production Details</th></tr><tr><th>Month</th><th>Quantity (MTM)</th></tr><tr><td>December2020</td><td>571.836</td></tr><tr><td>January 2021</td><td>540.974</td></tr><tr><td>February 2021</td><td>531.312</td></tr><tr><td>March 2021</td><td>541.931</td></tr><tr><td>April 2021</td><td>555.186</td></tr><tr><td>May 2021</td><td>576.321</td></tr></table>	Production Details		Month	Quantity (MTM)	December2020	571.836	January 2021	540.974	February 2021	531.312	March 2021	541.931	April 2021	555.186	May 2021	576.321												
Production Details																														
Month	Quantity (MTM)																													
December2020	571.836																													
January 2021	540.974																													
February 2021	531.312																													
March 2021	541.931																													
April 2021	555.186																													
May 2021	576.321																													
8	Break Up of the Project Area	Notified GIDC Industrial Estate, Panoli																												
	a]. Submergence area : forest & Non-forest																													
	b]. Others																													
9	Breakup of the project affected population with enumeration of those losing houses / dwelling units, only agricultural land, dwelling units & agricultural land & landless laborers / artisan.	Not applicable since unit is located in Notified GIDC Industrial Estate, Panoli																												
	a]. SC , ST / Adivasis	: ---																												
	b]. Others	: ---																												
	(Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details and years of survey)	: ---																												
10	Financial Details	:																												
	a]. Project cost as originally planned and subsequent revised estimates and the year of price reference	: Rs. 790.36 crore (For proposed Expansion only)																												
	b]. Allocation made for environmental management plans with item wise and year wise break-up.	: As follows																												
	<table><tr><th>Sr. No.</th><th>Particulars</th><th>Recurring Cost Per Annum [Rs. In lakh]</th><th>Capital Cost (Rs. In lakh)</th></tr><tr><td>1</td><td>Air Pollution Control</td><td>683</td><td>600</td></tr><tr><td>2</td><td>Water Pollution Control</td><td>1366</td><td>1200</td></tr><tr><td>3</td><td>Noise Pollution Control</td><td>5</td><td>3</td></tr><tr><td>4</td><td>Environment Monitoring &amp; Management</td><td>153</td><td>90</td></tr><tr><td>5</td><td>Occupational Health &amp; Safety</td><td>50</td><td>12</td></tr><tr><td>6</td><td>Green Belt development &amp; maintenance</td><td>20</td><td>5.0</td></tr></table>	Sr. No.	Particulars	Recurring Cost Per Annum [Rs. In lakh]	Capital Cost (Rs. In lakh)	1	Air Pollution Control	683	600	2	Water Pollution Control	1366	1200	3	Noise Pollution Control	5	3	4	Environment Monitoring & Management	153	90	5	Occupational Health & Safety	50	12	6	Green Belt development & maintenance	20	5.0	
Sr. No.	Particulars	Recurring Cost Per Annum [Rs. In lakh]	Capital Cost (Rs. In lakh)																											
1	Air Pollution Control	683	600																											
2	Water Pollution Control	1366	1200																											
3	Noise Pollution Control	5	3																											
4	Environment Monitoring & Management	153	90																											
5	Occupational Health & Safety	50	12																											
6	Green Belt development & maintenance	20	5.0																											

## SIX MONTHLY EC COMPLIANCE REPORT

	7	Solid waste management	228	8290
		TOTAL Planned	2505	10200
	c]. Benefit cost ratio / Internal rate of return and the year of assessment	:	Not applicable	
	d]. Whether (c) includes the cost of environmental management as shown in the above	:	Yes	
	e]. Actual expenditure incurred on the project so far	:	--	
	f]. Actual expenditure incurred on the Environmental Management Plan so far	:	--	
11	Forest land Requirement	:	Notified GIDC Industrial Estate, Panoli	
	a]. The status of approval for diversion of forest land for non-forestry use	:	--	
	b]. The Status of clearing felling	:	--	
	c]. The status of compensatory afforestation, if any	:	--	
	d]. Comments on the viability & sustainability of compensatory afforestation programme in the light of actual field experience so far	:	--	
12	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information.	:	Notified GIDC Industrial Estate, Panoli	
13	Status of construction	:	Construction Initiated	
	a]. Date of commencement (Actual and / or Planned).	:	Planned to start in Quarter-1 2021	
	b]. Date of completion (Actual and / or Planned)	:	Based on the commissioning of project within Five years.	
14	Reasons for the delay if the project is yet to start	:	--	
15	Dates of site visits	:		
	a]. The dates on which the project was monitored by the Regional Office on Previous occasions, if any	:	--	
	b]. Date of site visit for this monitoring project	:	19/05/2020	
16	Details of correspondence with project authorities for obtaining action plans / information on status of compliance to safeguards other than the routine letters for logistic support for site visits	:	--	
	(The first monitoring report may contain the details of all the letters issued so far, but the later reports may cover only the letters issued subsequently.)	:	--	

Note: EC Compliance & CC&A/CTO compliance reports are attached as Annexure – 1 & 2.

## SIX MONTHLY EC COMPLIANCE REPORT

### Annexure 1 - Compliance report of Environment Clearance

Sr. No.	Conditions				Compliance Status	
2.	The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for expansion of pesticides and pesticide specific intermediates from 19705 TPA to 47681 TPA by M/s. Cheminova India Limited (Intermediate Division) in an area of 149163.17 sq. m. located at Plot Nos. (27+28)/A, GIDC Industrial Estate, Panoli, Taluka: Ankleshwar, District Bharuch (Gujarat).				Noted	
3.	The details of products are as under:-				Noted. Unit shall follow the given condition and shall manufacture these products only after obtaining CTO amendment from GPCB.	
	SN	Name of Product	Quantity (MT/Annum)			
			Existing (TPA)	Proposed (TPA)		Total (TPA)
	1.	Phosphorous Trichloride (PCl <sub>3</sub> )/ Phosphoryl Chloride (POCl <sub>3</sub> )	1000	--		1000
	2.	Tri Methyl Phosphite (TMP) OR Tri Ethyl Phosphite (TEP)	100	--		100
	3.	Diethyl Thio Phosphoryl Chloride (DETPC)/Sodium Salt Of Diethyl Thio Phosphoryl Chloride (Na-DETA)	5330	2670		8000
	4.	Cyhalothrin Acid	250	--		250
	5.	Phosphorous Penta Sulphide (P <sub>2</sub> S <sub>5</sub> )	3400	--		3400
	6.	Acid Based Products [2-Bronobutyric Acid (INT),Ethyl 2-( 4-Hydroxy Phenoxy) Propinoate (O- HPPA) (INT), Thiocyclam (I), Bispyribac-Sodium (H), Methoxy Amine Hydrochloride (INT), 2-Hydroxyphenyl Acetic Acid (HPPA) (INT), Amino Acid (INT)] etc.	150	--		150
	7.	Amide Group Based Products [ Pretilachlor (H), Captan (F), Cymoxanil (F), Bflubutamide (H), Pethoxamide (H), Carboxin (F), Flubendamide (I),Chlorantraniliprole (I), Thiaflusamide (F), Zoxamide(F), Flufenacet (H), 2 Aminosulfonyl-N-N- Dimethylnicotinamide (SNA) (INT), 2- (Methoxycarbonyl) Thiophene Thiophene-3 Sulfonamide (MST) (INT)] etc.	150	--		150
	8.	Aniline Group Bases Products [Pendirnethalin (H), Fluazinam (F), ,Metaiaxyi (F), Famoxadone (F)] etc.	1200	--		1200
	9.	Azine group based products Fenpyroximate (I), Metribuzin (H), Pymetrozin (I), Arnitraz (I), Indoxacarb (I), Cofentezine (I), 2 Methoxy-4-Methyl-6-Methylamino-1,3,5-Triazine (MMMT) (INT) etc.	300	--		300
	10.	Azole Group Based Products [Fipronil (I), Hexaconazole (F), Propiconazole (F), Difenoconazole (F), Tricydazole (F), Myclobutanil (F), Florasulam (H), Tebuconazole (F), Flusilazole (F), Tridemefon, Paclobutrazol (F), Thiamethoxam (I), Flutriafol (F), (Safener)Isxadifen Ethyl (Int), Irnidacloprid (I), 2, 6 Dichlorobenzoxazolone (Int),	200	--	200	

## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	Conditions				Compliance Status
	Penoxasulam (H)] etc.				
11.	Carbamate Group Based Product [Thiodicarb (I), Propineb (F), Metiram (F), Thiram (F), Cartap Hydrochloride (I), Thiophanate Methyl (F)] etc.	500	--	500	
12.	Ester group based products [Fenoxaprop-p-Et (H), Clodinafop-Pr (H), Quizolfop-p-ethyl (H), Quinzolfop-p-terfuryl (H), Cyhalofop (H), Isoprothiolane (F), Alphamethrin (I), Lambda Cyhathrin (I), Cypermethrin (I), Bifenazate (I), Phthalide (Int) etc.	300	--	300	
13.	Ether group based products [Propargite (I), oxyfluorfen (H), 2 Ethoxy Ethyl Amine (Int), S- Cyano MPB (Int) ] etc.	200	--	200	
14.	Ketone group based product [Mesotrione (H), Suctioned (H), Isoxanutole (H), Dimethomorph (F), Isobutyrophenone (IBP) (Int)] etc.	1200	--	1200	
15.	Phosphate group based product [Chlorpyrifos (I) or its intermediate Na-TCP (Int), Acephate (I), Monocrotophos (I) or its intermediates MCMMAA (Int.), Dimethoate (I), Profenofos (I), Ethephon (PGR)] etc.	5000	--	5000	
16.	Pyridine group based product [Pyridalyl (I), Imazethapyr (H) CloquintocetMethyl (H), Acetamiprid (I), 4, 6-DiChloro Pyridine (Int)], Azoxystrobin (F) etc	250	--	250	
17.	Urea group based product [Buprofezin (I), Lufenuron (I), Linuron (H), Diafenthiuron (I), Diuron (H), Novaluron (I), Chlorimuron (int), Hexythiazox (I), Spiromesifen (I), Azimsulfuron (H) ,Sulfonyl Ureas (H)] etc.	100	--	100	
18.	Phenol group based product [2- Cyanophenol (Int), 4- Fluro-3 trilluromethylphenole (Int)] etc.	75	---	75	
19.	Sulfentrazone	---	2000	2000	
20.	F-9600 (2-(2,4-Dichlorobenzyl)-4,4-Dimethylisoxazolidin-3-one)/Bixlozone	---	4200	4200	
21.	F 9990 (Fluindapyr)	---	1200	1200	
22.	Malathion	---	10000	10000	
23.	F-4050 (2-(4-Fluoro-3-(Trifluoromethyl)Phenoxy)-N-Benzylbutanamide	---	1500	1500	
24.	Beflubutamide	---	450	450	
25.	Gamma Cyhalothrin	---	300	300	
26.	Bifenthrin	---	300	300	
27.	Clomazone	---	2000	2000	
28.	FMC-57091 (4,4-Dimethyl Isoxazolidin-3-One)/(Isoxazolidinone)	---	2600	2600	
29.	Thifensulfuron Methyl	---	205	205	
30.	Tribenuron Methyl	---	215	215	
31.	Metsulfuron Methyl	---	200	200	
32.	Ethametsulfuron Methyl	---	10	10	

## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	Conditions	Compliance Status
33. 34. 35. 36. Total	<div>Chlorsulfuron</div> <div>Triflurosulfuron Methyl</div> <div>Azimsulfuron</div> <div>Flupyrsulfuron Methyl Sodium</div> <div>19705    27976    47681</div>	
4.	Existing land area is 149163.17 sqm. No additional land will be required for the proposed expansion. Industry has developed greenbelt in an area of 49497 sqm covering 33.18% of total project area. The estimated project cost is Rs. 790.36 crores. Total capital cost earmarked towards environmental pollution control measures is Rs 25.05 crores and the recurring cost (O&M) will be about Rs 102 crores per annum. The project will provide employment for 178 persons directly and 422 persons indirectly after expansion.	Noted. The condition mentioned beside will be followed.
5.	There are no National parks, Wildlife sanctuaries, Biosphere, Reserves, Tiger/Elephant Reserves, and Wildlife Corridors etc. within 10 km from the project site. Ukai canal flows at a distance of 1.66 km in west direction.	Noted.
6.	<div>Total water requirement is estimated to be 1351 cum/day, which includes fresh water requirement of 764 cum/day, proposed to be met from GIDC supply.</div> <div>Effluent of 206 cum/day will be treated through Effluent Treatment Plant (ETP) having Primary, Secondary &amp; Tertiary Treatments, &amp; treated effluent of 181 cum/day is discharged into underground conveyance pipeline connected to Final Effluent Treatment Plant (FETP) of M/s. Narmada Clean Tech (NCT). It has been now proposed that after expansion, existing and proposed unit shall ensure zero liquid discharge and there will be no discharge of treated/untreated waste water from the unit.</div> <div>Power requirement after expansion will be 3500 KVA proposed to be met from M/s Dakshin Gujarat Vij Company Limited (DGVCL). Existing unit has one DG set of 1250 KVA. Two more DG sets of 1250 &amp; 1500 KVA will be required under proposed expansion.</div> <div>Existing unit has two natural gas based boilers of 10 TPH capacities each and one briquettes/ bagasse/ groundnut shell based boiler of 18 TPH capacity. Incinerator (for waste gas) and one natural gas based thermic fluid heater of 10 lakh Kcal/h will be installed in the expansion.</div>	<div>Unit shall adhere to the condition after the commencement of the project.</div> <div>Presently treated effluent is discharged into underground conveyance pipeline connected to FETP of M/s. Narmada Clean Tech (NCT). Unit shall ensure zero liquid discharge after obtaining the CTO Amendment</div> <div>Unit shall comply with the given condition.</div> <div>Unit shall comply with the given condition.</div>
7.	The project/activities are covered under category A of item 5(b) 'Pesticides industry and Pesticide specific intermediates' of the Schedule to the Environment Impact Assessment Notification, 2006, and requires appraisal at central level by the sectoral Expert Appraisal Committee (EAC) in the Ministry.	Noted and complied
8.	Standard terms of reference (ToR) for the project were granted on 23 <sup>rd</sup> March, 2018. Public hearing is exempted in accordance with the Ministry's OM dated 27 <sup>th</sup> April 2018, as the project site is located in the notified industrial area.	Noted.
9.	The proposal for environmental clearance was considered by the EAC (Industry-2) in its meetings held on 8-9 <sup>th</sup> April, 2019 and 26-28 June, 2019 in the Ministry, wherein the project proponent and their accredited consultant M/s. Siddhi Green Excellence Pvt. Ltd presented the EIA/EMP report complying with the terms and conditions of the ToR, and recommended the proposal for environmental clearance to the project with certain conditions.	Noted. Unit shall adhere and comply all the given conditions.
10.	The proposal was further examined in the Ministry in accordance with the Ministry's Office Memorandum dated 31 <sup>st</sup> October	Noted.

## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	Conditions	Compliance Status
	2019 and Ministry's communication dated 24 <sup>th</sup> October 2019 regarding compliance of Hon'ble NGT order dated 19.8.2019 (published on 23.8.2019) in OA No. 1038/2018.	
11.	Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for Expansion of Pesticides and Pesticide Specific Intermediates from 19705 TPA to 47681 TPA by M/s. Cheminova India Limited (Intermediate Division) at Plot No.(27+28)/A, GIDC Industrial Estate, Panoli, Taluka Ankleshwar, District Bharuch (Gujarat), under the provisions of the EIA Notification, 2006, read with subsequent amendments therein, subject to compliance of the terms and conditions as environmental safeguards, as under:-	Noted.
	(i) Consent to Establish/Operate (CTE/CTO) for the project shall be obtained from the State Pollution Control Board (SPCB) as required under the Air (Prevention and Control of Pollution) Act, 1981 and the water (Prevention and Control of Pollution) Act, 1974, and the SPCB shall follow the mechanism/protocol issued by the Ministry vide letter no. Q-16017/38/2018-CPA dated 24 <sup>th</sup> October, 2019 and forwarded by Central Pollution Control Board vide letter dated 25 <sup>th</sup> October, 2019 to the SPCB's while issuing the CTE/CTO for the project, for improvement of environmental quality in the area.	Consent to Establish has obtained via out ward No. 15866 dated 4 <sup>th</sup> June 2020.
	(ii) Zero Liquid Discharge shall be ensured including existing facility and the proposed expansion facility and no waste/treated water shall be discharged outside the premises.	Unit shall comply with the given condition.
	(iii) Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	Unit shall strictly adhere to the given condition.
	(iv) National Emission Standards for Pesticides Manufacturing Industry issued by the Ministry vide G.S.R.446(E) dated 13 <sup>th</sup> June, 2011, as amended from time to time, shall be followed.	Unit shall follow the given condition.
	(v) No pesticides/chemicals banned by the Ministry of agriculture and Farmers welfare, or having LD <sub>50</sub> <100 mg/kg shall be produced. Also, no raw material/solvent prohibited by the concerned regulatory authorities from time to time, shall be used for production of pesticides.	Unit commits that No pesticides/chemicals banned by the Ministry of agriculture and Farmers welfare, or having LD <sub>50</sub> <100 mg/kg shall be produced and no prohibited raw material/solvent shall be used for production.
	(vi) To control source and the fugitive emissions (at 99.98%), suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Unit shall follow the given condition.
	(vii) Solvent management shall be carried out as follows : (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery. (d) Solvents shall be stored in a separate space specified with all safety measures. (e) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (f) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.	All requirements shall be ensured, fulfilled and taken care during execution of project

## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	Conditions	Compliance Status
	(g) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	
	(viii) Total fresh water requirement shall not excess 764 cum/day to be met from GIDC water supply. Prior permission in this regard shall be obtained from the concerned regulatory authority.	Unit shall follow the given condition.
	(ix) Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system	Well structured storm water drainage network is already available at site.
	(x) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and solvent transfer through pumps.	Unit shall follow the given condition.
	(xi) Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.	Unit shall follow the given condition.
	(xii) The company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act, 1989.	Unit shall follow the given condition.
	(xiii) The company shall undertake waste minimization measures as below:- (a) Metering and control of quantities of active ingredients to minimize waste. (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Unit shall follow the given condition.
	(xiv) The green belt of at least 5-10 m width shall be developed in nearly 40% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. In addition, the project proponent shall develop greenbelt outside the plant premises also such as avenue plantation, plantation in vacant areas, social forestry etc.	The unit has developed 49471 sq. m. (~33.17%) of total plot area within plan premises. An Additional 11000 sq.m. (7.37%) area provided outside premises which is in progress in GIDC and total green belt area will be 40 % .
	(xv) As committed, fund allocation for the Corporate Environment Responsibility (CER) shall be 5% of the total project cost. Item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	Unit shall follow the given condition. Total 63 lakh have been spent under Corporate Environment Responsibility (CER) for both Technical Division and Intermediate Division. Break up of expenses are as under : 1. Green Belt Development = 8 Lac 2. Rainwater Harvest = 15 Lac 3. C Arm equipment donation to Jayaben Modi Hospital = 23 Lac 4. Oxygen Plant donation to Sardar patel Hospital= 17 Lac



## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	Conditions	Compliance Status
		Total expenses are 63 lakh.
	(xvi) Safety and visual reality training shall be provided to employees.	In house-training programs are conducted on monthly basis for SOPs and safety as per yearly plan
	(xvii) For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Unit shall follow the given condition.
	(xviii) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	The possible arrangement had been made for protection of possible fire hazard during mfg. process and material handling, The Fire hydrant system and fire extinguisher is made available throughout the premises and safe practices are adopted for handling and processing of flammable material
	(xix) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Presently, Pre-employment medical checkup of all employees and contract workers is carried out by FMO and records are maintained. Full medical checkup of all employees as well as contract workers is carried out Six-monthly and records are maintained. BCA testing for all employees & workers exposed to production & packaging of pesticides carried by LOVIBOND kit for all before joining and periodic testing-monthly test for contract workers and every 3 months for company employees. Health register in Form No.32 & certificate of fitness is issued to workers by FMO in Form No.33. Photograph of medical checkup report is attached below:

## Conditions

### Compliance Status

Sr.	No.	Particulars	Amount
1		...	...
2		...	...
3		...	...
4		...	...
5		...	...
6		...	...
7		...	...
8		...	...
9		...	...
10		...	...
11		...	...
12		...	...
13		...	...
14		...	...
15		...	...
16		...	...
17		...	...
18		...	...
19		...	...
20		...	...
21		...	...
22		...	...
23		...	...
24		...	...
25		...	...
26		...	...
27		...	...
28		...	...
29		...	...
30		...	...
31		...	...
32		...	...
33		...	...
34		...	...
35		...	...
36		...	...
37		...	...
38		...	...
39		...	...
40		...	...
41		...	...
42		...	...
43		...	...
44		...	...
45		...	...
46		...	...
47		...	...
48		...	...
49		...	...
50		...	...
51		...	...
52		...	...
53		...	...
54		...	...
55		...	...
56		...	...
57		...	...
58		...	...
59		...	...
60		...	...
61		...	...
62		...	...
63		...	...
64		...	...
65		...	...
66		...	...
67		...	...
68		...	...
69		...	...
70		...	...
71		...	...
72		...	...
73		...	...
74		...	...
75		...	...
76		...	...
77		...	...
78		...	...
79		...	...
80		...	...
81		...	...
82		...	...
83		...	...
84		...	...
85		...	...
86		...	...
87		...	...
88		...	...
89		...	...
90		...	...
91		...	...
92		...	...
93		...	...
94		...	...
95		...	...
96		...	...
97		...	...
98		...	...
99		...	...
100		...	...



150/1, Old K.M. Market Hall,  
Wazirpur Mandir, New Colony,  
G.D.C., Anandnagar - 203 002,  
P.O. Box : 102848 : 202515  
E-mail : dranandsharma@yahoo.com

# MAHAVIR

## DIAGNOSTIC CENTRE

EARLY DIAGNOSIS IS BETTER THAN CURE

Dr. Anand K. Shah      Dr. Pawan K. Shah  
M.B.B.S., A.F.I.C.      M.D. (GEN. ATIN), M.C.P.S.

• Medical Advisor & Medical Health Consultant  
• Pre-Employment/Periodic Medical Examination  
• Pre-Marriage Medical Examination  
• Executive Health Check-up  
• Complimentary Audiometry, Spirometry, ECG  
• Comprehensive Pathological Laboratory  
• First Aid Training 21, Joint Ambulance Association  
• Sonography, X-ray  
• Tm, Echo  
• Authorized for medical emergency at instance

---

**CHEMINOVA INDIA LIMITED GIDC PANOLI (FMC SUBSIDIARY)**

**NAME:** Mr. Amit J. Parmar

**EMP CODE:** 147003      **DEPT:** S&E

**AGE:** 21 Years      **WEIGHT:** 60 Kg      **HEIGHT:** 150 cm      **PULSE:** 72/min      **BP:** 120/ 70 mmHg

**VISION:**      **RIGHT:**      **LEFT:**

NEAR : 6/ 6      10/ 6

FAR : 6/ 6      6/ 6

**DATE:** 18/02/2021

**UNIT:** Engineering

**COLOR VISION :** ACCEPTABLE

**BLOOD EXAMINATION**

PARAMETERS	FINDINGS	UNITS	NORMAL VALUES
HAEMOGLOBIN	13.0	gms/dl	[12-17, F:15-18]
WBC COUNT	7200	/mm <sup>3</sup>	[4000 - 11000]
NEUTROPHILS	67	%	[40 - 75]
LYMPHOCYTES	28	%	[30 - 40]
EOSINOPHILS	2	%	[1 - 26]
MONOCYTES	3	%	[2 - 07]
MCH	27.8	pg	[37 - 50]
MCHC	28.6	%	[30 - 35]
PCV	46.5	%	[38 - 54]

PARAMETERS	FINDINGS	UNITS	NORMAL VALUES
RL SUGAR (BP)	88	mg/dl	[80 - 130]
S. CHOLESTEROL	188	mg/dl	[100 - 250]
S. G.P.T.	28	u/l	[4 - 36]
S. CREATININE	0.8	mg/dl	[0.7 - 1.5]
RBC Count	4.97	lacs/mm <sup>3</sup>	[4.5 - 5.2 lacs]
PLATELETS	233000	/mm <sup>3</sup>	[1.5 - 4.5 lacs]
BCA %	88.02	%	[>72.5]
RBC CHOLINESTERASE	888	u/ml	[718 - 888]
BLOOD GROUP:	B	PH.	POSITIVE

**URINE EXAMINATION**

PHYSICAL	CHEMICAL	MICROSCOPIC
QUANTITY: 10 ML	ALBUMIN: Absent	WBC: Absent
COLOR: PALE YELLOW	SUGAR: Absent	RBC CELLS: Absent
APPEARANCE: CLEAR	BILIRUBIN: Absent	CRYS PALS: Absent
DEPOSIT: ABSENT	BILIRUBIN: Absent	EPIT CELLS: Absent
	ACETONE: Absent	CYST: Absent

**LUNG FUNCTION TEST**

	RESULT	PREDICTED	SPD
FVC	3.82	4.08	84
FEV1	3.82	3.99	113
PEF	8.77	7.40	118
FEF 25-75%	5.54	3.57	105

Spirometry Within Normal Limits

**AUDIOMETRY TEST**

FREQ.	500	1K	2K	4K	8K	8K
RIGHT	30	35	30	25	19	15
LEFT	45	30	35	30	15	10

**E.C.G. :** WITHIN NORMAL LIMIT

**REMARKS :**

NOT SUFFERING FROM ANY INFECTIOUS OR CHRONIC DISEASE

*Ashe*  
Dr. Anand Shukla  
18/02/21

	<h1 style="margin: 0;">MAHAVIR</h1> <h2 style="margin: 0;">DIAGNOSTIC CENTRE</h2> <p style="margin: 0;">EARLY DIAGNOSIS IS BETTER THAN CURE</p>	<p>• Medical Advisor &amp; Industrial Health Consultant</p> <p>• Pre-Employment/Industrial Medical Examination</p> <p>• Pre-Placement Medical Examination</p> <p>• Executive Health Check-up</p> <p>• Computerized Radiology, Spinecopy, ECG</p> <p>• Computerized Pathological Laboratory</p> <p>• First Aid Training 2nd Aid Ambulance Association</p> <p>• Sonography, X-ray</p> <p>• TPA, ESR</p> <p>• Subscribed for medical examination of soldiers</p>					
<p>39/31, Opp. K.M. Mundhi Hat, Mazgaon Road, New Colony, G.D.C. Ambikapur - 391 002 Phone : (025446) 322911 E-mail : dramitgandhi@yahoo.com</p>	<p><i>Dr. Amit R. Shah</i> MBBS, DNB</p> <p><i>Dr. Prasad Shah</i> MBBS, DNB, D.I.P., M.D.</p>	<p>117</p>					
<h3 style="margin: 0;">CHEMINOVA INDIA LIMITED GIDC PANOLI (FMC SUBSIDIARY)</h3>							
NAME: Mr. Philip R Gangoda		DATE: 18/02/2021					
EMP CODE: 147204	DEPT: SR-Z	UNIT: Engineering					
AGE: 35 Years	WEIGHT: 58 Kg	HEIGHT: 160 cm					
		PULSE: 72/min					
		BP: 118 / 73 mmHg					
VISION: RIGHT LEFT		COLOR VISION: ACCEPTABLE					
NEAR: N 6	N 6						
FAR: U 6	U 6						
<h3 style="margin: 0;">BLOOD EXAMINATION</h3>							
PARAMETERS	FINDINGS	UNITS	NORMAL VALUES	PARAMETERS	FINDINGS	UNITS	NORMAL VALUES
HAEMOGLOBIN	13.6	gm/dl	[12-17, F15-18]	BL SUGAR [F]	30	mg/dl	[80 - 120]
WBC COUNT	4700	/mm <sup>3</sup>	[4000 - 11000]	S. CHOLESTEROL	187	mg/dl	[150 - 250]
NEUTROPHILS	86	%	[40 - 75]	S. G.R.T.	17	vit	[4 - 38]
LYMPHOCYTES	14	%	[20 - 40]	S. CREATININE	1.1	mg/dl	[0.7 - 1.5]
EOSINOPHILS	0	%	[01 - 06]	RBC Count	4.73	lakh/mm <sup>3</sup>	[4.5 - 6.0]
MONOCYTES	0	%	[02 - 07]	PLATELETS	232000	/mm <sup>3</sup>	[1.5 - 4.5]
MCH	26.4	pg	[27 - 32]	BCA %	100.00	%	[> 72.5]
MCHC	26.2	%	[30 - 35]	RBC CHOLINESTERASE	886	u/ml	[778 - 990]
PCV	48.0	%	[35 - 54]	BLOOD GROUP: A	RH: POSITIVE		
<h3 style="margin: 0;">URINE EXAMINATION</h3>							
PHYSICAL:		CHEMICAL:		MICROSCOPIC:			
QUANTITY:	10 ML	ALBUMIN:	ABSENT	ERY:	ABSENT		
COLOR:	PALE YELLOW	SUGAR:	ABSENT	PHX CELL:	Occasional		
APPEARANCE:	CLEAR	BILE SALT:	ABSENT	CRYSTAL:	ABSENT		
DEPOSIT:	ABSENT	BILE PPG:	ABSENT	PPH CELL:	ABSENT		
		ACTIFERR:	ABSENT	CAST:	ABSENT		
<h3 style="margin: 0;">LUNG FUNCTION TEST</h3>							
	RESULT	PREDICTED	%PRED				
FVC	3.61	2.94	81				
FEV1	2.89	2.89	100				
FEF	7.00	7.83	109				
FEF 25-75	3.09	4.32	144				
<h3 style="margin: 0;">AUDIOMETRY TEST</h3>							
FREQ.	500	1K	2K	4K	5K	8K	
RIGHT	40	45	30	35	20	25	
LEFT	45	30	35	20	25	10	

## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	Conditions	Compliance Status
	(xx) Continuous online (24×7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Unit shall follow the given condition.
	(xxi) Mitigation measures suggested during process safety and risk assessment studies shall be undertaken accordingly.	Unit shall follow the given condition.
11.1	The grant of environmental clearance is subject to compliance of other general conditions, as under:-	Noted
	(i) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board, Central pollution Control Board, State Government and any other statutory authority.	Noted and agreed.
	(ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted
	(iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Unit shall follow the given condition.
	(iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R.No. 826(E) Dated 16 <sup>th</sup> November, 2009 shall be followed.	Unit follows The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R.No. 826(E) Dated 16 <sup>th</sup> November, 2009
	(v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Noise level measurement is carried out by GPCB recognized Schedule I Environment Auditor- Quarterly & by Third party recognized laboratory-Monthly Reports by Third-Party recognized lab is attached for reference

# SIX MONTHLY EC COMPLIANCE REPORT

Sr.  
No.

Conditions

Compliance Status

**Siddhi Green Excellence PRIVATE LIMITED**

**TEST REPORT OF AMBIENT NOISE MEASUREMENT**

REPORT NO.: SC/CILID/NL/APR/2021/04 Date of Issue: 13-04-2021

Issued to: M/s. CHEMINOVA INDIA LTD.(INTERMEDIATE DIV.)

Address: PLOT NO.27,28/A GIDC ESTATE-PANOLI, TA: ANKLESHWAR, DIST: BHARUCH-394116

Site (where measured): same as above Sample ID: 18208

Date of Monitoring: 06/04/2021 Measured By: Mr. Dilip

Instrument used: HTC make Noise Level Meter (Model No. SL-1352) Instrument ID: SC-NM-3

Frequency Weighing: A Time Weighing: FAST

Procedure: As per Work Instruction of Instrument and as per IS-9989:1981, windcover used during measurement.

Environmental Conditions: Season: Summer

**DAYTIME READINGS (5 AM TO 10 PM)**

Time and Duration of	12:50 to 13:40 h	Time and Duration of Monitoring	01:50 to 02:50 h
Average Ambient Temperature, °C	33	Average Wind speed, m/s	2
Predominant Wind direction	SW- NE	Average Ambient Temperature, °C	30
		Average Wind speed, m/s	2
		Predominant Wind direction	SW- NE

**NIGHT TIME READINGS (10 PM TO 6 AM)**

SR.NO.	LOCATION	READING NO.	NOISE LEVEL dB(A) DAY TIME	READING NO.	NOISE LEVEL dB(A) NIGHT TIME
1	Near Main Gate	NL-01	58	NL-11	50
2	Near ETP Area	NL-02	65	NL-12	60
3	Near SBS Plant	NL-03	73	NL-13	66
4	Near Boiler	NL-04	69	NL-14	64
5	Near Admin area	NL-05	54	NL-15	51
6	Near DG set	NL-06	73	NL-16	68
7	Near Chlorine yard	NL-07	63	NL-17	60
8	Near P0 Plant	NL-08	64	NL-18	61
9	Near P1 Plant	NL-09	66	NL-19	62
10	Near P2 Plant	NL-10	68	NL-20	63

Permissible Limit for industrial area as per schedule of Noise Pollution (Regulation and Control) Rules, 2000



for Day Time in dB(A) Leq (5 AM TO 10 PM) : - 75 for Night Time in dB(A) Leq (10 PM TO 6 AM) : - 70

Additions to, deviations, or exclusions from the method :-None

Results from external providers, if any :-None

Any other remarks :- None

Abbreviations used :- None

Verified by:  Authorized Signatory: 

Mrs. Fatema M. Jadhav (Technical Manager) Mrs. Kuntal P. Shah (Quality Manager) / Mr. Parvash M. Shah (CEO & MD)

Notes: 1. Test results shall be referred to the tested sample(s) only and applicable parameter(s) only.  
2. Permissible limits if mentioned in report are given by customer and included in the report upon request by customer.  
3. Certificates of accreditation are available on lab's website with period of validity. If non-accredited parameters are analysed, their results are given on next page.  
4. The opinions and interpretations if mentioned in report are given upon request by customer and based upon material and information supplied by customer.  
5. Laboratory has a complaint redressal system. Discrepancies if any in the test report must be brought to notice within 7 days of issue of test report.  
6. This report shall not be used as evidence in the court of law and shall not be reproduced except in full, without prior written approval of Siddhi Green Excellence Pvt. Ltd.

\*\*\* End of Report \*\*\*

Page 1 of 1

Format No.: SC/LAB/F/Report-06 Issue No.: 02 Issue Date: 31-01-2019 Revision No.: 04 Revision Date: 25-01-2021

GUJARAT'S PLATINUM GROUP OF NEW SPACES INTERIORS BY HTOC

Regd. Office: "Kamal Arcade - The Vertical Sunclark" Corner, Plot No. 33/3, GIDC Station Road, Ankleshwar - 390 002, Dist. Bharuch, Gujarat State, India. Tele: 02648 - 224605.

Dahjej Off.: "SANSKAR AVENUE" Shop No. GF 37, P. O. Jorva, Ta. Vagra, Dist. Bharuch. Tele: 02641 - 254041 E-mail: siddhi.ank@gmail.com

**Siddhi Green Excellence PRIVATE LIMITED**

**TEST REPORT**

REPORT NO.: SC/CILID/NL/FEB/2021/04 Date of Issue: 19-02-2021

Issued to: M/s. CHEMINOVA INDIA LTD.(INTERMEDIATE DIV.)

Address: PLOT NO.27,28/A GIDC ESTATE-PANOLI, TA: ANKLESHWAR, DIST: BHARUCH-394116

Sample ID: 17609

Date & Time of Monitoring: 13-02-2021 & 12:10 h to 13:10 h & 00:50 to 01:20 h

Measuring Instrument: HTC make Noise Level Meter (Model No. SL-1352) Instrument ID: SC-NM-3

Frequency Weighing :- Frequency Weighing - A

Time Weighing :- Time Weighing - Fast

Measured By: Mr. Rafik

Procedure: As per Work Instruction of Instrument and as per IS-9989:1981 RA-2014

SR.NO.	LOCATION	READING NO.	NOISE LEVEL, dB(A) DAY TIME	READING NO.	NOISE LEVEL, dB(A) NIGHT TIME
1	Near Main Gate	NL-01	55	NL-11	51
2	Near ETP Area	NL-02	60	NL-12	57
3	Near SBS Plant	NL-03	71	NL-13	66
4	Near Boiler	NL-04	66	NL-14	61
5	Near Admin area	NL-05	50	NL-15	48
6	Near DG set	NL-06	69	NL-16	64
7	Near Chlorine yard	NL-07	58	NL-17	52
8	Near P0 Plant	NL-08	56	NL-18	51
9	Near P1 Plant	NL-09	58	NL-19	52
10	Near P2 Plant	NL-10	57	NL-20	53

Permissible Limit as per schedule of Noise Pollution (Regulation and Control) Rules, 2000

for Day Time in dB(A) Leq (5 AM TO 10 PM) : - 75 for Night Time in dB(A) Leq (10 PM TO 6 AM) : - 70

Additions to, deviations, or exclusions from the method :-None

Results from external providers, if any :-None

Any other remarks :- None

Abbreviations used :- None

Verified by:  Authorized Signatory: 

Mrs. Fatema M. Jadhav (Technical Manager) Mrs. Kuntal P. Shah (Quality Manager) / Mr. Parvash M. Shah (CEO & MD)

Notes: 1. Test results shall be referred to the tested sample(s) only and applicable parameter(s) only.  
2. Permissible limits if mentioned in report are given by customer and included in the report upon request by customer.  
3. Certificates of accreditation are available on lab's website with period of validity. If non-accredited parameters are analysed, their results are given on next page.  
4. The opinions and interpretations if mentioned in report are given upon request by customer and based upon material and information supplied by customer.  
5. Laboratory has a complaint redressal system. Discrepancies if any in the test report must be brought to notice within 7 days of issue of test report.  
6. This report shall not be used as evidence in the court of law and shall not be reproduced except in full, without prior written approval of Siddhi Green Excellence Pvt. Ltd.

\*\*\* End of Report \*\*\*

Page 1 of 1

Format No.: SC/LAB/F/Report-06 Issue No.: 02 Issue Date: 31-01-2019 Revision No.: 03 Revision Date: 30-06-2020

GUJARAT'S PLATINUM GROUP OF NEW SPACES INTERIORS BY HTOC

Regd. Office: "Kamal Arcade - The Vertical Sunclark" Corner, Plot No. 33/3, GIDC Station Road, Ankleshwar - 390 002, Dist. Bharuch, Gujarat State, India. Tele: 02648 - 224605.



Dahjej Off.: "SANSKAR AVENUE" Shop No. GF 37, P. O. Jorva, Ta. Vagra, Dist. Bharuch. Tele: 02641 - 254041 E-mail: siddhi.ank@gmail.com

## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	Conditions	Compliance Status
	(vi) The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	Unit shall follow the given condition.
	(vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Unit complies with the given condition. And same shall be continued after the proposed expansion.
	(viii) The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Unit shall follow the given condition.
	(ix) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. ESC activities shall be undertaken by involving local villages and administration.	Unit shall follow the given condition.
	(x) The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Unit shall follow the given condition.
	(xi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the state Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Unit commits that funds earmarked for environment management/ pollution control measures shall not be diverted for any other purpose
	(xii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied.
	(xiii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of environmental clearance and six monthly compliance status reports shall be posted on the website of the company.	Unit is complying with the given condition.
	(xiv) The environmental statement for each financial year ending 31 <sup>st</sup> march in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the environment (protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Unit is complying with the given condition. Form-V is regularly submitted to SPCB for each financial year. Copy of Form-V is attached as Annexure-5.
	(xv) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <a href="http://moef.nic.in">http://moef.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. EC advertisement in two local newspapers in the vernacular language of the locality concerned has been done. Newspaper cutouts of the same are attached below:



## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	Conditions	Compliance Status
		
	(xvi) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted.
12.	The ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	Noted and agreed.
13.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
14.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
15.	The above conditions will be enforced, inter alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted.
16.	This issue with approval of the competent authority.	Noted.

## SIX MONTHLY EC COMPLIANCE REPORT

### Annexure 2 -Compliance report of CC&A/CTO and its Amendment

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement					Compliance Status																
1.	The list of proposed products to be manufactured shall be as follows.					Unit is complying with the given condition. Monthly production details are as mentioned below: <table><tr><th colspan="2">Production Details</th></tr><tr><th>Month</th><th>Quantity (MTM)</th></tr><tr><td>December 2020</td><td>571.836</td></tr><tr><td>January 2021</td><td>540.974</td></tr><tr><td>February2021</td><td>531.312</td></tr><tr><td>March 2021</td><td>541.931</td></tr><tr><td>April 2021</td><td>555.186</td></tr><tr><td>May 2021</td><td>576.321</td></tr></table>	Production Details		Month	Quantity (MTM)	December 2020	571.836	January 2021	540.974	February2021	531.312	March 2021	541.931	April 2021	555.186	May 2021	576.321
Production Details																						
Month	Quantity (MTM)																					
December 2020	571.836																					
January 2021	540.974																					
February2021	531.312																					
March 2021	541.931																					
April 2021	555.186																					
May 2021	576.321																					
Sr. No.	Name of Product	Quantity (MT/Year)																				
		Existing	Proposed	Total (After Change in Product Mix)	Remarks																	
1.	Phosphorus Trichloride (PCl <sub>3</sub> )/ Phosphoryl chloride (POCl <sub>3</sub> )	1000	--	1000	No Change																	
2.	Tri methyl Phosphite (TMP) or Tri ethyl Phosphite (TEP)	100	--	100	No Change																	
3.	Diethyl Thio Phosphoryl Chloride (DETPC) /Sodium salt of Diethyl Thio Phosphoryl Chloride (Na-DETA)	5330	--	5330	No Change																	
4.	Cyhalothrin Acid	250	--	250	No Change																	
5.	Phosphorus Penta Sulphide (P <sub>2</sub> S <sub>5</sub> )	3400	--	3400	No Change																	
6.	Fluindapyr (F9990)	--	+150	150	New Product																	
7.	Bixlozone (F9600)	--	+960	960	New Product																	
8.	Acid based products [2-bromobutyric Acid (int), amino acid (int), ethyl 2-(4-hydroxy phenoxy) propionate (O-HPPA) (int), Thiocyclam (I), Bispyribac-Sodium (H), Pyrithiobac-Sodium(H), Methoxy Amine Hydrochloride (int), 2- hydroxyphenyl Acetic Acid (HPAA) (int),] etc.	150	--	150	No Change																	
9.	Amide group based products [Pretilachlor (H), Captan (F), Cymoxanil (F), Beflubutamide (H), Pethoxamide (H), Carboxin (F), Flubendamide (I), Chlorantraniliprole (I), Thiaflusamide (F), Zoxamide (F), Flufenacet (H), 2 Aminosulfonyl-N-N- Dimethylnicotinamide (SNA) (int), 2-(Methoxycarbonyl) thiophene thiophene-3 Sulfonamide (MST) (Int)] etc.	150	--	150	No Change																	
10.	Aniline group Bases products [Pendirnethalin (H), Fluazinam (F), Metalaxyl (F), Famoxadone (F)] etc.	1200	-1200	--	Discontinue Product																	
11.	Azine group based product Fenpyroximate (I), Metribuzin (H), Pymetrozine (I), Arnitraz (I), Indoxacarb (I), Clofentezine (I), 2 Methoxy- 4 - Methyl-6-Methylamino-1,3,5-Triazine (MMMT) (Int)] etc.	300	--	300	No Change																	
12.	Azole group based products [Fipronil (I), Hexaconazole (F), Propiconazole (F), Difenconazole (F), Tricydazole (F), Myclobutanil (F),	200	--	200	No Change																	

Production Details	
Month	Quantity (MTM)
December 2020	571.836
January 2021	540.974
February 2021	531.312
March 2021	541.931
April 2021	555.186
May 2021	576.321

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement						Compliance Status
		Florasulam (H), Tebuconazole (F), Flusilazole (F), Tridemefon, Paclobutrazol (F), Thiamethoxam (I), Flutriafol (F), Safener/Isxadifen ethyl (Int), Irnidacloprid (I), 2, 6 DiChloroBenzoxazolone (Int), Penoxasulam (H)] etc.					
13.		Carbamate group based product [Thiodicarb (I), Propineb (F), Metiram (F), Thiram (F), Cartap hydrochloride (I), Thiophanate Methyl (F)] etc.	500	--	500	No Change	
14.		Ester group based products [Fenoxaprop-p-Et (H), Clodinafop-Pr (H), Quizolofop-p-ethyl (H), Quinzolofop-p-terfuryl (H), Cyhalofop (H), Isoprothiolane (F), Alphamethrin (I), Lambda Cyhathrin (I), Cypermethrin (I), Bifenazate (I), Phthalide (Int) etc.	300	--	300	No Change	
15.		Ether group based products [Propargite (I), oxyfluorfen (H), S- Cyano MPB (Int), 2 Ethoxy Ethyl Amine (Int), ] etc.	200	--	200	No Change	
16.		Ketone group based product [Mesotrione(H), Suctioned(H), Isoxanutole(H), Dimethomorph(F), Isobutyrophenone (IBP)(Int)] etc.	1200	--	1200	No Change	
17.		Phosphate group based product [Chlorpyrifos (I) or its intermediate Na-TCP (Int), Acephate (I), Monocrotophos (I) or its intermediates MCMMAA(Int.), Dimethoate (I), Profenofos (I), Ethephon (PGR)] etc.	5000	--	5000	No Change	
18.		Pyridine group based product [Pyridalyl (I), Imazethapyr (H) Cloquintocet Mexyl (H), Acetamiprid (I), 4, 6-DiChloro Pyridine (Int)], Azoxystrobin (F) etc	250	--	250	No Change	
19.		Urea group based product [Buprofezin(I), Lufenuron(I), Linuron(H), Diafenthiuron(I), Diuron(H), Novaluron(I), Chlorimuron(int), Hexythiazox(I), Spiromesifen(I), Azimsulfuron(H), Sulfonyl Ureas (H)] etc.	100	--	100	No Change	
20.		Phenol group based product [2- Cyanophenol (Int), 4- Fluro-3 trilluromethylphenole (Int)] etc.	75	--	75	No Change	
		Total	19705	-90	19615		
2	<b>SPECIFIC CONDITIONS</b>						
a.	Total production shall not exceed 19615 MT/Year in any case.						Complied
b.	There shall be no change in mode of disposal of wastewater.						Complied
c.	There shall be no change in fuel consumption, flue gas emission and process gas emission.						Complied
d.	There shall be no change in Hazardous waste quantity/category.						Complied
e.	Unit shall sell out their hazardous waste to authorized end-users that is having authorization with valid CCA and Rule 9 permission to						The hazardous waste is sold to authorized end-



## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23 <sup>rd</sup> -May-2017 and valid up to 4 <sup>th</sup> -March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019																
Sr. No.	Consent Condition Requirement	Compliance Status														
	receive this waste. Unit shall make MoU with such authorized end-users and submit MoU at time of application of CCA.	users having valid CCA and rule-9 permission. MoU has been prepared to sell of hazardous waste.														
f.	All the efforts shall be made to send hazardous waste to cement industry for Co-processing first & there after it shall be disposed through other option.	Complied														
g.	Unit shall follow spent solvent management guideline framed by board and shall make MoU with outside distillation units, if any. Also submit the prescribed forms as per guideline.	Spent solvent management guidelines are followed.														
h.	There shall not be increase in pollution load due to proposed change in product mix.	Complied.														
i.	There shall not be any change in plant building, equipments & machineries to manufacture the proposed new products after change in product mix.	No changes in plant building, equipment's & machineries done for manufacturing the proposed new products after change in product mix.														
j.	In the case of submission of the false or misleading data, this CTE amendment will be forwarded immediately.	Noted.														
k.	CCA is granted with a condition to comply guideline to be issued by Ministry of Environment, Forest and Climate Change in the matter of O.A.No. 1038/2018 and Hon. NGT order dated: 10/07/2019 and 23/08/2019.	Noted														
l.	Mother Liquor 35 KLD shall be incinerated in common incinerator facility at BEIL or SEPPL or GSPL, Palsana OR send it for co-processing to cement industries.	Complied														
m.	There shall be no change in water consumption, wastewater generation and their mode of disposal.	Noted.														
n.	As per the submission, calcium chloride (30%): 1000 MT/Year, Ammonium Chloride Sol (16%): 15,300 MT/Year, Liq. Ammonia (20%): 3600 MT/Year is not produced since 2015 due to not manufacture TMP so whoever unit will manufacture TMP, unit shall obtain CCA Amendment for the same with all required document like MoU with enduser & Rule-9 permission of enduser.	Noted.														
3	CONDITION UNDER THE WATER ACT:															
3.1	<p>The condition No. 3.3 for water consumption under Water Act of the CCA order No. AWH-86147, issued vide letter no. GPCB/ANK/CCA-115(9)/ID-15016/415086, dated 16/06/2017 and further amended dated 31/08/2018 is amended and shall now be read as under.</p> <p>a) Domestic : 25 KL/Day (Existing 25 KLD + Proposed Nil)</p> <p>b) Industrial : 423 KL/Day(Existing 429 KLD - Proposed 6 KLD)</p> <p>c) Gardening : 25 KL/Day(Existing 25 KLD - Proposed Nil)</p> <p>d) Total: 473 KL/Day (Existing 479 KLD - Proposed 6 KLD)</p>	<p>Complied. Water consumption is well within limits as per the condition. Water consumption details for period December 2020 to May 2021 is given below:</p> <table><tr><th colspan="2">Details of Water Consumption</th></tr><tr><th>Month</th><th>KL/Month</th></tr><tr><td>December 2020</td><td>13371</td></tr><tr><td>January 2021</td><td>11711</td></tr><tr><td>February 2021</td><td>10942</td></tr><tr><td>March 2021</td><td>13324</td></tr><tr><td>April 2021</td><td>13847</td></tr></table>	Details of Water Consumption		Month	KL/Month	December 2020	13371	January 2021	11711	February 2021	10942	March 2021	13324	April 2021	13847
Details of Water Consumption																
Month	KL/Month															
December 2020	13371															
January 2021	11711															
February 2021	10942															
March 2021	13324															
April 2021	13847															

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23 <sup>rd</sup> -May-2017 and valid up to 4 <sup>th</sup> -March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019																													
Sr. No.	Consent Condition Requirement			Compliance Status																									
				May 2021	13725																								
3.2	The condition No. 3.1 & 3.2 for wastewater Generation under Water Act of the CCA order No. AWH-86147, issued vide letter no. GPCB/ANK/CCA-115(9)/ID-15016/415086, and further amended dated 31/08/2018 is amended and shall now be read as under. a) Domestic : 25 KL/Day (Existing 25 KLD + Proposed Nil) b) Industrial : 176 KL/Day (Existing 181 KLD - Proposed 5 KLD) c) Total: 201 KL/Day (Existing 206 KLD - Proposed 5 KLD)			Complied. <table><tr><th colspan="2">Details of Wastewater Generation (KL/Month)</th></tr><tr><th>Month</th><th>(KL/Month)</th></tr><tr><td>December 2020</td><td>5623</td></tr><tr><td>January 2021</td><td>5342</td></tr><tr><td>February 2021</td><td>4266</td></tr><tr><td>March 2021</td><td>5216</td></tr><tr><td>April 2021</td><td>5002</td></tr><tr><td>May 2021</td><td>5135</td></tr></table>		Details of Wastewater Generation (KL/Month)		Month	(KL/Month)	December 2020	5623	January 2021	5342	February 2021	4266	March 2021	5216	April 2021	5002	May 2021	5135								
Details of Wastewater Generation (KL/Month)																													
Month	(KL/Month)																												
December 2020	5623																												
January 2021	5342																												
February 2021	4266																												
March 2021	5216																												
April 2021	5002																												
May 2021	5135																												
3.3	176 KLD treated effluent shall be discharged to NCTL by underground drainage line and 25 KLD domestic sewage shall be disposed off through septic tank/soak pit system as per previous CCA conditions.			Complied. Treated effluent is discharged to NCTL by underground drainage line as per previous CCA conditions.																									
3.4	Sewage shall be disposed off through septic tank/soak pit system or shall be treated separately in Sewage Treatment Plant (STP) to conform the following standards and treated sewage shall be utilized on land for irrigation / plantation. <table><tr><td>Sr. No.</td><td>Parameters</td><td>Permissible Limit</td></tr><tr><td>1</td><td>Biochemical Oxygen Demand, BOD<sub>3</sub>, 27°C</td><td>Less than 20 mg/L</td></tr><tr><td>2</td><td>Total Suspended Solids</td><td>Less than 30 mg/L</td></tr><tr><td>3</td><td>Total Residual Chlorine</td><td>Minimum 0.5 ppm</td></tr></table> Or Sewage shall be treated in ETP along with Industrial Effluent and discharged into GIDC underground drainage system and conveyed to FETP (NCTL).			Sr. No.	Parameters	Permissible Limit	1	Biochemical Oxygen Demand, BOD <sub>3</sub> , 27°C	Less than 20 mg/L	2	Total Suspended Solids	Less than 30 mg/L	3	Total Residual Chlorine	Minimum 0.5 ppm	Complied.													
Sr. No.	Parameters	Permissible Limit																											
1	Biochemical Oxygen Demand, BOD <sub>3</sub> , 27°C	Less than 20 mg/L																											
2	Total Suspended Solids	Less than 30 mg/L																											
3	Total Residual Chlorine	Minimum 0.5 ppm																											
3.5	The quality of industrial effluent shall conform to the following standards (as per GPCB norms, whichever is applicable). <table><tr><td>Sr no.</td><td>PARAMETERS</td><td>PERMISSIBLE LIMIT</td></tr><tr><td>1</td><td>pH</td><td>6.5 to 8.5</td></tr><tr><td>2</td><td>Temperature</td><td>40°C</td></tr><tr><td>3</td><td>Colour (pt.co.scale)</td><td>100 units</td></tr><tr><td>4</td><td>Total Suspended solids (TSS)</td><td>150 mg/l</td></tr><tr><td>5</td><td>Total Dissolved Solids</td><td>10000 mg/l</td></tr><tr><td>6</td><td>Biochemical Oxygen Demand, BOD<sub>3</sub>, 27°C</td><td>200 mg/l</td></tr><tr><td>7</td><td>Chemical Oxygen Demand (COD)</td><td>1000 mg/l</td></tr></table>			Sr no.	PARAMETERS	PERMISSIBLE LIMIT	1	pH	6.5 to 8.5	2	Temperature	40°C	3	Colour (pt.co.scale)	100 units	4	Total Suspended solids (TSS)	150 mg/l	5	Total Dissolved Solids	10000 mg/l	6	Biochemical Oxygen Demand, BOD <sub>3</sub> , 27°C	200 mg/l	7	Chemical Oxygen Demand (COD)	1000 mg/l	Complied. Photographs of waste water analysis reports for effluent and sewage of April 2021 is attached below:	
Sr no.	PARAMETERS	PERMISSIBLE LIMIT																											
1	pH	6.5 to 8.5																											
2	Temperature	40°C																											
3	Colour (pt.co.scale)	100 units																											
4	Total Suspended solids (TSS)	150 mg/l																											
5	Total Dissolved Solids	10000 mg/l																											
6	Biochemical Oxygen Demand, BOD <sub>3</sub> , 27°C	200 mg/l																											
7	Chemical Oxygen Demand (COD)	1000 mg/l																											

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement			Compliance Status
	8	Oil and Grease	10 mg/l	
	9	Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH)	5 mg/l	
	10	Sulphide (as S)	5 mg/l	
	11	Ammonical Nitrogen (As N)	50 mg/l	
	12	Total Kjeldahl Nitrogen (as N)	50 mg/l	
	13	Phosphate (as P)	5 mg/l	
	14	Chlorides (as Cl)	1000 mg/l	
	15	Sulphates (as SO <sub>4</sub> )	1000 mg/l	
	16	Cyanide (as CN)	0.2 mg/l	
	17	Flouride (as F)	15 mg/l	
	18	Hexavalent Chromium (as Cr +6)	0.1 mg/l	
	19	Total Chromium (as Cr)	2 mg/l	
	20	Copper (as Cu)	3 mg/l	
	21	Nickel (as Ni)	3 mg/l	
	22	Zinc (as Zn)	15 mg/l	
	23	Iron (as Fe)	3 mg/l	
	24	Manganese (as Mn)	2 mg/l	
	25	Mercury (as Hg)	0.01 mg/l	
	26	Lead (as Pb)	0.1 mg/l	
	27	Arsenic (as As)	0.2 mg/l	
	28	Venedium (as V)	0.2 mg/l	
	29	Cadmium (as Cd)	0.05 mg/l	
	30	Selenium (as Se)	0.05 mg/l	
	31	Bio-assay test	90 % survival of fish after 96 hrs in 100 % effluent	
	32	Insecticides/Pesticides	Absent	

# SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement	Compliance Status
---------	-------------------------------	-------------------

**Siddhi Green Excellence PRIVATE LIMITED**

TEST REPORT

REPORT NO.: SCGLIDWWAFR/2021/05 Date of Issue: 13-04-2021

Issued to: M/s. CHEMINOVA INDIA LTD. (INTERMEDIATE DIV.)  
Address: PLOT NO. 27, 28A, BIDC ESTATE-PANOLI, TA: ANKLESHWAR, DIST: BHARUCH-364116

Sample details: Sample 1  
Type of sample: Treated Effluent  
Sample ID: 18203-WW-01  
Sample Qty. & Packing: 1 L & Sealed  
Sampled by: Mr. D.P.  
Sampling location: B.I.D.C. Estate  
Sampling Plan & Sampling Method Used: Lab document ECA/AB01 (Issue No.: 01 Issue Date: 01-04-2018) Revision No.: 00

SR.NO.	PARAMETERS	UNIT	TEST METHOD	PERMISSIBLE LIMIT (NOTE 2)	RESULTS Sample 1
1.	pH	-	IS 3025 Part 1 (Method 1)	6.5 - 8.5	7.02 @ 25.0 °C
2.	Temperature	°C	APHA 2550 F (100000)	40	28
3.	Colour	PCU	APHA 2120 (40000)	150	20
4.	Total Suspended Solids	mg/L	APHA 2540 (10000)	150	20
5.	Dissolved Solids	mg/L	APHA 2540 (10000)	150	20
6.	Chloride	mg/L	APHA 2310 (10000)	100	10
7.	Sulphate	mg/L	APHA 2310 (10000)	100	10
8.	Ammoniacal Nitrogen	mg/L	APHA 4500 N (10000)	50	50
9.	Total Kjeldahl Nitrogen	mg/L	APHA 4500 N (10000)	50	50
10.	Malachite Green	mg/L	APHA 2540 (10000)	100	10
11.	Phosphate	mg/L	APHA 2540 (10000)	100	10
12.	Chloride	mg/L	APHA 2310 (10000)	100	10
13.	Total Dissolved Solids	mg/L	APHA 2540 (10000)	100	10
14.	Copper	mg/L	APHA 2540 (10000)	100	10
15.	Nickel	mg/L	APHA 2540 (10000)	100	10
16.	BOD (3 days at 20 °C)	mg/L	IS 3025 Part 1 (Method 1)	200	20
17.	COD	mg/L	IS 3025 Part 1 (Method 1)	1000	100
18.	Grease (as Fat)	mg/L	APHA 2540 (10000)	100	10
19.	Mineral (as Fat)	mg/L	APHA 2540 (10000)	100	10
20.	Lead (as Pb)	mg/L	APHA 2540 (10000)	100	10
21.	Cadmium	mg/L	APHA 2540 (10000)	100	10
22.	Hexachloro Chlorine	mg/L	APHA 2540 (10000)	100	10
23.	Total Chromium (as Cr)	mg/L	APHA 2540 (10000)	100	10
24.	Iron	mg/L	APHA 2540 (10000)	100	10
25.	Manganese	mg/L	APHA 2540 (10000)	100	10
26.	Mercury	mg/L	APHA 2540 (10000)	100	10
27.	Heavy Metals	mg/L	APHA 2540 (10000)	100	10

Additional to, deviations, or exclusions from the method: None  
Results from external providers, if any: None  
Any other remarks: None  
Abbreviations used: None

Verified by: Mrs. Parvati M. Jadhav (Technical Manager) Mrs. Kuntal P. Shah (Quality Manager) Mr. Parvash N. Shah (CEO/MD)

Authorized Signatory: Mrs. Parvati M. Jadhav (Technical Manager) Mrs. Kuntal P. Shah (Quality Manager) Mr. Parvash N. Shah (CEO/MD)

\*\*\* End of Report \*\*\*

**Siddhi Green Excellence PRIVATE LIMITED**

TEST REPORT

REPORT NO.: SCGLIDWWAFR/2021/05 Date of Issue: 13-04-2021

Issued to: M/s. CHEMINOVA INDIA LTD. (INTERMEDIATE DIV.)  
Address: PLOT NO. 27, 28A, BIDC ESTATE-PANOLI, TA: ANKLESHWAR, DIST: BHARUCH-364116

Sample details: Sample 2  
Type of sample: STP Water Sample  
Sample ID: 18203-WW-01  
Sample Qty. & Packing: 1 L & Sealed  
Sampled by: Mr. D.P.  
Sampling location: B.I.D.C. Estate  
Sampling Plan & Sampling Method Used: Lab document ECA/AB01 (Issue No.: 01 Issue Date: 01-04-2018) Revision No.: 00

SR.NO.	PARAMETERS	UNIT	TEST METHOD	PERMISSIBLE LIMIT (NOTE 2)	RESULTS Sample 2
1.	BOD (3 days at 20 °C)	mg/L	IS 3025 Part 1 (Method 1)	less than 20	5
2.	Suspended Solid	mg/L	APHA 2540 (10000)	less than 30	24

Additional to, deviations, or exclusions from the method: None  
Results from external providers, if any: None  
Any other remarks: None  
Abbreviations used: None

Verified by: Mrs. Parvati M. Jadhav (Technical Manager) Mrs. Kuntal P. Shah (Quality Manager) Mr. Parvash N. Shah (CEO/MD)

Authorized Signatory: Mrs. Parvati M. Jadhav (Technical Manager) Mrs. Kuntal P. Shah (Quality Manager) Mr. Parvash N. Shah (CEO/MD)

\*\*\* End of Report \*\*\*

**Siddhi Green Excellence PRIVATE LIMITED**

TEST REPORT

REPORT NO.: SCGLIDWWAFR/2021/05 Date of Issue: 13-02-2021

Issued to: M/s. CHEMINOVA INDIA LTD. (INTERMEDIATE DIV.)  
Address: PLOT NO. 27, 28A, BIDC ESTATE-PANOLI, TA: ANKLESHWAR, DIST: BHARUCH-364116

Sample details: Sample 3  
Type of sample: STP Water Sample  
Sample ID: 18203-WW-01  
Sample Qty. & Packing: 1 L & Sealed  
Sampled by: Mr. D.P.  
Sampling location: B.I.D.C. Estate  
Sampling Plan & Sampling Method Used: Lab document ECA/AB01 (Issue No.: 01 Issue Date: 01-04-2018) Revision No.: 00

SR.NO.	PARAMETERS	UNIT	TEST METHOD	PERMISSIBLE LIMIT (NOTE 2)	Sample 3
1.	Residual Chlorine	mg/L	APHA 2540 (10000)	minimum 0.5	0.8

Additional to, deviations, or exclusions from the method: None  
Results from external providers, if any: None  
Any other remarks: None  
Abbreviations used: None


Verified by: Mrs. Parvati M. Jadhav (Technical Manager) Mrs. Kuntal P. Shah (Quality Manager) Mr. Parvash N. Shah (CEO/MD)

Authorized Signatory: Mrs. Parvati M. Jadhav (Technical Manager) Mrs. Kuntal P. Shah (Quality Manager) Mr. Parvash N. Shah (CEO/MD)

\*\*\* End of Report \*\*\*




3.6	Unit shall only use treated effluent for preparation of lime and other slurry in ETP. No fresh water shall be utilized in ETP.	Treated effluent is used for preparation of lime solution in ETP.
3.7	In the case, if the Industry is not a member of CETP and domestic waste water generation is more than 10 KLPD, industry shall	Not applicable as the Industry is a member of

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23 <sup>rd</sup> -May-2017 and valid up to 4 <sup>th</sup> -March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019		
Sr. No.	Consent Condition Requirement	Compliance Status
	install. STP of adequate capacity and treated sewage shall be reused/ recycled to the maximum extent.	CETP.
3.8	In case of Large and Medium Red Category industry, the unit shall install system for continuous monitoring of effluent quality/ quantity as per CPCB guidelines for relevant parameters (like pH, Flow, Temperature, TOC/COD, NH <sub>3</sub> -N etc.) and shall be connected to GPCB server. In case, if the industry is a member of CETP, unit shall install flow meter.	Continuous monitoring of effluent quality and quantity is done as per the CPCB guidelines for relevant parameters.
3.9	If the water consumption of the unit is more than 50 KLPD, Unit shall submit detailed water harvesting plan (off site).	The rain water harvesting work as a roof rain water harvest program inside premises is under process and @ 1100 sq. m. roof of office building and DG-PCC building is selected for this project. Copy of the flow diagram of water harvesting system is attached. Unit is in talks with GIDC regarding off-site rainwater harvesting and planning for the same.
	 <p style="text-align: center;"><b>FLOW DIAGRAM OF WATER HARVESTING SYSTEM</b></p> <p style="text-align: center;"><b>FLOW DIAGRAM OF RAIN WATER HARVESTING SCHEME AT SITE-2</b></p>	
3.10	The unit shall explore Techno-Economic feasibility of Zero Liquid Discharge (ZLD) and if feasible, ZLD should be adopted.	Noted
3.11	The effluent conforming to the above standards shall be discharged into G.I.D.C. underground drainage system and conveyed to FETP (NCTL) which ultimately leads to deep sea for final disposal through pipeline.	Complied. Unit is following the given condition.
3.12	Unit shall be required to make storage facilities to store the effluent for at least 72 hours by providing acid proof brick lined impervious tanks / HDPE tanks	Storage capacity of more than 72 hours is available. The material of construction of storage tanks is based on the characteristic of the effluent (HDPE/FRP/Acid brick lining/RCC/metallic).
3.13	In case of shut – down of plant for more than three (3) days for any reason, the NCTL unit member shall intimate to NCTL authority & GPCB well in advance for the better operation & management of CETP.	Noted and agreed.
3.14	Unit shall make fixed arrangement for discharge of the effluent from their Final collection tanks to the underground drainage network of NCTL. Unit shall not keep any by-pass line or system or loose or flexible pipe line for discharge of the effluent into underground drainage network of NCTL.	Complied
3.15	Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks / ETP to measure the quantity of effluent discharged into the underground drainage network of NCTL.	Complied. Unit has installed magnetic flow meter as per the given condition. Photographs of the





## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23 <sup>rd</sup> -May-2017 and valid up to 4 <sup>th</sup> -March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019		
Sr. No.	Consent Condition Requirement	Compliance Status
		flow meter attached below:
	 	
3.16	Unit shall affix of water meters as per Section 4 (1) of the water (Prevention and Control of Pollution) Cess Act-1977 for the purpose of measuring and recording the quantity of water consumed at such places as may be required, within 15 days and it shall be presumed that the quantity indicated by the meter has been consumed by the unit until the contrary is proved.	Complied. Photographs attached below:
	 	
3.17	Unit shall provide adequate / safe effluent sampling facility for the effluent being stored in final collection / discharge tank of ETP or being discharged into CETP.	Complied. Unit is following the given condition.
3.18	Unit shall put up at the entrance a board displaying the name of unit, particulars of the products / process, the name of proprietor / partners / directors of the unit, NCTL membership number & date of joining of NCTL, the electricity consumer number as on the record of DGVCL.	Unit is following the given condition. Photograph of the display board is attached below:

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement	Compliance Status
		
3.19	Unit shall have to display on – line data outside the main factory gate with regard to and nature of hazardous chemicals being handled in the plant, including waste water and air emission and solid hazardous waste generated within the factory premises.	Complied.
3.20	Unit shall either stop or curtail its production activities if the effluent is not adequately treated by the FETP of NCTL to conform to the standards specified by GPCB.	Noted and agreed.
3.21	The authorized representative of NCTL shall have right of entry at any time for the purpose of inspection and monitoring the effluent collection facilities / ETP (if required) of Unit.	Noted and agreed.
3.22	Unit shall have to keep accurate records of quality & quantity of effluent discharged to FETP on day-to-day basis. Separate logbook shall be maintained for recording the data & shall be made available for inspection as & when asked.	Complied. Separate logbook is maintained. Photograph of the same is attached below:

# SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement	Compliance Status
---------	-------------------------------	-------------------



**NARMADA CLEAN TECH,**  
SURT TI BHAGOR,UMARWADA ROAD ,ANKLISHWAR

Magnetic Flow meter Reading Report for the Month APRIL-2021 (Final Discharge)

To, CHEMINOVA INDIA LTD (INTER) (Plot No- 27/28), MIDC Estate Panel- 394116	Meter Make Motor/Seal No Motor Size CCA Qty(KLD) Pump Serial No. DATE	Krohne DN-50
---	--	-----------------

Date	Opening Reading at 10.00 a.m	Diff. KL/Day	CO's Repre. Sign	NCT Repre. Sign	Remarks/Breakdown
01/04/2021	576132	16.9	[Signature]		
02/04/2021	576301	16.8	[Signature]		
03/04/2021	576456	16.5	[Signature]		
04/04/2021	576603	14.1	[Signature]		
05/04/2021	576777	17.7	[Signature]		
06/04/2021	576936	16.0	[Signature]		
07/04/2021	577136	16.9	[Signature]		
08/04/2021	577304	16.7	[Signature]		
09/04/2021	577435	13.7	[Signature]		
10/04/2021	577605	16.5	[Signature]		
11/04/2021	577775	16.7	[Signature]		
12/04/2021	577946	16.7	[Signature]		
13/04/2021	578087	16.3	[Signature]		
14/04/2021	578246	17.0	[Signature]		
15/04/2021	578418	16.7	[Signature]		
16/04/2021	578587	16.9	[Signature]		
17/04/2021	578750	16.6	[Signature]		
18/04/2021	578916	17.0	[Signature]		
19/04/2021	579066	17.0	[Signature]		
20/04/2021	579236	16.9	[Signature]		
21/04/2021	579405	16.7	[Signature]		
22/04/2021	579551	17.0	[Signature]		
23/04/2021	579721	17.0	[Signature]		
24/04/2021	579894	17.5	[Signature]		
25/04/2021	580038	17.0	[Signature]		
26/04/2021	580202	16.5	[Signature]		
27/04/2021	580390	17.7	[Signature]		
28/04/2021	580567	17.3	[Signature]		
29/04/2021	580768	16.7	[Signature]		
30/04/2021	580985	19.4	[Signature]		
01/05/2021	581194		[Signature]		
Total Discharge		5052			

M.I Representative Name & Sign

NCT Person Name & sign



**NARMADA CLEAN TECH,**  
SURT TI BHAGOR,UMARWADA ROAD ,ANKLISHWAR

Magnetic Flow meter Reading Report for the Month MAY-2021 (Final Discharge)

To, CHEMINOVA INDIA LTD (INTER) (Plot No- 27/28), MIDC Estate Panel- 394116	Meter Make Motor/Seal No Motor Size CCA Qty(KLD) Pump Serial No. DATE	Krohne DN-50
---	--	-----------------

Date	Opening Reading at 10.00 a.m	Diff. KL/Day	CO's Repre. Sign	NCT Repre. Sign	Remarks/Breakdown
01/05/2021	581194	19.9	[Signature]		
02/05/2021	581393	15.4	[Signature]		
03/05/2021	581473	17.0	[Signature]		
04/05/2021	581642	16.7	[Signature]		
05/05/2021	581811	16.7	[Signature]		
06/05/2021	581951	17.0	[Signature]		
07/05/2021	582150	16.9	[Signature]		
08/05/2021	582316	16.5	[Signature]		
09/05/2021	582465	13.7	[Signature]		
10/05/2021	582624	16.5	[Signature]		
11/05/2021	582773	16.7	[Signature]		
12/05/2021	582914	16.4	[Signature]		
13/05/2021	583081	16.7	[Signature]		
14/05/2021	583200	16.5	[Signature]		
15/05/2021	583468	16.5	[Signature]		
16/05/2021	583635	16.7	[Signature]		
17/05/2021	583803	16.7	[Signature]		
18/05/2021	583970	16.7	[Signature]		
19/05/2021	584137	16.7	[Signature]		
20/05/2021	584305	17.0	[Signature]		
21/05/2021	584473	16.0	[Signature]		
22/05/2021	584642	16.5	[Signature]		
23/05/2021	584806	17.7	[Signature]		
24/05/2021	584955	17.7	[Signature]		
25/05/2021	585164	16.0	[Signature]		
26/05/2021	585316	16.0	[Signature]		
27/05/2021	585521	16.4	[Signature]		
28/05/2021	585673	17.4	[Signature]		
29/05/2021	585814	16.0	[Signature]		
30/05/2021	585962	16.5	[Signature]		
31/05/2021	586170	19.9	[Signature]		
01/06/2021	586367		[Signature]		
Total Discharge		5135			

M.I Representative Name & Sign

NCT Person Name & sign

3.23 Unit shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent Complied. Unit is e-filling Monthly Patrak on



## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement	Compliance Status
	generated and consumption of electricity on day to day basis and required to submit the complied record of each month to GPCB on or before fifth day of the succeeding month.	GPCB XGN Site every month.
3.24	In case of incinerators or MEE, the flow measuring devices for mother liquor / toxic effluent / Non-biodegradable effluent, light diesel oil, Furnace oil, etc. i.e. fuel used for combustion, air used for combustion shall be separately provided. Incinerator temperature recording devices as well as gaseous flow measuring devices for scrubber shall also be provided. These data of temperature & flow should be recorded every day & submitted to GPCB on monthly basis.	Not applicable
3.25	Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.	Complied. Unit has provided separate storm water line.
3.26	Leachate from the hazardous solid waste, if any shall also be connected into a collection tank through leachate collection facilities and shall be treated along with industrial effluent and final treated effluent shall be discharged to the CETP of NCTL.	Complied. Unit is following the given condition.
3.27	If the NCTL authority terminates the membership of CETP, the NCTL member unit shall have to close down the manufacturing activities / industrial operation of the process plant immediately until the NCTL membership is resumed.	Noted.
3.28	The Environmental Management Unit / Cell shall be setup to ensure implementation on and monitoring of environment safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell / Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issued. These Cells also coordinate the exercise of environmental audit and preparation of environmental statements.	Complied.
3.29	The environmental audit shall be carryout yearly, if applicable. The environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30 <sup>th</sup> September every year.	Complied.
3.30	Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 trees per acre of land and a green belt of 5 meters width is developed.	Complied. Photographs of the same is attached below:



Greenbelt along the approach road



Near car parking and admin building



Near process plant



Greenbelt near utility section

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement									Compliance Status	
3.31	In case of change of ownership / management the name and address of the new ownership / partners / directors / proprietor should immediately be intimate to the Board. Also any change in equipment or working conditions as mentioned in the consents form / order should immediately be intimated to this Board.									Noted and agreed.	
3.32	The Board reserves the right to review and/or revoke the consent and/or make modifications in the conditions which it seems fit in accordance with provisions of Water Act-1974.									Noted	
4	CONDITIONS UNDER THE AIR ACT.										
	Specific Condition										
	1. Unit shall operate only one boiler (i.e. NG based Boiler Maxima GT-5310 (Cap. 10 TPH) OR Furnace Oil based Boiler I AC GT-4423 (Cap 10 TPH)) at a same time.									Complied. Unit is following the given condition.	
4.1	Unit shall use fuel as specified in this consent and the flue gas emission through stack shall conform to the standards.									Complied	
	Sr No	Stack ID/Stack Attached to	Capacity/ Remarks	Name of Fuel	Quantity of Fuel	Air Pollution Control Measure (APCM)	Stack Height (m) (From GL)	Parameters	Permissible Limit	Unit	Complied. Unit is following the given condition.
	1	95313-Boiler	Common stack of Boiler Maxima GT-5310 (Cap 10 TPH) & Boiler IAC GT-4423 (Cap 10 TPH)	Natural gas	NG- 9000 m³/h or FO- 625 L/h	Not Applicable	32	PM SO₂ NOₓ	150 100 50	mg / Nm³ ppm ppm	
	2	8826-D.G. Sets	D.G. Set Cap. 1250 KVA	HSD	90 L/h	Not Applicable	09	PM SO₂ NOₓ	150 100 50	mg / Nm³ ppm ppm	
	3	44916-Incinerator	Incinerator for waste gas with APCM as Water+Alkali Scrubber (Dhal Chamber)	Not used/NA	--	Water Scrubber + Alkali Scrubber	45	Parameters as mentioned below	--	--	
	4	60699-Boiler	Boiler (Model- Tejaswee- Cap.: 18 TPH)	Agro Waste / Briquettes	Bagasse/ Groundnut shell/ Briquettes: 2970 kg/h	Dust collector, Bag filter	40	PM SO₂ NOₓ	150 100 50	mg / Nm³ ppm ppm	

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement					Compliance Status
	Treated flue gas emissions discharge through stack of Incinerator to atmosphere shall always be less than or equal to the following parameter specific emission standards.					
	Parameters		Emission Standard	Sampling Duration		
	Cd + Th + their compounds		0.05 mg/Nm <sup>3</sup>	Sampling time anywhere between 30 minutes and 8 hours		
	CO		100 mg/Nm <sup>3</sup>	30 minutes		
	CO		50 mg/Nm <sup>3</sup>	Standard refers to daily average value		
	HCl		50 mg/Nm <sup>3</sup>	30 minutes		
	HF		4 mg/Nm <sup>3</sup>	30 minutes		
	Hg and Its compounds		0.05 mg/Nm <sup>3</sup>	Sampling time anywhere between 30 minutes and 8 hours		
	NOx (NO and NO2 expressed as NO2)		400 mg/Nm <sup>3</sup>	30 minutes		
	Particulates		50 mg/Nm <sup>3</sup>	30 minutes		
	Sb + As + Pb + Cr + Co + Cu + Mn + Ni + V + their compounds		0.5 mg/Nm <sup>3</sup>	Sampling time anywhere between 30 minutes and 8 hours		
	SO <sub>2</sub>		200 mg/Nm <sup>3</sup>	30 minutes		
	Total dioxins and furans		0.1 ng TEQ/ Nm <sup>3</sup>	6-8 hours sampling. Please refer guidelines for 17 concerned congeners for toxic equivalence values to arrive to total toxic equivalence.		
	Total Organic Carbon		20 mg/Nm <sup>3</sup>	30 minutes		
	Note: All values of outlet parameters of Incinerator shall be corrected to 11% oxygen on dry basis.					
4.2	The process emission through various stacks / vent of reactors, process, vessel shall conform to the following standards.					Complied. Unit is following the given condition.
Sr. No.	Stack ID/Stack Attached to	Name of Process/Plant	Air Pollution Control Measure (APCM)	Stack Height (m) (From G.L)	Parameter & Permissible Limit	
1	44914 - Reaction Vessels	Stack attached to reactor of TMP Plant	Alkali Scrubber, Water Scrubber	15	Ammonia -175 mg/Nm <sup>3</sup>	
2	8828 - Reaction Vessels	Stack attached to Sulphur Furnace	Alkali Scrubber, Water Scrubber	45	PM- 150 mg/Nm <sup>3</sup> SO <sub>2</sub> -40 mg/Nm <sup>3</sup> NO <sub>x</sub> - 25 mg/Nm <sup>3</sup> HCl- 20 mg/Nm <sup>3</sup> Chlorine - 09 mg/Nm <sup>3</sup> H <sub>2</sub> S- 45 mg/Nm <sup>3</sup>	

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement						Compliance Status															
						CO- 150 mg/Nm <sup>3</sup>																
	3	44915- Reaction Vessels	Stack attached to reactor of PCl <sub>3</sub> Plant	Alkali Scrubber	15	HCl- 20 mg/Nm <sup>3</sup> Chlorine- 09 mg/Nm <sup>3</sup>																
	4	93982 - Reaction Vessels	Stack attached to Emergency vent of PCl <sub>3</sub>	Alkali Scrubber	15	HCl- 20 mg/Nm <sup>3</sup> Chlorine- 09 mg/Nm <sup>3</sup>																
4.3	Unit shall adhere to stringent air pollutants standards i.e. 80% of existing flue gas and process emission standards in the CPA. <table><tr><th colspan="3">Flue gas Emission Standards</th></tr><tr><th>Parameters</th><th>Existing</th><th>Revised norms (80% of existing)</th></tr><tr><td>PM</td><td>150 mg/Nm<sup>3</sup></td><td>120 mg/Nm<sup>3</sup></td></tr><tr><td>SO<sub>2</sub></td><td>100 mg/Nm<sup>3</sup></td><td>80 mg/Nm<sup>3</sup></td></tr><tr><td>NO<sub>x</sub></td><td>50 mg/Nm<sup>3</sup></td><td>40 mg/Nm<sup>3</sup></td></tr></table> <p>a. Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.</p> <p>b. 24 hourly or 08 hourly or 01 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.</p>						Flue gas Emission Standards			Parameters	Existing	Revised norms (80% of existing)	PM	150 mg/Nm <sup>3</sup>	120 mg/Nm <sup>3</sup>	SO <sub>2</sub>	100 mg/Nm <sup>3</sup>	80 mg/Nm <sup>3</sup>	NO <sub>x</sub>	50 mg/Nm <sup>3</sup>	40 mg/Nm <sup>3</sup>	Complied.
Flue gas Emission Standards																						
Parameters	Existing	Revised norms (80% of existing)																				
PM	150 mg/Nm <sup>3</sup>	120 mg/Nm <sup>3</sup>																				
SO <sub>2</sub>	100 mg/Nm <sup>3</sup>	80 mg/Nm <sup>3</sup>																				
NO <sub>x</sub>	50 mg/Nm <sup>3</sup>	40 mg/Nm <sup>3</sup>																				
4.4	Following air pollution control measures shall be provided for the flue gas emission sources like Boiler, Thermic Fluid Heaters etc. (As Applicable) <table><tr><th colspan="2">Stipulated APCM in Red category industrial units of CPA</th></tr><tr><th>Steam generation capacity (in TPH)</th><th>Type of APCM</th></tr><tr><td>Less than 1</td><td>Multi Cyclone</td></tr><tr><td>1 to &lt; 3</td><td>Multi Cyclone + Water Scrubber</td></tr><tr><td>3 to &lt; 6</td><td>Bag filter + Water Scrubber</td></tr><tr><td>6</td><td>ESP + Water Scrubber</td></tr></table>						Stipulated APCM in Red category industrial units of CPA		Steam generation capacity (in TPH)	Type of APCM	Less than 1	Multi Cyclone	1 to < 3	Multi Cyclone + Water Scrubber	3 to < 6	Bag filter + Water Scrubber	6	ESP + Water Scrubber	Noted and complied Boiler is equipped with dust collector.			
Stipulated APCM in Red category industrial units of CPA																						
Steam generation capacity (in TPH)	Type of APCM																					
Less than 1	Multi Cyclone																					
1 to < 3	Multi Cyclone + Water Scrubber																					
3 to < 6	Bag filter + Water Scrubber																					
6	ESP + Water Scrubber																					
4.5	Unit shall provide at least two stage scrubbing system of appropriate media for the control of the process gas emission.						All the scrubbers are equipped with double stage scrubbing system with appropriate media.															
4.6	Unit shall install and commission Continuous Emission Monitoring System – CEMS (as per CPCB guidelines for relevant parameters) which shall be connected with GPCB / CPCB server (In case of large and medium red category industries)						Complied															
4.7	All common facilities shall install CEMS (as per CPCB guidelines for relevant parameters) which shall be connected with GPCB / CPCB server to the stacks provided with Common Multiple Effect Evaporator (CMEE), Common Spray Dryer, Common incinerator etc.						Not Applicable															

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23 <sup>rd</sup> -May-2017 and valid up to 4 <sup>th</sup> -March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019		
Sr. No.	Consent Condition Requirement	Compliance Status
4.8	The unit shall adhere to Sector specific guidelines/ SOP published by GPCB/ CPCB from time to time for effective fugitive emission control. (like guidelines for: Stone crushing units, Coal handling units, spent solvent handling and management, spent acid management, Decontamination of drums, containers etc.)	Noted. All the applicable SOP's published by GPCB/CPCB for effective fugitive emissions will be followed
4.9	Unit shall take adequate measures to control odour nuisance from the industrial activities which may include measures like- use of masking agent with atomizer system (water curtain), closed/ automatic material handling system, containment of the odour vulnerable areas etc.	Noted. Odor control measures are in place to control odor nuisance from specific activities.
4.10	Unit shall not use Pet-coke, furnace oil, LSHS as a fuel.	Pet-coke, furnace oil, LSHS are not used as a fuel. Only Natural gas and H.S.D. is used
4.11	Unit shall adopt sectoral Best available Technology-BAT (Like Use of Introduction Furnace, Electric Arc Furnace instead of Cupola furnace in foundry industry, Caustic Recovery System in Cotton Textile units etc.	Not applicable.
4.12	Unit shall provide green belt of 40% of the plot area, using concept of the social forestry and development of green belt outside project premises in adjacent areas.	Green belt development is in progress outside premises by acquiring land given by GIDC. 33.18% green belt of the total plot area is already available within premises.
4.13	Unit shall provide Wall to Wall carpeting in vehicle movement areas within premises to avoid dusting.	Wall to wall carpeting in vehicle movement areas is made available to avoid dusting.
4.14	Unit shall operate industrial plant / air pollution control equipment very efficiently and continuously so that the gaseous emission always conforms to the standards specified as above.	Complied.
4.15	The consent to operate the industrial plant shall lapse if at any time the parameters of the gaseous emission are not within the tolerance limits specified as above.	Noted
4.16	Unit shall provide portholes, ladder, platform etc. at chimney(s) for monitoring the air emissions and the same shall be open for inspection to / and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted / displayed to facilitate identification.	Complied. Stack monitoring facilities already provided
4.17	Unit shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(a) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.	Complied. Noise levels are well within the permissible limit.
4.18	All efforts shall be made to control VOC emissions and odor problem, if any.	Complied.
5.	AUTHORISATION FOR THE MANAGEMENT & HANDLING OF HAZARDOUS WASTES	
5.1	Unit shall comply with provisions of Hazardous & Other Wastes (Management & Transboundary Movement) Rules-2016	Noted the given condition
5.2	The condition No. 6.2 under authorization for Hazardous & Other Wastes of the CCA order No.: AWH-86147, issued vide letter no. GPCB/ANK/CCA-115(9)/ ID-15016/415086, dated 16/06/2017 and further amended dated 14/08/2017 is amended and shall now be read as under.	Complied. Disposal of hazardous waste is as per granted quantity by GPCB.

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement						Compliance Status
A. Detail of Hazardous & other wastes by unit:	Sr. No.	Waste	Existing	Proposed	Total Quantity/ Year	Category No.	Facility
	1.	ETP Sludge	1800 MT	--	1800 MT	34.3	Collection, Storage, Transportation Disposal at TSDF – BEIL & SEPPL
	2.	Used oil	11.04 MT	--	11.04 MT	5.1	Collection, Storage, Transportation. Disposal by selling to Registered re-refiners.
	3.	Discarded Container Bags/liners	2, 41, 440 Nos. OR 1943 MT	--	2, 41, 440 Nos. OR 1943 MT	33.3	Collection, Storage, Decontamination. Sale to authorized decontamination facility/ reuse. Bags/liners to BEIL & SEPPL
	4.	Process waste Residue	12821 MT	--	12821 MT	29.1	Collection, Storage, Transportation & disposal to common TSDF facility of BEIL/SEPPL/GSPL-Palsana /RSPL/Co-processing in cement industries.
	5.	Solid waste/ Evaporation salt	9259 MT	--	9259 MT	29.1	Collection, Storage, Transportation & disposal to common TSDF facility of BEIL/ SEPPL/ GSPL Palsana/ RSPL/ Co-processing to cement industries.
	6.	Recovered Sulphur	4320 MT	--	4320 MT	D-1	Collection, Storage, Transportation & disposal to common TSDF facility of BEIL & SEPPL
	7.	Sodium Hydro sulfide (30%)	--	3240 MT	3240 MT	--	Collection, Storage, Transportation & sold to actual enduser is having permission under Rule 9 & after making MoU.
	8.	Hydrochloric acid (30%)	--	4152 MT	4152 MT	B-15	Collection, Storage, Transportation & sold to actual enduser is having permission under Rule 9 & after making MoU.
	9.	Phosphoric Acid	--	1460 MT	1460 MT	B-15	Collection, Storage, Transportation & sold to actual enduser is having permission under Rule 9 & after making MoU.
	10.	Sodium Bisulphite powder	--	2250 MT	2250 MT	--	Collection, Storage, Transportation & sold to actual enduser is having permission under Rule 9 & after making MoU.

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23<sup>rd</sup>-May-2017 and valid up to 4<sup>th</sup>-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019

Sr. No.	Consent Condition Requirement						Compliance Status
	11.	Sodium Sulphite 30%	--	3775 MT	3775 MT	--	Collection, Storage, Transportation & sold to actual enduser is having permission under Rule 9 & after making MoU
	12.	Sodium Bisulphite solution (30%)	--	7440 MT	7440 MT	--	Collection, Storage, Transportation & sold to actual enduser is having permission under Rule 9 & after making MoU
5.3	The authorization is granted to operate a facility as above						Noted the given condition
5.4	The authorization shall be in force for a period upto 04/03/2022						Noted the given condition
5.5	The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act- 1986						Noted.
5.6	Unit shall strictly carry out handling, storage and disposal of fly-ash, slag, red-mud, de-inking sludge etc. (High Volume- Low Effect Wastes) as per prevailing guidelines and its disposal at designated locations approved by the Board.						Handling, storage and disposal of fly ash is done as per guidelines at designated locations.
5.7	Industry shall dispose its hazardous wastes through co-processing, pre-processing to the extent possible prior its disposal to incineration/ landfill as per provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.						Complied
5.8	Industry shall strictly comply with all the measures specified in guidelines for spent solvent management, spent acid management, and other guidelines/ directions published from time to time by GPCB and/ or CPCB, etc.						Complied
5.9	Unit shall carry out transportation of hazardous waste through GPS mounted vehicles only						All the transportation of hazardous wastes is done through GPS mounted vehicles only.
6	TERMS AND CONDITIONS OF AUTHORISATION :						
6.1	The authorized person shall comply with the provisions of the Environment (Protection) Act-1986, and the rules made there under.						Complied.
6.2	The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.						Noted
6.3	The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.						Noted and agreed.
6.4	Any un authorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.						Noted
6.5	The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.						Complied.
6.6	The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".						Noted
6.7	It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.						Noted

## SIX MONTHLY EC COMPLIANCE REPORT

CCA No: AWH-86147, Date of issue-23 <sup>rd</sup> -May-2017 and valid up to 4 <sup>th</sup> -March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115 (13) ID-15016/529725, dated 10/12/2019		
Sr. No.	Consent Condition Requirement	Compliance Status
6.8	The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean – up operation.	Hazardous and other wastes are not imported.
6.9	The record of consumption and fate of the imported hazardous and other wastes shall be maintained.	Hazardous and other wastes are not imported.
6.10	The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.	Noted
6.11	The importer or exporter shall bear the cost of import or export and mitigation of damages, if any.	Hazardous and other wastes are not imported or exported.
6.12	An application for the renewal of an authorization shall be made as laid down under Hazardous & Other Wastes (Management and Transboundary Movement) Rules – 2016.	Noted
6.13	Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.	Noted
6.14	Annual return shall be filed by June 30 <sup>th</sup> for the period ensuring 31 <sup>st</sup> March of the year.	Complied.
6.15	Unit shall have to display the relevant information with regard to hazardous waste as indicated in the Court's order in W. P. No. 657 of 1995 dated 14 <sup>th</sup> October 2003.	Complied.
6.16	Unit shall submit report of compliance of the conditions of EC every year to the Board prepared by third party.	Noted.
6.17	Unit shall enhance CER fund allocation to at least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.	Noted. It will be implemented



# SIX MONTHLY EC COMPLIANCE REPORT

Annexure 3 - COPY OF EXISTING EC, NOC/CTE & CC&A/CTO

EC copy



**By Speed Post/Online**

**F. No. IA-J-11011/53/2018-IA-II(I)**  
**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
**(IA-II Section)**

Indira Paryavaran Bhawan  
Jorbagh Road, New Delhi - 3

Dated: 31<sup>st</sup> December, 2019

To

**M/s Cheminova India Limited (Intermediate Division)**  
Plot No.(27+28)/A, GIDC Industrial Estate, Panoli  
District Bharuch (Gujarat)  
Email: [abhay.arora@fmc.com](mailto:abhay.arora@fmc.com)

**Sub: Expansion of pesticides and Pesticide specific intermediates from 19705 TPA to 47681 TPA at Plot No.(27+28)/A, GIDC Industrial Estate, Panoli, Taluka Ankleshwar, District Bharuch (Gujarat) by M/s Cheminova India Limited (Intermediate Division)- Environmental Clearance - reg.**

Sir,

This has reference to your proposal No. IA/GJ/IND2/88017/1995 dated 18<sup>th</sup> January, 2019, submitting the EIA/EMP report on the above subject matter.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for expansion of pesticides and Pesticide specific intermediates from 19705 TPA to 47681 TPA by M/s Cheminova India Limited (Intermediate Division) in an area of 149163.17 sqm at Plot No. (27+28)/A, GIDC Industrial Estate, Panoli, Taluka Ankleshwar, District Bharuch (Gujarat).

3. The details of products are as under:-

S. No	Product	Existing (TPA)	Proposed (TPA)	Total (TPA)
1.	Phosphorus Trichloride ( $PCl_3$ )/ Phosphoryl chloride ( $POCl_3$ )	1000	--	1000
2.	Tri methyl Phosphite (TMP) or Tri ethyl Phosphite (TEP)	100	--	100
3.	Diethyl Thio Phosphoryl Chloride (DETPC) /Sodium salt of Diethyl Thio Phosphoryl Chloride (Na-DETA)	5330	2670	8000
4.	Cyhalothrin Acid	250	--	250
5.	Phosphorus Penta Sulphide ( $P_2S_5$ )	3400	--	3400
6.	Acid based products [2-bromobutyric Acid (int), ethyl 2-( 4-hydroxy phenoxy) propionate (O-HPPA) (int), Thiocyclam (I), Bispyribac-Sodium	150	--	150

EC for M/s Cheminova India Limited (Intermediate Division)

Page 1 of 9

# SIX MONTHLY EC COMPLIANCE REPORT

	(H), Pyriithiobac-Sodium(H), Methoxy Amine Hydrochloride (Int), 2- hydroxyphenyl Acetic Acid (HPAA) (Int), amino acid (Int)] etc.			
7.	Amide group based products [Pretilachlor (H), Captan (F), Cymoxanil (F), Belfubutamide (H), Pethoxamide (H), Carboxin (F), Flubendamide (I), Chlorantraniliprole (I), Thiaflusamide (F), Zoxamide (F), Flufenacet (H), 2 Aminosulfonyl-N-N- Dimethylnicotinamide (SNA) (Int), 2-(Methoxycarbonyl) thiophene thiophene-3 Sulfonamide (MST) (Int)] etc.	150	--	150
8.	Aniline group Bases products [Pendimethalin (H), Fluazinam (F), Metaiaxyi (F), Famoxadone (F)] etc.	1200	--	1200
9.	Azine group based product Fenpyroximate (I), Metribuzin (H), Pymetrozine (I), Armitraz (I), Indoxacarb (I), Clofentezine (I), 2 Methoxy- 4 - Methyl-6-Methylamino-1,3,5-Triazine (MMMT) (Int)] etc.	300	--	300
10.	Azole group based products [Fipronil (I), Hexaconazole (F), Propiconazole (F), Difenoconazole (F), Tricydazole (F), Myclobutanil (F), Florasulam (H), Tebuconazole (F), Flusilazole (F), Tridemefon, Paclobutrazol (F), Thiamethoxam (I), Flutriafol (F), (Safener) Isoxadifen ethyl (Int), Imidacloprid (I), 2, 6 DiChloroBenzoxazolone (Int), Penoxasulam (H)] etc.	200	--	200
11.	Carbamate group based product [Thiodicarb (I), Propineb (F), Metiram (F), Thiram (F), Cartap hydrochloride (I), Thiophanate Methyl (F)] etc.	500	--	500
12.	Ester group based products [Fenoxaprop-p-Et (H), Clodinafop-Pr (H), Quizalofop-p-ethyl (H), Quinzofofop-p-terfuryl (H), Cyhalofop (H), Isoprothiolane (F), Alphamethrin (I), Lambda Cyhalothrin (I), Cypermethrin (I), Bifenazate (I), Phthalide (Int)] etc.	300	--	300
13.	Ether group based products [Propargite (I), oxyfluorfen (H), 2 Ethoxy Ethyl Amine (Int), S-Cyano MPB (Int)] etc.	200	--	200
14.	Ketone group based product [Mesotrione (H), Suctioned (H), Isoxanutole (H), Dimethomorph (F), Isobutyrophenone (IBP) (Int)] etc.	1200	--	1200
15.	Phosphate group based product [Chlorpyrifos (I) or its intermediate Na-TCP (Int), Acephate (I), Monocrotophos (I) or its intermediates MCMMAA (Int.), Dimethoate (I), Profenofos (I), Ethephon (PGR)] etc.	5000	--	5000

# SIX MONTHLY EC COMPLIANCE REPORT

16.	Pyridine group based product [Pyridalyl (I), Imazethapyr (H), CloquintocetMexyl (H), Acetamiprid (I), 4, 6-DiChloro Pyridine (Int)], Azoxystrobin (F) etc.	250	--	250
17.	Urea group based product [Buprofezin (I), Lufenuron (I), Linuron (H), Diafenthiuron (I), Diuron (H), Novaluron (I), Chlorimuron (Int), Hexythiazox (I), Spiromesifen (I), Azimsulfuron (H), Sulfonyl Ureas (H)] etc.	100	--	100
18.	Phenol group based product [2- Cyanophenol (Int), 4- Fluro-3 trilluromethylphenole (Int)] etc.	75	--	75
19.	Sulfentrazone	--	2000	2000
20.	F-9600 (2-(2,4-dichlorobenzyl)-4,4-dimethylisoxazolidin-3-one)/Bixlozone	--	4200	4200
21.	F 9990 (Fluindapyr)	--	1200	1200
22.	Malathion	--	10000	10000
23.	F-4050 (2-(4-fluoro-3-(trifluoromethyl)phenoxy)-N-benzylbutanamide)	--	1500	1500
24.	Beflubutamide	--	450	450
25.	Gamma Cyhalothrin	--	300	300
26.	Bifenthrin	--	300	300
27.	Clomazone	--	2000	2000
28.	FMC-57091 (4,4-dimethyl isoxazolidin-3-one)/ (Isoxazolidinone)	--	2600	2600
29.	Thifensulfuron Methyl	--	205	205
30.	Tribenuron Methyl	--	215	215
31.	Metsulfuron Methyl	--	200	200
32.	Ethametsulfuron Methyl	--	10	10
33.	Chlorsulfuron	--	60	60
34.	Triflusulfuron Methyl	--	50	50
35.	Azimsulfuron	--	4	4
36.	Flupyrasulfuron Methyl Sodium	--	12	12
<b>Total</b>		<b>19705</b>	<b>27976</b>	<b>47681</b>

4. Existing land area is 149163.17 sqm. No additional land will be required for the proposed expansion. Industry has developed greenbelt in an area of 49497 sqm covering 33.18% of total project area. The estimated project cost is Rs.790.36 crores. Total capital cost earmarked towards environmental pollution control measures is Rs. 25.05 crores and the recurring cost (O&M) will be about Rs.102 crores per annum. The project will provide employment for 178 persons directly and 422 persons indirectly after expansion.

5. There are no National parks, Wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km from the project site. Ukai Canal flows at a distance of 1.66 km in west direction.

*EC for M/s Cheminova India Limited (Intermediate Division)*

Page 3 of 9

6. Total water requirement is estimated to be 1351 cum/day, which include fresh water requirement of 764 cum/day, proposed to be met from GIDC supply.

Effluent of 206 cum/day will be treated through Effluent Treatment Plant (ETP) having Primary, Secondary & Tertiary Treatments & treated effluent of 181 cum/day is discharged into underground conveyance pipeline connected to Final Effluent Treatment Plant (FETP) of M/s Narmada Clean Tech (NCT). It has been now proposed that after expansion, existing and proposed unit shall ensure zero liquid discharge and there will be no discharge of treated/untreated waste water from the unit.

Power requirement after expansion will be 3500 kVA proposed to be met from Dakshin Gujarat Vij Company Limited (DGVCL). Existing unit has one DG set of 1250 kVA. Two more DG sets of 1250 & 1500 kVA will be required under proposed expansion.

Existing unit has two natural gas based boilers of 10 TPH capacity each and one briquettes/bagasse/groundnut shell based boiler of 18 TPH capacity. Incinerator (for waste gas) and one natural gas based thermic fluid heater of 10 lakh Kcal/h will be installed in the expansion.

7. The project/activities are covered under category A of item 5(b) 'Pesticides industry and Pesticide specific intermediates' of the Schedule to the Environment Impact Assessment Notification, 2006, and requires appraisal at central level by the sectoral Expert Appraisal Committee (EAC) in the Ministry.

8. Standard terms of reference (ToR) for the project was granted on 23<sup>rd</sup> March, 2018. Public hearing is exempted in accordance with the Ministry's OM dated 27<sup>th</sup> April 2018, as the project site is located inside the notified industrial area.

9. The proposal for environmental clearance was considered by the EAC (Industry-2) in its meetings held on 8-9<sup>th</sup> April, 2019 and 26-28 June, 2019 in the Ministry, wherein the project proponent and their accredited consultant M/s Siddhi Green Excellence Pvt Ltd presented the EIA/EMP report. The Committee found the EIA/EMP report complying with the terms and conditions of the ToR, and recommended the proposal for environmental clearance to the project with certain conditions.


10. The proposal was further examined in the Ministry in accordance with the Ministry's Office Memorandum dated 31<sup>st</sup> October 2019 and Ministry's communication dated 24<sup>th</sup> October 2019 regarding compliance of Hon'ble NGT order dated 19.8.2019 (published on 23.8.2019) in OA No. 1038/2018.

11. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), the Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Expansion of Pesticides and Pesticide Specific Intermediates from 19705 TPA to 47681 TPA by M/s Cheminova India Limited (Intermediate Division) at Plot No.(27+28)/A, GIDC Industrial Estate, Panoli, Taluka Ankleshwar, District Bharuch (Gujarat)**, under the provisions of the EIA Notification, 2006, read with



subsequent amendments therein, subject to compliance of the terms and conditions as environmental safeguards, as under:-

- (i) Consent to Establish/Operate (CTE/CTO) for the project shall be obtained from the State Pollution Control Board (SPCB) as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974, and the SPCB shall follow the mechanism/protocol issued by the Ministry vide letter no. Q-16017/38/2018-CPA dated 24<sup>th</sup> October, 2019 and forwarded by Central Pollution Control Board vide letter dated 25<sup>th</sup> October, 2019 to the SPCB's, while issuing the CTE/CTO for the project, for improvement of environmental quality in the area.
- (ii) Zero Liquid Discharge shall be ensured including existing facility and the proposed expansion facility and no waste/treated water shall be discharged outside the premises.
- (iii) Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
- (iv) National Emission Standards for Pesticides Manufacturing Industry issued by the Ministry vide G.S.R.446(E) dated 13<sup>th</sup> June, 2011, as amended from time to time, shall be followed.
- (v) No pesticides/chemicals banned by the Ministry of Agriculture and Farmers Welfare, or having LD<sub>50</sub><100 mg/kg shall be produced. Also, no raw material/solvent prohibited by the concerned regulatory authorities from time to time, shall be used for production of pesticides.
- (vi) To control source and the fugitive emissions (at 99.98%), suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- (vii) Solvent management shall be carried out as follows:
  - (a) Reactor shall be connected to chilled brine condenser system.
  - (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages.
  - (c) The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery.
  - (d) Solvents shall be stored in a separate space specified with all safety measures.
  - (e) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.
  - (f) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
  - (g) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
- (viii) Total fresh water requirement shall not exceed 764 cum/day to be met from GIDC water supply. Prior permission in this regard shall be obtained from the concerned regulatory authority.

  
LC for M/s Cheminova India Limited (Intermediate Division)

Page 5 of 9

- (ix) Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system
- (x) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm, and solvent transfer through pumps.
- (xi) Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- (xii) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act, 1989.
- (xiii) The company shall undertake waste minimization measures as below:-
  - (a) Metering and control of quantities of active ingredients to minimize waste.
  - (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
  - (c) Use of automated filling to minimize spillage.
  - (d) Use of Close Feed system into batch reactors.
  - (e) Venting equipment through vapour recovery system.
  - (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xiv) The green belt of at least 5-10 m width shall be developed in nearly 40% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. In addition, the project proponent shall develop greenbelt outside the plant premises also such as avenue plantation, plantation in vacant areas, social forestry etc.
- (xv) As committed, Fund allocation for the Corporate Environment Responsibility (CER) shall be 5 % of the total project cost. Item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.
- (xvi) Safety and visual reality training shall be provided to employees.
- (xvii) For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- (xviii) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
- (xix) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- (xx) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera

with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

- (xxi) Mitigating measures suggested during process safety and risk assessment studies shall be undertaken accordingly.

**11.1.** The grant of environmental clearance is subject to compliance of other general conditions, as under:-

- (i) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board, Central Pollution Control Board, State Government and any other statutory authority.
- (ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- (iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16<sup>th</sup> November, 2009 shall be followed.
- (v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (vi) The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- (vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- (viii) The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (ix) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. ESC activities shall be undertaken by involving local villages and administration.



- (x) The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (xi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (xii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (xiii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (xiv) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (xv) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (xvi) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

**12.** The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.



EC for M/s Cheminova India Limited (Intermediate Division)

Page 8 of 9



13. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
14. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
15. The above conditions will be enforced, *inter alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
16. This issues with approval of the competent authority.

  
(Dr. R. B. Lal)  
Scientist E  
परिवेश, वन एवं जलवायु विभाग, भारत  
Ministry of Environment, Forests and Climate Change  
भारत सरकार, नई दिल्ली  
Govt. of India, New Delhi

**Copy to: -**

1. The Deputy DGF (C), MoEF&CC Regional Office (WZ), E-5, Kendriya Paryavaran Bhawan, E-5 Arera Colony, Link Road-3, Ravishankar Nagar, Bhopal -16
2. The Secretary, Forests and Environment Department, Government of Gujarat, Block 14, 8th Floor, Sachivalaya, Gandhinagar (Gujarat) -10
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi - 32
4. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Sector-10A, Gandhinagar (Gujarat) - 10
5. The District Collector, District Bharuch (Gujarat)
6. Guard File/Monitoring File/Website/Record File

  
(Dr. R. B. Lal)  
Scientist E

# SIX MONTHLY EC COMPLIANCE REPORT

CC&A/CTO-Amendment Copy



## GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVA

Sector-10-A, Gandhinagar 382 01

Phone : (079) 2322242

(079) 2323215

Fax : (079) 2323215

Website : www.gpcb.gov.

By R.P.A.D.

### CONSOLIDATED CONSENT AND AUTHORIZATION (CC & A - Amendment)

CCA AMENDMENT NO: AWH-104863

NO: GPCB/ANK/CCA-115(13)/ID-15016/

DT: 13/12/2019

To,  
M/S. CHEMINOVA INDIA LTD.,  
PLOT NO:27,28,  
GIDC ESTATE PANOLI,  
DIST-BHARUCH.

**SUB:** Amendment in Consolidated Consent & Authorization (CC&A) under various Environmental Acts/ Rules.

**REF:** (1) Your application No. 163733 dated 19/09/2019.  
(2) CCA No. AWH 86147 dated:16/06/2017  
(3) CCA Amendment No. AWH-94667 dated:31/08/2018.  
(4) CTE Amendment No. 98963 dated:30/03/2019 (For change in Product Mix)

Sir,

This has reference to the CCA order No: AWH-86147, issued vide letter no. GPCB/ANK/CCA-115(9)/ID-15016/415086, dated 16/06/2017 and further amended dated 31/08/2018 under the provisions of the various Environmental Act/ Rules, which stands amended as under. The Validity of this order will be up to 04/03/2022.

#### 1. The list of proposed products to be manufactured shall be as follows:

Sr. No.	Products	Quantity (MT/Annum)			Remarks
		Existing	Proposed	Total (After Change in Product Mix)	
1.	Phosphorus Trichloride (PCl <sub>3</sub> )/ Phosphoryl chloride (POCl <sub>3</sub> )	1000	--	1000	No change
2.	Tri methyl Phosphite (TMP) or Tri ethyl Phosphite (TEP)	100	--	100	No change
3.	Diethyl Thio Phosphoryl Chloride (DETPC) /Sodium salt of Diethyl Thio Phosphoryl Chloride (Na-DETA)	5330	--	5330	No change
4.	Cyhalothrin Acid	250	--	250	No change
5.	Phosphorus Penta Sulphide (P <sub>2</sub> S <sub>5</sub> )	3400	--	3400	No change
6.	Fluandapyr (F 9990)	--	+150	150	New Product
7.	Bixlozone (F9600)	--	+960	960	New Product

**Clean Gujarat Green Gujarat**

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Page 1 of 7

# SIX MONTHLY EC COMPLIANCE REPORT

8.	Acid based products [2-bromobutyric Acid (int), amino acid (int), ethyl 2-(4- hydroxy phenoxy) propionate (O-HPPA) (int), Thiocyclam (I), Bispyribac- Sodium (H), Pyriithiobac- Sodium(H), Methoxy Amine Hydrochloride (int), 2- hydroxyphenyl Acetic Acid (HPAA) (int)] etc.	150	--	150	No change
9.	Amide group based products [Pretilachlor (H), Captan (F), Cymoxanil (F), Beflubutamide (H), Pethoxamide (H), Carboxin (F), Flubendamide (I), Chlorantraniliprole (I), Thiaflusamide (F), Zoxamide (F), Flufenacet (H), 2 Aminosulfonyl-N-N- Dimethylnicotinamide (SNA) (int), 2-(Methoxycarbonyl) thiophene thiophene-3 Sulfonamide (MST) (int)] etc.	150	--	150	No change
10.	Aniline group Bases products [Pendimethalin (H), Fluazinam (F), Metalaxyl (F), Famoxadone (F)] etc.	1200	- 1200	--	Discontinue Product
11.	Azine group based product Fenpyroximate (I), Metribuzin (H), Pymetrozine (I), Arnitraz (I), Indoxacarb (I), Clofentezine (I), 2 Methoxy- 4 - Methyl-6- Methylamino-1,3,5-Triazine (MMMT) (int)] etc.	300	--	300	No change
12.	Azole group based products [Fipronil (I), Hexaconazole (F), Propiconazole (F), Difenoconazole (F), Tricyclazole (F), Myclobutanil (F), Florasulam (H), Tebuconazole (F), Flusilazole (F), Tebuconazole (F), Tridemefon, Paclobutrazol (F), Thiamethoxam (I),	200	--	200	No change



## GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

	Flutriafol (F), (Safener Isoxadifen ethyl (Int), Irnidar loprind (I), 2, 6 DiChloro Benzoxazolone (Int), Penoxasulam (II)) etc.				
13.	Carbamate group based product [Thiodicarb (I), Propineb (I), Metiram (F), Thiram (F), Cartap hydrochloride (I), Thiophanate Methyl (F)] etc.	500	--	500	No change
14.	Ester group based products [Fenoxaprop-p-Et (II), Clodinafop-Pr (H), Quizalofop-p-ethyl (F), Quizalofop-p-terfuryl (H), Cyhalofop (H), Isoprothiolane (F), Alphamethrin (I), Lambda Cyhalothrin (I), Cypermethrin (I), Bifenazate (I), Phthalide (Int) etc.	300	--	300	No change
15.	Ether group based products [Propargite (I), oxyfluorfen (H), S- Cyano MPB (Int), 2 Ethoxy Ethyl Amine (Int)] etc.	200	--	200	No change
16.	Ketone group based product [Mesotrione (II), Suctioned (H), Isoxanutele (H), Dimethomorph (F), Isobutyrophenone (IBP) (Int)] etc.	1200	--	1200	No change
17.	Phosphate group based product [Chlorpyrifos (I) or its intermediate Na-TCP (Int), Acephate (I), Monocrotophos (I) or its intermediates MCNMAA (Int), Dimethoate (I), Profenofos (I), Ethephon (PCR)] etc.	5000	--	5000	No change
18.	Pyridine group based product [Pyridalyl (I), Imazethapyr (H), Cloquintocet Methyl (II), Acetamiprid (I), 4, 6-DiChloro Pyridine (Int)], Azoxystrobin (F) etc.	250	--	250	No change

**Clean Gujarat Green Gujarat**

ISO-9001-2008 &amp; ISO-14001 - 2004 Certified Organisation

## SIX MONTHLY EC COMPLIANCE REPORT

19.	Urea group based product [Buprofezin (I), Lufenuron (I), Limuron (H), Diafenthiuron (I), Diuron (H), Nevaluron (I), Chlorimuron (int), Hexythiazox (I), Spiromesifen (I), Azimsulfuron (H), Sulfonyl Ureas (H)] etc.	100	--	100	No change
20.	Phenol group based product [2- Cyanophenol (Int), 4- Fluro-3 trilluromethyl phenole (Int)] etc.	75	--	75	No change
	<b>Total</b>	<b>19705</b>	<b>-90</b>	<b>19615</b>	---

### 2. SPECIFIC CONDITIONS:-

- a. Total production shall not exceed 19615 MT/Month in any case.
- b. There shall be no change in mode of disposal of wastewater.
- c. There shall be no change in fuel consumption, flue gas emission and process gas emission.
- d. There shall be no change in Hazardous waste quantity / category.
- e. Unit shall sell out their hazardous waste to authorized end-users who is having authorization with valid CCA and rule 9 permission to receive this waste. Unit shall make MoU with such authorized end-users and submit MoU at time of application of CCA.
- f. All the efforts shall be made to send hazardous waste to cement industry for Co- processing first & there after it shall be disposed through other option.
- g. Unit shall follow spent solvent management guideline framed by board and shall make MoU with outside distillation units, if any. Also submit the prescribed forms as per guideline.
- h. There shall not be increase in pollution load due to proposed change in product mix.
- i. There shall not be any change in plant building equipments & machineries to manufacture the proposed new products after change in product mix.
- j. In the case of submission of the false or misleading data, this CTE amendment will be forfeited immediately.
- k. CCA is granted with a condition to comply guideline to be issued by Ministry of Environment, Forest and Climate Change in the matter of O.A.No.1038/2018 and Hon.NGT order dated: 10/07/2019 and 23/08/2019.

### [A] Additional conditions under Air Act:

- a) Unit shall adhere to stringent air pollutants standards i.e. 80 % of existing flue gas and process emission standards in the CPA.



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

Flue gas Emission Standards		
Parameters	Existing	Revised norms (80% of Existing)
PM	150 mg/Nm <sup>3</sup>	120 mg/Nm <sup>3</sup>
SO <sub>2</sub>	100 PPM	80 PPM
NO <sub>x</sub>	50 PPM	40 PPM

- b) Following air pollution control measures shall be provided for the flue gas emission sources like Boiler, Thermic Fluid Heaters etc. (As Applicable)

Stipulated APCM in Red category industrial units of CPA	
Steam generation capacity (in TPH)	Type of APCM
Less than 1	Multi Cyclone
1 to <3	Multi Cyclone + Water Scrubber
3 to <6	Bag filter + Water Scrubber
≥ 6	ESP+ Water Scrubber

- c) Unit shall provide at least two stage scrubbing system of appropriate media for the control of the process gas emission.
- d) Unit shall install and commission Continuous Emission Monitoring System- CEMS (as per CPCB guidelines for relevant parameters) which shall be connected with GPCB/ CPCB server (In case of large and medium red category industries)
- e) All common facilities shall install CEMS (as per CPCB guidelines for relevant parameters) which shall be connected with GPCB/CPCB server to the Stacks provided with Common Multiple Effect Evaporator (CMEE), Common Spray Dryer, Common Incinerator etc.
- f) The unit shall adhere to Sector specific guidelines/ SOP published by GPCB / CPCB from time to time for effective fugitive emission control. (like guidelines for: Stone crushing units, Coal handling units, spent solvent handling and management, spent acid management, Decontamination of drums, containers etc.)
- g) Unit shall take adequate measures to control odour nuisance from the industrial activities which may include measures like- use of masking agent with atomizer system (water curtain), closed / automatic material handling system, containment of the odour vulnerable areas etc.
- h) Unit shall not use Pet-coke, furnace oil, LSHS as a fuel.
- i) Unit shall adopt sectoral Best Available Technology-BAT (Like Use of Induction Furnace, Electric Arc Furnace instead of Cupola furnace in foundry industry, Caustic Recovery System in Cotton Textile units etc.)
- j) Unit shall provide green belt of 10% of the plot area, using concept of the social forestry and development of green belt outside project premises in adjacent areas.
- k) Unit shall provide Wall to Wall carpeting in vehicle movement areas within premises to avoid dusting.

## [B] Additional conditions under the Water Act:

- a) Unit shall only use treated effluent for preparation of lime and other slurry in ETP. No fresh water shall be utilized in ETP.

**Clean Gujarat Green Gujarat**

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation



- b) In the case, if the Industry is not a member of CETP and domestic waste water generation is more than 10 KLPD, industry shall install STP of adequate capacity and treated sewage shall be reused / recycled to the maximum extent.
- c) In case of Large and Medium Red Category industry, the unit shall install system for continuous monitoring of effluent quality / quantity as per CPCB guidelines for relevant parameters (like pH, Flow, Temperature, TOC/COD, NH<sub>3</sub>-N etc.) and shall be connected to GPCB server. In case, if the industry is a member of CETP, unit shall install flow meter.
- u) If the water consumption of the unit is more than 50 KLPD, Unit shall submit detailed water harvesting plan (off site).
- e) The unit shall explore Techno-Economic feasibility of Zero Liquid Discharge (ZLD) and if feasible, ZLD should be adopted.

**[C] Additional conditions under the Hazardous Waste Management Rules:**

- a) Unit shall strictly carry out handling, storage and disposal of fly-ash, slag, red-mud, de-inking sludge etc. (High Volume- Low Effect Wastes) as per prevailing guidelines and its disposal at designated locations approved by the Board.
- b) Industry shall dispose its hazardous wastes through co-processing, pre-processing to the extent possible prior its disposal to incineration/ landfill as per provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- c) Industry shall strictly comply with all the measures specified in guidelines for spent solvent management, spent acid management, and other guidelines/directions published from time to time by GPCB and/or CPCB, etc.
- d) Unit shall carry out transportation of hazardous wastes through GPS mounted vehicles only.

**[D] Other General Conditions:**

- a) Unit shall submit report of compliance of the conditions of EC every year to the Board prepared by third party.
- b) Unit shall enhance CER fund allocation to at least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.

**3. CONDITION UNDER THE WATER ACT:**

3.1 The condition No. 3.3 for Water Consumption under Water Act of the CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/CCA-115(9)/ID-15016/415086, dated 16/06/2017 and further amended dated 31/08/2018 is amended and shall now be read as under.

- a. Domestic: 25 KL/Day (Existing 25 KLD + Proposed Nil)
  - b. Industrial: 423 KL/Day (Existing 429 KLD - Proposed 6 KLD)
  - c. Gardening: 25 KL/Day (Existing 25 KLD + Proposed Nil)
- Total: 473 KL/Day (Existing 479 KLD - Proposed 6 KLD)**

3.2 The condition No. 3.1 & 3.2 for Wastewater Generation under Water Act of the CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/CCA-115(9)/ID-15016/415086, dated 16/06/2017 and further amended dated 31/08/2018 is amended and shall now be read as under.

- a. Domestic: 25 KL/Day (Existing 25 KLD + Proposed Nil)
  - b. Industrial: 176 KL/Day (Existing 181 KLD - Proposed 5 KLD)
- Total: 201 KL/Day (Existing 206 KLD - Proposed 5 KLD)**

3.2 176 KLD treated effluent shall be discharged to NCTL by underground drainage line and 25 KLD domestic sewage shall be disposed off through septic tank/soak pit system as per previous CCA conditions.



**GUJARAT POLLUTION CONTROL BOARD**

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 4 All other conditions of CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/CCA-115(9)/ID-15016/415086, dated 16/06/2017 and further amended dated 31/08/2018 will remain same.

For and on behalf of  
GUJARAT POLLUTION CONTROL BOARD

(A.V. SHAH)  
SR. ENVIRONMENT ENGINEER

Outward No: 529725, 10/12/2019

**Clean Gujarat Green Gujarat**  
ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation





# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

By R.P.A.D.

CONSOLIDATED CONSENT AND AUTHORIZATION (CC & A - Amendment)

CCA AMENDMENT NO: AWH - 94667

NO: GPCB/ANK/CCA-115(10)/ID-15016/

DT: /08/2018

To,  
M/S. CHEMINOVA INDIA LTD. (INTERMEDIATE DIV),  
PLOT NO: 27, 28,  
GIDC ESTATE PANOLI,  
DIST-BHARUCH.

SUB: Amendment in Consolidated Consent & Authorization (CCA) under various Environmental Acts/ Rules.

REF: (1) Your application No. 130970 dated 26/04/2018.  
(2) CCA No. AWH - 86147 dated : 16/06/2017 and further amended dated 14/08/2017.  
(3) CTE Amendment No. 89767 dated: 27/12/2017 (For change in Product Mix)

Sir,

This has reference to the CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/ CCA-115(9)/ ID-15016/415086, dated 16/06/2017 and further amended dated 14/08/2017 under the provisions of the various Environmental Act/ Rules, which stands amended as under. The Validity of this order will be up to 04/03/2022.

1. The list of proposed products to be manufactured shall be as follows:

Sr. No.	Products	Quantity (MT/Year)		
		Existing	Proposed	Total (After Change in Product Mix)
1.	Phosphorus Trichloride (PCl <sub>3</sub> )/ Phosphoryl chloride (POCl <sub>3</sub> )	1000	-	1000
2.	Tri methyl Phosphite (TMP) or Tri ethyl Phosphite (TEP)	1700	-1600	100
3.	Diethyl Thio Phosphoryl Chloride (DETPC) /Sodium salt of Diethyl Thio Phosphoryl Chloride (Na-DETA)	3980	+1350	5330
4.	Cyhalothrin Acid	-	+250	250
5.	Phosphorus Penta Sulphide (P <sub>2</sub> S <sub>5</sub> )	3400	-	3400
6.	Acid based products [2-bromobutyric Acid (int), amino acid (int), ethyl 2-(4-hydroxy phenoxy) propionate (O-HPPA) (int), Thiocyclam (I), Bispyribac-Sodium (H), Pyriithobac-Sodium(H), Methoxy Amine Hydrochloride (int), 2-hydroxyphenyl Acetic Acid (HPAA) (int)] etc.	150	-	150

Page 1 of 6

**Clean Gujarat Green Gujarat**

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

# SIX MONTHLY EC COMPLIANCE REPORT

7.	Amide group based products [Pretilachlor (H), Captan (F), Cymoxanil (F), Beflubutamide (H), Pethoxamide (H), Carboxin (F), Flubendamide (I), Chlorantraniliprole (I), Thiaflusamide (F), Zoxamide (F), Flufenacet (H), 2 Aminosulfonyl-N- N- Dimethylnicotinamide (SNA) (Int), 2-(Methoxycarbonyl) thiophene thiophene-3 Sulfonamide (MST) (Int)] etc.	150	-	150
8.	Aniline group Bases products [Pendimethalin (H), Fluazinam (F), Metaxyl (F), Famoxadone (F)] etc.	1200	-	1200
9.	Azine group based product Fenpyroximate (I), Metribuzin (H), Pymetrozine (I), Armitraz (I), Indoxacarb (I), Clofentezine (I), 2 Methoxy-4-Methyl-6- Methylamino-1,3,5-Triazine (MMMT) (Int)] etc.	300	-	300
10.	Azole group based products [Eipronil (I), Hexaconazole (F), Propiconazole (F), Difenoconazole (F), Tricyclazole (F), Myclobutanil (F), Florasulam (H), Tebuconazole (F), Flusilazole (F), Tebuconazole (F), Tridemefon, Paclobutrazol (F), Thiamethoxam (I), Fluctiafol (F), (Safener Isoxadifen ethyl (Int), Irnidacioprid (I), 2, 6 Dichloro Benzoxazolone (Int), Penoxasulam (H)] etc.	200	-	200
11.	Carbamate group based product [Thiodicarb (I), Propineb (F), Metiram (F), Thiram (F), Cartap hydrochloride (I), Thiophanate Methyl (F)] etc.	500	-	500
12.	Ester group based products [Fenoxaprop-p-Et (H), Clodinafop- Pr (H), Quizalofop-p-ethyl (H), Quizalofop-p-terfuryl (H), Cyhalofop (H), Isoprothiolane (F), Alphamethrin (I), Lambda Cyhathrin (I), Cypermethrin (I), Bifenazate (I), Phthalide (Int) etc.	300	-	300

Page 2 of 6



GPCB

**GUJARAT POLLUTION CONTROL BOARD**

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

13.	Ether group based products [Propargite (I), oxyfluorfen (H), S-Cyano MPB (Int), 2 Ethoxy Ethyl Amine (Int)] etc.	200	-	200
14.	Ketone group based product [Mesotrione (H), Suctioned (H), Isoxanutole (H), Dimethomorph (F), Isobutyrophenone (IBP) (Int)] etc.	1200	-	1200
15.	Phosphate group based product [Chlorpyrifos (I) or its intermediate Na-TCP (Int), Acephate (I), Monocrotophos (I) or its intermediates MCMMAA (Int), Dimethoate (I), Profenofos (I), Ethephon (PGR)] etc.	5000	-	5000
16.	Pyridine group based product [Pyridalyl (I), Imazethapyr (H) Cloquintocet Methyl (H), Acetamiprid (I), 4, 6-Dichloro Pyridine (Int)], Azoxystrobin (F) etc.	250	-	250
17.	Urea group based product [Buprofezin (I), Lufenuron (I), Linuron (H), Diafenthiuron (I), Diuron (H), Novaluron (I), Chlorimuron (int), Hexythiazox (I), Spiromesifen (I), Azimsulfuron (H), Sulfonyl Ureas (H)] etc.	100	-	100
18.	Phenol group based product [2-Cyanophenol (Int), 4-Fluoro-3-trifluoromethyl phenole (Int)] etc.	75	-	75
19.	Urea group based product [Buprofezin (I), Lufenuron (I), Linuron (H), Diafenthiuron (I), Diuron (H), Novaluron (I), Chlorimuron (int), Hexythiazox (I), Spiromesifen (I), Azimsulfuron (H), Sulfonyl Ureas (H)] etc.	100	-	100
<b>Total</b>		<b>19705</b>	<b>0</b>	<b>19705</b>

2.

**SPECIFIC CONDITIONS:-**

- Total production shall not exceed 19705 MT/Year in any case.
- There shall not be increase in pollution load due to proposed change in product mix.
- There shall not be any change in plant building, equipments & machineries to manufacture the proposed new products after change in product mix.
- All the efforts shall be made to send hazardous waste to cement industry for Co-processing first & there after it shall be disposed through other option.

Page 3 of 6

**Clean Gujarat Green Gujarat**

ISO-9001-2008 &amp; ISO-14001 - 2004 Certified Organisation

GULFAT POLUTION CONTROL

POLLUTION CONTROL

A-01-101052

POLLUTION

POLLUTION

POLLUTION

- e. There shall be no change in water consumption, wastewater generation and their mode of disposal.
- f. There shall be no change in fuel consumption, flue gas emission and process gas emission.
- g. As per submission calcium chloride (30%):1000 MT/Year, Ammonium Chloride Sol(16%):15,300 MT/Year, Liq. Ammonia(20%):3600 MT/Year is not produced since 2015 due to not manufacture TMP so whoever unit will manufacture TMP, unit shall obtain CCA Amendment for the same with all required document like MoU with enduser & Rule-9 permission of enduser.

**3 CONDITIONS UNDER HAZARDOUS & OTHER WASTES (MANAGEMENT & TRANSBOUNDARY MOVEMENT) RULES, 2016**

3.1 Unit shall comply with provisions of Hazardous & Other Wastes (Management & Transboundary Movement) Rules-2016.

3.2 The condition No. 6.2 under authorization for Hazardous & other wastes of the CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/ CCA-115(9)/ ID-15016/415086, dated 16/06/2017 and further amended dated 14/08/2017 is amended and shall now be read as under.

**A. Detail of Hazardous & other wastes by unit:**

Sr. No	Waste	Existing	Proposed	Total Quantity /Year	Catg. No.	Facility
1	ETP SLUDGE	1800 MT	---	1800 MT	34.3	Collection, Storage, Transportation, Disposal at TSDF - BEIL & SEPPL.
2	USED OIL	11.04 MT	---	11.04 MT	5.1	Collection, storage, transportation, Disposal by selling to Registered Re-refiners.
3	Discarded Container Bags/liners	2,41,440 Nos. OR 1943 MT	---	2,41,440 Nos. OR 1943 MT	33.3	Collection, Storage, Decontamination, Sale to authorized decontamination facility/reuse. Bags /liners to BEIL & SEPPL.



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

Sr. No	Waste	Existing	Proposed	Total Quantity /Year	Catg. No.	Facility
4	Process waste Residue	12821 MT	---	12821 MT	29.1	Collection, Storage, transportation & disposal to common TSDF facility of BEIL / SEPPL/GSPL. Palsana / RSPL/ Co- Processing in cement industries.
5	Solid waste/Evaporation salt	9259 MT	---	9259 MT	29.1	Collection, Storage, transportation & disposal to common TSDF facility of BEIL / SEPPL/GSPL. Palsana / RSPL/ Co- Processing in cement industries.
6	Recovered sulfur	4320 MT	---	4320 MT	D-1	Collection, Storage, transportation & disposal to common TSDF facility of BEIL & SEPPL.
7	Sodium Hydro sulfide 30%	---	3240 MT	3240 MT	---	Collection, Storage, transportation & sold to actual enduser is having permission under Rule-9 & after making MoU.
8	Hydrochloric Acid 30 %	---	4152 MT	4152 MT	B-15	Collection, Storage, transportation & sold to actual enduser is having permission under Rule-9 & after making MoU.

Page 5 of 6

**Clean Gujarat Green Gujarat**

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

# SIX MONTHLY EC COMPLIANCE REPORT

Sr. No	Waste	Existing	Proposed	Total Quantity /Year	Catg. No.	Facility
9	Phosphoric Acid	---	1460 MT	1460 MT	B-15	Collection, Storage, transportation & sold to actual enduser is having permission under Rule-9 & after making MoU.
10	Sodium Bisulphite Powder	---	2250 MT	2250 MT	---	Collection, Storage, transportation & sold to actual enduser is having permission under Rule-9 & after making MoU.
11	Sodium Sulphite 30%	---	3775 MT	3775 MT	---	Collection, Storage, transportation & sold to actual enduser is having permission under Rule-9 & after making MoU.
12	Sodium Bisulphite Solution 30%	---	7440 MT	7440 MT	---	Collection, Storage, transportation & sold to actual enduser is having permission under Rule-9 & after making MoU.

- 4 All other conditions of CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/ CCA-115(9)/ ID-15016/415086, dated 16/06/2017 and further amended dated 14/08/2017 will remain same.

For and on behalf of  
GUJARAT POLLUTION CONTROL BOARD

  
(G.H. TRIVEDI)  
SR. ENVIRONMENT ENGINEER





## GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

By R.P.A.D.

## CONSOLIDATED CONSENT AND AUTHORIZATION (CC &amp; A - Amendment)

NO: GPCB/ANK/CCA-115/ID-15016/

Date: 09/08/2017

Amendment in CCA order No: AWH-86147, issued dated 17/06/2017 for revision of effluent discharge norms.

To,

M/s. Cheminova India Ltd( Intermediate Div ),

PLOT NO: 27,28,

GIDC ESTATE: Panoli,

DIST-BHARUCH.

SUB: Amendment in Consolidated Consent &amp; Authorization (CC&amp;A) under various Environmental Acts/ Rules - Reg. revision of FETP inlet norms.

REF: (1) Your previous CCA No. AWH-86147, dated 17/06/2017

Sir,

The Board has issued a Consent to Operate (CC&A) for your industry/ operation vide No. AWH-86147 dated 17/06/2017 having validity up to 04/03/2022.

The norms / standards were prescribed in the said consent to operate (CC&A) for the discharge of treated effluent in to FETP(Final Effluent Treatment Plant) of NCT.

Now, based on the recommendations of the norms committee, the Board has prescribed inlet norms for the FETP based on its design Parameter.

M/s. Cheminova India Ltd( Intermediate Div ), Plot No: 27,28, GIDC Estate: Panoli, Dist-Bharuch is a member of FETP (NCT) & discharging its effluent to the FETP (NCT). Considering the same, the norms prescribed under condition of the said consent are amended as under:

## A. CONDITION UNDER THE WATER ACT:

- (1) The effluent conforming to the below standards shall be discharged into G.I.D.C. underground drainage system and conveyed to FETP (NCTL), which shall be further treated at FETP & discharged ultimately to deep sea for final disposal through pipeline.

Sr. No.	PARAMETERS	PERMISSIBLE LIMIT
1	pH	6.5 to 8.5
2	Temperature	40°C
3	Colour (pt.co.scale)	100 units
4	Total Suspended Solids (TSS)	150 mg/l
5	Total Dissolved Solids (TDS)	10000 mg/l
6	Biochemical Oxygen Demand, BOD <sub>5</sub> , 27° C	200 mg/l
7	Chemical Oxygen Demand (COD)	1000 mg/l
8	Oil and Grease( O & G)	10 mg/l
9	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	5 mg/l
10	Sulphide (as S)	5 mg/l
11	Ammonical Nitrogen (as N)	50 mg/l
12	Total Kjeldahl Nitrogen (as N)	50 mg/l
13	Phosphate (as P)	5 mg/l

(P.T.O.)

**Clean Gujarat Green Gujarat**

ISO-9001-2008 &amp; ISO-14001 - 2004 Certified Organisation

## SIX MONTHLY EC COMPLIANCE REPORT

Sr. No.	PARAMETERS	PERMISSIBLE LIMIT
14	Chlorides (as Cl)	1000 mg/l
15	Sulphates (as SO <sub>4</sub> )	1000 mg/l
16	Cyanide (as CN)	0.2 mg/l
17	Fluoride (as F)	15 mg/l
18	Hexavalent Chromium (as Cr+6)	0.1 mg/l
19	Total Chromium (as Cr)	2 mg/l
20	Copper (as Cu)	3 mg/l
21	Nickel (as Ni)	3 mg/l
22	Zinc (as Zn)	15 mg/l
23	Iron (as Fe)	3 mg/l
24	Manganese (as Mn)	2 mg/l
25	Mercury (as Hg)	0.01 mg/l
26	Lead (as Pb)	0.1 mg/l
27	Arsenic (as As)	0.2 mg/l
28	Venedium (as V)	0.2 mg/l
29	Cadmium (as Cd)	0.05 mg/l
30	Selenium (as Se)	0.05 mg/l
31	Bio-assay test	90 % Survival of fish after 96 hours in 100 % effluent
32	Insecticides/ Pesticides	Absent

**Note:** Norms/standard prescribed through earlier consent stands deleted & Norms/ Standard prescribed in condition (1) above shall be adhered to henceforth.

**B.** All other conditions of CCA order No:AWH-86147, issued dated 17/06/2017 and further amended will remain same.

For and on behalf of  
GUJARAT POLLUTION CONTROL BOARD

*D.M. Thaker*  
9/8/17  
(D.M. THAKER)  
ENVIRONMENT ENGINEER

Outward No: 419703, 09/08/2017



# SIX MONTHLY EC COMPLIANCE REPORT

CC&A/CTO Copy



## GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: www.gpcb.gov.in

By R.P.A.D.

### CONSOLIDATED CONSENT AND AUTHORIZATION (CC & A)

CCA NO:AWH-86147

NO: GPCB / ANK / CCA- 115(9)/ ID- 15016/ 41 5086

DT: 16/6/2017

In exercise of the power conferred under Section-25 of the Water (Prevention and Control of Pollution) Act - 1974, under Section - 21 of the Air (Prevention and Control of Pollution) Act - 1981 and Authorization under rule 6(2) of the Hazardous & Other Wastes (Management and Transboundary Movement) Rules-2016, framed under the E(P)Act-1986.

And whereas Board has received consolidated application dated 05/03/2017 and inward No.118626 for the consolidated consent and authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts, Consolidated Consent & Authorization is hereby granted as under.

### CONSOLIDATED CONSENT AND AUTHORISATION:

(Under the provisions / rules of the aforesaid Environmental Acts)

TO,

✓ M/s. Cheminova India Ltd( Intermediate Div )

PLOT NO: 27,28

GIDC ESTATE:Panoli

TALUKA: Ankleshwar

DIST- Bhanich - 394116,Gujarat,India

1. Consent Order No.: AWH-86147 date of Issue 23/05/2017.

2. The consent under Water Act - 1974 for conveying the industrial effluent to the CETP of M/s. NCTL for the treatment and disposal of treated effluent, The consent under Air Act-1981 & Authorization under Environment (Protection) Act, 1986 shall be valid up to 04/03/2022 to operate industrial plant to manufacture following products:

Sr	Products	CTE Qty	Applied CCA Qty	Granted CCA Qty	Unit Per Mth	CAS No.	Remarks
1	ACID BASED PRODUCTS [2-BROMOBUTYRIC ACID (INT), AMINO ACID (INT), ETHYL 2-(4-HYDROXY PHENOXY) PROPIONATE (O-HPPA) (INT), THIOCYCLAM (I), BISPYRIBAC-SODIUM (H), PYRITHIOBAC-SODIUM (H), METHOXY AMINE HYDROCHLORIDE (INT), 2-HYDROXYPHENYL ACETIC ACID (HPAA) (INT)]ETC.	12.50	0.00	12.50	Metric Tonne		Either individual or total production of this group products shall not exceed 150 MT/Annum

Clean Gujarat Green Gujarat  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-1 of 11

# SIX MONTHLY EC COMPLIANCE REPORT



GPCB

## GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: www.gpcb.gov.in

Sr	Products	CTE Qty	Applied CCA Qty	Granted CCA Qty	Unit Per Mth	CAS No.	Remarks
2	AMIDE GROUP BASED PRODUCTS [PRETILACHLOR (H), CAPTAN (F), CYMOXANIL (F), BEFLUBUTAMIDE (H), PETHOXAMIDE (H), CARBOXIN (F), FLUBENDAMIDE (I), CHLORANTRANILIPROLE (I), THIAFLUSAMIDE (F), ZOXAMIDE (F), FLUFENACET (H), 2-AMINOSULFONYL - N-N-DIMETHYLNICOTINAMIDE (SNA) (INT), 2-(METHOXYCARBONYL) THIOPHENE THIOPHENE-3-SULFONAMIDE (MST) (INT)] ETC.	12.50	0.00	12.50	Metric Tonne		Either individual or total production of this group products shall not exceed 150 MT/Annum
3	ANILINE GROUP BASES PRODUCTS [PENDIRNETHALIN (H), FLUAZINAM (F), METALAXYL (F), FAMOXADONE (F)] ETC.	100.00	0.00	100.00	Metric Tonne		Either individual or total production of this group products shall not exceed 1200 MT/Annum
4	AZINE GROUP BASED PRODUCT FENPYROXIMATE (I), METRIBUZIN (H), PYMETROZINE (I), ARNITRAZ (I), INDOXACARB (I), CLOFENTEZINE (I), 2-METHOXY-4-METHYL-6-METHYLAMINO-1,3,5-TRIAZINE (MMMT) (INT)] ETC.	25.00	0.00	25.00	Metric Tonne		Either individual or total production of this group products shall not exceed 300 MT/Annum
5	AZOLE GROUP BASED PRODUCTS [FIPRONIL (I), HEXACONAZOLE (F), PROPICONAZOLE (F), DIFENOCONAZOLE (F), TRICYDAZOLE (F), MYCLOBUTANIL (F), FLORASULAM (H), TEBUCONAZOLE (F), FLUSILAZOLE (F), TEBUCONAZOLE (F), TRIDEMEFON, PACLOBUTRAZOL (F), THIAMETHOXAM (I), FLUTRIAFOL (F), (SAFENER ISOXADIFEN ETHYL (INT), LKNIDACLOPRID (I), 2, 6-DICHLOROBENZOXAZOLON E (INT), PENOXASULAM (H)] ETC.	16.66	0.00	16.66	Metric Tonne		Either individual or total production of this group products shall not exceed 200 MT/Annum

Clean Gujarat Green Gujarat  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-2 of 11



# SIX MONTHLY EC COMPLIANCE REPORT



## GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295 , Fax: (079)23231156

Website: www.gpcb.gov.in

Sr	Products	CTE Qty	Applied CCA Qty	Granted CCA Qty	Unit Per Mth	CAS No.	Remarks
6	CARBAMATE GROUP BASED PRODUCT [THIODICARB (I), PROPINEB (F), METIRAM (F), THIRAM (F), CARTAP HYDROCHLORIDE (I), THIOPHANATE METHYL (F)] ETC.	41.66	0.00	41.66	Metric Tonne		Either individual or total production of this group products shall not exceed 500 MT/Annum
7	ESTER GROUP BASED PRODUCTS [FENOXAPROP-P-ET (H), CLODINAFOP-PR (H), QUIZALFOP-P-ETHYL (H), QUINZOLFOP-TERFURYL (H), CYHALOFOP (H), ISOPROTHIOLANE (F), ALPHAMETHRIN (I), LAMBDA CYHAOTHRIN (I), CYPERMETHRIN (I), BIFENAZATE (I), PHTHALIDE (INT)] ETC.	25.00	0.00	25.00	Metric Tonne		Either individual or total production of this group products shall not exceed 300 MT/Annum
8	ETHER GROUP BASED PRODUCTS [PROPARGITE (I), OXYFLUORFEN (H), S-CYANO MPB (INT), 2 ETHOXY ETHYL AMINE (INT)] ETC.	16.66	0.00	16.66	Metric Tonne		Either individual or total production of this group products shall not exceed 200 MT/Annum
9	KETONE GROUP BASED PRODUCT [MESOTRIONE (H), SUCTIONED (H), ISOXAFLUTOLE (H), DIMETHOMORPH (F), ISOBUTYROPHENONE (IBP) (INT)] ETC.	100.00	0.00	100.00	Metric Tonne		Either individual or total production of this group products shall not exceed 1200 MT/Annum
10	PHOSPHATE GROUP BASED PRODUCT [CHLORPYRIFOS (I) OR ITS INTERMEDIATE NA-TCP (INT), ACEPHATE (I), MONOCROTAPHOS (I) OR ITS INTERMEDIATES MCMMAA (INT.), DIMETHOATE (I), PROFENOFOS (I), ETHEPHON (PGR)] ETC.	416.66	0.00	416.66	Metric Tonne		Either individual or total production of this group products shall not exceed 5000 MT/Annum
11	PYRIDINE GROUP BASED PRODUCT [PYRIDALYL (I), IMAZETHAPYR (H), CLOQUINTOCCT MEXYL (H), ACETAMIPRID (I), 4,6-DICHLORO PYRIDINE (INT), AZOXYSTROBIN (F) ETC.	20.83	0.00	20.83	Metric Tonne		Either individual or total production of this group products shall not exceed 250 MT/Annum

**Clean Gujarat Green Gujarat**  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-3 of 11

# SIX MONTHLY EC COMPLIANCE REPORT



GPCB

## GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: www.gpch.gov.in

Sr	Products	CTE Qty	Applied CCA Qty	Granted CCA Qty	Unit Per Mth	CAS No.	Remarks
12	UREA GROUP BASED PRODUCT (BUPROFEZIN (I), LUFENURON (I), LINURON (I), DIAFENTHIURON (I), DIURON (H), NOVALURON (I), CHLORIMURON (INT), HEXYTHIAZOX (I), SPIROMESIFEN (I), AZIMSULFURON (H), SULFONYL UREAS (H)) ETC.	8.33	0.00	8.33	Metric Tonne		Either individual or total production of this group products shall not exceed 100 MT/Annum
13	PHENOL GROUP BASED PRODUCT [2-CYANOPHENOL (INT), 4-FLURO-3 TRILLUROMETHYL PHENOLE (INT)]ETC.	6.25	0.00	6.25	Metric Tonne		Either individual or total production of this group products shall not exceed 75 MT/Annum
14	TRIMETHYL PHOSPHITE (TMP) OR TRIETHYL PHOSPHITE (TEP)	141.66	0.00	141.66	Metric Tonne	000012 1-45-9	Total production of this product shall not exceed 1700 MT/Annum
15	DIETHYL THIO PHOSPHORYL CHLORIDE (DETPC)/NADETA	331.66	0.00	331.66	Metric Tonne	000252 4-04-1	Total production of this product shall not exceed 3980 MT/Annum
16	PHOSPHORUS PENTA SULPHIDE (P2S5)	283.33	0.00	283.33	Metric Tonne	000131 4-80-3	Total production of this product shall not exceed 3400 MT/Annum
17	CALCIUM CHLORIDE 30%	83.33	0.00	83.33	Metric Tonne	001004 3-52-4	Total production of this product shall not exceed 1000 MT/Annum
18	SODIUM SULFITE (30%)	314.58	0.00	314.58	Metric Tonne	000775 7-83-7	Total production of this product shall not exceed 3775 MT/Annum
19	AMMONIUM CHLORIDE SOLUTION 16%	1333.33	0.00	1333.33	Metric Tonne	001212 5-02-9	Total production of this product shall not exceed 16000 MT/Annum
20	HYDROCHLORIC ACID 30%	340.00	0.00	340.00	Metric Tonne	000764 7-01-0	Total production of this product shall not exceed 4080 MT/Annum
21	PHOSPHORIC ACID	121.66	0.00	121.66	Metric Tonne	000766 4-38-2	Total production of this product shall not exceed 1460 MT/Annum
22	SODIUM BISULPHITE POWDER	187.50	0.00	187.50	Metric Tonne	000763 1-90-5	Total production of this product shall not exceed 2250 MT/Annum
23	SODIUM HYDRO SULFIDE 30%	270.00	0.00	270.00	Metric Tonne	014065 0-84-6	Total production of this product shall not exceed 3240 MT/Annum
24	LIQUOR AMMONIA 20%	300.00	0.00	300.00	Metric Tonne	000766 4-41-7	Total production of this product shall not exceed 3600 MT/Annum
25	SODIUM BISULPHITE SOLUTION 30%	620.00	0.00	620.00	Metric Tonne	000763 1-90-5	Total production of this product shall not exceed 7440 MT/Annum
26	PHOSPHORUS TRICHLORIDE (PCl3) / PHOSPHOROUS OXY CHLORIDE (POCl3)	83.33	0.00	83.33	Metric Tonne	000771 9-12-2	Total production of this product shall not exceed 1000 MT/Annum

**Clean Gujarat Green Gujarat**  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-4 of 11





# GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: www.gpcb.gov.in

## SPECIFIC CONDITIONS

1. Mother liquor 35 KLD shall be incinerated in common incinerator facility at BEIL or SEPPL or GSPL, Palsana OR send it for co-processing to cement industries.

## OTHER CONDITIONS

1. All the efforts shall be made to send hazardous waste to cement industry for Co- processing first & there after it shall be disposed through other options.

2. Unit shall follow spent solvent management guideline framed by the Board and shall make MoU with outside distillation units, if any. Also submit the prescribed forms as per guideline.

3. Unit shall strictly follow "Fly Ash Notification" for disposal of generated ash.

## 3. CONDITION UNDER THE WATER ACT:

3.1 The quantity of total water consumption shall not exceed 500.00 KL/Day as per below break up as mentioned in form D submitted for consent application under the Water Act- 1974.

a) Industrial: 475.00 KL/Day

b) Domestic: 25.00 KL/Day

3.2 The quantity of total waste water generation shall not exceed 206.00 KL / Day as per below break up as mentioned in form D submitted for consent application under the Water Act- 1974.

a) Industrial: 181.00 KL/Day

b) Domestic: 25.00 KL/Day

3.3 Sewage shall be disposed off through septic tank/soak pit system or shall be treated separately in Sewage Treatment Plant (STP) to conform the following standards and treated sewage shall be utilized on land for irrigation / plantation.

Sr. No.	PARAMETERS	PERMISSIBLE LIMIT
1	Biochemical Oxygen Demand, BOD <sub>5</sub> , 27° C	Less than 20 mg/L
2	Total Suspended Solids	Less than 30 mg/L
3	Total Residual Chlorine	Minimum 0.5 ppm

Or Sewage shall be treated in ETP along with Industrial effluent and discharged into GIDC underground drainage system and conveyed to FETP (NCTL).

3.4 The quality of industrial effluent shall conform to the following standards(as per GPCB norms, whichever is applicable)

SR No.	PARAMETERS	PERMISSIBLE LIMIT
1	pH	5.5 to 8.5
2	Temperature	40 C
3	Colour (pt.co.scale)	100 units
4	Total Suspended Solids (TSS)	100 mg/L
5	Total Dissolved Solids (TDS)	2100 mg/L
6	Biochemical Oxygen Demand, BOD <sub>5</sub> , 27 C	30 mg/L
7	Chemical Oxygen Demand (COD)	100 mg/L
8	Oil and Grease	10 mg/L
9	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	1 mg/L
10	Sulphide (as S)	0.5 mg/L

**Clean Gujarat Green Gujarat**  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-5 of 11

## SIX MONTHLY EC COMPLIANCE REPORT



### GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: www.gpcb.gov.in

11	Ammonical Nitrogen (as N)	50 mg/L
12	Chlorides (as Cl)	600 mg/L
13	Sulphates (as SO <sub>4</sub> )	1000 mg/L
14	Cyanide (as CN)	0.2 mg/L
15	Fluoride (as F)	1.5 mg/L
16	Insecticides/Pesticides	Absent
17	Hexavalent Chromium (as Cr+6)	0.1 mg/L
18	Total Chromium (as Cr)	2 mg/L
19	Copper (as Cu)	2 mg/L
20	Nickel (as Ni)	3 mg/L
21	Zinc (as Zn)	5 mg/L
22	Mercury (as Hg)	0.01 mg/L
23	Lead (as Pb)	0.1 mg/L
24	Arsenic (as As)	0.2 mg/L
25	Cadmium (as Cd)	2 mg/L
26	Selenium (as Se)	0.05 mg/L
27	Total heavy metal	7 mg/L
28	Bio-assay test	90 % Survival of fish after 96 hours in 100 % effluent

3.5 The effluent conforming to the above standards shall be discharged into G.I.D.C. underground drainage system and conveyed to FETP (NCTL) which ultimately leads to deep sea for final disposal through pipeline.

3.6 Unit shall be required to make storage facilities to store the effluent for at least 72 hours by providing acid proof brick lined impervious tanks / HDPE tanks.

3.7 In case of shut - down of plant for more than three (3) days for any reason, the NCTL unit member shall intimate to NCTL authority & GPCB well in advance for the better operation & management of CETP.

3.8 Unit shall make fixed arrangement for discharge of the effluent from their Final collection tanks to the underground drainage network of NCTL. Unit shall not keep any by-pass line or system or loose or flexible pipe line for discharge of the effluent into underground drainage network of NCTL.

3.9 Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks / ETP to measure the quantity of effluent discharged into the underground drainage network of NCTL.

3.10 Unit shall affix of water meters as per Section 4 (1) of the water (Prevention and Control of Pollution) Cess Act -1977 for the purpose of measuring and recording the quantity of water consumed at such places as may be required, within 15 days and it shall be presumed that the quantity indicated by the meter has been consumed by the unit until the contrary is proved.

3.11 Unit shall provide adequate / safe effluent sampling facility for the effluent being stored in final collection / discharge tank of ETP or being discharged into CETP.

3.12 Unit shall put up at the entrance a board displaying the name of unit, particulars of the products/ process, the name of proprietor / partners / directors of the unit, NCTL membership number & date of joining of NCTL, the electricity consumer number as on the record of DGVCL.

**Clean Gujarat Green Gujarat**  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-6 of 11



## SIX MONTHLY EC COMPLIANCE REPORT



### GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: [www.gpcb.gov.in](http://www.gpcb.gov.in)

3.13 Unit shall have to display on-line data outside the main factory gate with regard to and nature of hazardous chemicals being handled in the plant, including waste water and air emission and solid hazardous waste generated within the factory premises.

3.14 Unit shall either stop or curtail its production activities if the effluent is not adequately treated by the FETP of NCTL to conform to the standards specified by GPCB.

3.15 The authorized representative of NCTL shall have right of entry at any time for the purpose of inspection and monitoring the effluent collection facilities / ETP (if required) of Unit.

3.16 Unit shall have to keep accurate records of quality & quantity of effluent discharged to FETP on day-to-day basis. Separate logbook shall be maintained for recording the data & shall be made available for inspection as & when asked.

3.17 Unit shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent generated and consumption of electricity on day to day basis and required to submit the complied record of each month to GPCB on or before fifth day of the succeeding month.

3.18 In case of incinerators or MEE, the flow measuring devices for mother liquor/ toxic effluent / Non-biodegradable effluent, light diesel oil, Furnace oil, etc. i.e. fuel used for combustion, air used for combustion shall be separately provided. Incinerator temperature recording devices as well as gaseous flow measuring devices for scrubber shall also be provided. These data of temperature & flow should be recorded every day & submitted to GPCB on monthly basis.

3.19 Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.

3.20 Leachate from the hazardous solid waste, if any shall also be connected into a collection tank through leachate collection facilities and shall be treated along with industrial effluent and final treated effluent shall be discharged to the CETP of NCTL.

3.21 If the NCTL authority terminates the membership of CETP, the NCTL member unit shall have to close down the manufacturing activities / industrial operation of the process plant immediately until the NCTL membership is resumed.

3.22 The Environmental Management Unit / Cell shall be setup to ensure implementation on and monitoring of environment safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell / Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These Cells also coordinate the exercise of environmental audit and preparation of environmental statements.

3.23 The Environmental audit shall be carryout yearly, if applicable. The environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.

3.24 Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 trees per acre of land and a green belt of 5 meters width is developed.

3.25 In case of change of ownership / management the name and address of the new ownership / partners/ directors/ proprietor should immediately be intimate to the Board. Also any change in equipment or working conditions as mentioned in the consents form / order should immediately be intimated to this Board.

3.26 The Board reserves the right to review and/or revoke the consent and / or make modifications in the conditions which it seems fit in accordance with provisions of Water Act - 1974.

#### 4.CONDITIONS UNDER THE AIR ACT:

##### SPECIFIC CONDITION

1. Unit shall operate only one boiler (i.e. NG-based Boiler Maxima GT-5310 (Cap 10 TPH) OR Furnace Oil based Boiler IAC GT-4423 (Cap 10 TPH)) at a same time.

**Clean Gujarat Green Gujarat**  
**ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation**

Page No-7 of 11



# SIX MONTHLY EC COMPLIANCE REPORT



## GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: www.gpcb.gov.in

4.1 Unit shall use fuel as specified in this consent and the flue gas emission through stack shall conform to the following standards:

Sr. No.	Stack ID / Stack attached to	Capacity / Remarks	Name of Fuel	Quantity of Fuel	Air Pollution Control Measure (APCM)	Stack Height in Mt. (From G.L.)	Parameter	Perm. limit	Unit
1	95313 - Boiler	Common stack of Boiler Maxima GT-5310 (Cap 10 TPH) & Boiler IAC GT-4423 (Cap 10 TPH)	NATURAL GAS	NG- 9000 M3/hr OR PO - 625 Lit/hr	Not Applicable	32	PM SO2 NOX	150 100 50	mg/Nm <sup>3</sup> PPM PPM
2	8826 - D.G. Sets	D.G. Set Cap. 1250 KVA	H.S.D	90 Lit/hr	Not Applicable	9	PM SO2 NOX	150 100 50	mg/Nm <sup>3</sup> PPM PPM
3	44916 - Incinerator	Incinerator for waste gases with APCM as Water + Alkali scrubber (Dial chamber)	NOT USED/ N.A		Alkali Scrubber, Water Scrubber	45	Parameter as Mentioned Below		
4	60699 - Boiler	Boiler (Model - Tejaswee - Cap. : 18 TPH)	AGRO WASTE /BRIQUETTES	Bagasse/ Groundnut shell/ Briquette s: 2970 kg/hr	Dust Collector, Bag Filter	40	PM SO2 NOX	150 100 50	mg/Nm <sup>3</sup> PPM PPM

• Treated flue gas emissions discharge through stack of Incinerator to atmosphere shall always be less than or equal to the following parameter-specific emission standards:

Parameter	Emission Standard	Sampling Duration
Cd + Th + their compounds	0.05 mg/Nm <sup>3</sup>	Sampling time anywhere between 30 minutes and 8 hours.
CO	100 mg/Nm <sup>3</sup>	30 Minutes
CO	50 mg/Nm <sup>3</sup>	Standard refers to daily average value
HCl	50 mg/Nm <sup>3</sup>	30 Minutes
HF	4 mg/Nm <sup>3</sup>	30 Minutes
Hg and its compounds	0.05 mg/Nm <sup>3</sup>	Sampling time anywhere between 30 minutes and 8 hours.
NOX (NO and NO <sub>2</sub> expressed as NO <sub>2</sub> )	400 mg/Nm <sup>3</sup>	30 Minutes
Particulates	50 mg/Nm <sup>3</sup>	30 Minutes
Sb + As + Pb + Cr + Co + Cu + Mn + Ni + V + their compounds	0.5 mg/Nm <sup>3</sup>	Sampling time anywhere between 30 minutes and 8 hours.
SO <sub>2</sub>	200 mg/Nm <sup>3</sup>	30 Minutes
Total dioxins and furans	0.1 ng TEQ/Nm <sup>3</sup>	6-8 hours sampling. Please refer guidelines for 17 concerned congeners for toxic equivalence values to arrive at total toxic equivalence.
Total Organic Carbon	20 mg/Nm <sup>3</sup>	30 Minutes

Clean Gujarat Green Gujarat  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-8 of 11



# SIX MONTHLY EC COMPLIANCE REPORT



## GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: www.gpcb.gov.in

Note: All values of outlet parameters of Incinerator shall be corrected to 11% oxygen on a dry basis.

4.2 The Process emission through various stacks / vent of reactors, process, vessel shall conform to the following standards:

Sr. No	Stack ID / Stack attached to	Name of Process / Plant	Air Pollution Control Measure (APCM)	Stack Height in Mt. (From G.L.)	Parameter & Permissible limit
1	44914 - Reaction Vessels	Stack attached to reactor of TMP plant	Alkali Scrubber, Water Scrubber	15	Ammonia-175 mg/Nm <sup>3</sup>
2	8828 - Reaction Vessels	Stack attached to Sulphur Furnace	Alkali Scrubber, Water Scrubber	45	PM-150 mg/Nm <sup>3</sup> SO <sub>2</sub> -40 mg/Nm <sup>3</sup> NO <sub>x</sub> -25 mg/Nm <sup>3</sup> HCL-20 mg/Nm <sup>3</sup> Chlorine-09 mg/Nm <sup>3</sup> H <sub>2</sub> S-45 mg/Nm <sup>3</sup> CO-150 mg/Nm <sup>3</sup>
3	44915 - Reaction Vessels	Stack attached to reactor of PCL3 plant	Alkali Scrubber	15	HCL-20 mg/Nm <sup>3</sup> Chlorine-09 mg/Nm <sup>3</sup>
4	93982 - Reaction Vessels	Stack attached to Emergency Vent of PC13	Alkali Scrubber	15	HCL-20 mg/Nm <sup>3</sup> Chlorine-09 mg/Nm <sup>3</sup>

4.3 The concentration of the following parameters in the ambient air within the premises of the unit shall not exceed the limits specified hereunder.

Sr. No.	Parameters	Permissible Limit (microgram /m3)	
		Annual	24 Hours Average
1.	Particulate Matter (PM10)	60	100
2.	Particulate Matter (PM2.5)	40	60
3.	Oxides of Sulphur (SO <sub>x</sub> )	50	80
4.	Oxides of Nitrogen (NO <sub>x</sub> )	40	80

a. Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

b. 24 hourly or 08 hourly or 01 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

4.4 Unit shall operate industrial plant / air pollution control equipment very efficiently and continuously so that the gaseous emission always conforms to the standards specified as above.

4.5 The consent to operate the industrial plant shall lapse if at any time the parameters of the gaseous emission are not within the tolerance limits specified as above.

4.6 Unit shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to /and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted / displayed to facilitate identification.

**Clean Gujarat Green Gujarat**  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-9 of 11

# SIX MONTHLY EC COMPLIANCE REPORT



## GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295, Fax: (079)23232156

Website: www.gpcb.gov.in

4.7 Unit shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

4.8 All efforts shall be made to control VOC emissions and odor problem, if any.

### 5. AUTHORISATION FOR THE MANAGEMENT & HANDLING OF HAZARDOUS WASTES Form-2 (See rule 6(2))

5.1 Number of authorization: AWH-86147 date of Issue 23/05/2017.

5.2 M/s. Cheminova India Ltd( Intermediate Div ) is granted an authorization to operate facility for following hazardous wastes on the situated at PLOT NO: 27,28 GIDC ESTATE Panoli DIST: Bharuch.

Sr	Name of Hazardous Waste	Sch	Catg.	Qty MT/Year	Facility	Mode of Disposal & Remarks
1	Process wastes or residues	I	29.1	12821.00	Co-Processing, Collection, Incineration, Disposal, Storage, Transportation	Disposal at common Incineration facilities at BEIL / SEPPL/ GSPL Palsana / RSPL/ Co-processing to cement industry
2	Process wastes or residues	I	29.1	9259.00	Co-Processing, Collection, Incineration, Disposal, Storage, Transportation	Solid Waste / Evaporation Salt - Disposal to common TSDF facility of BEIL / SEPPL/ GSPL Palsana / RSPL/ Co-processing to cement industry
3	Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	I	33.1	1943.00	Collection, Decontamination, Generation, Disposal, Reuse, Storage, Transportation	Disposal by send it to authorised recycler after decontamination within premises or reuse or send back to supplier or send to common TSDF facility of BEIL / SEPPL
4	Chemical sludge from waste water treatment	I	35.3	1800.00	Collection, Disposal, Treatment, Storage, Transportation	Disposal to common TSDF facility of BEIL / SEPPL
5	Used or Spent Oil	I	5.1	11.04	Collection, Disposal, Reuse, Storage, Transportation	Disposal by Reuse in plant & machinery as lubricant or sell it to authorized re-refiners / recycler.
6	Total Sulphur	II	B37	4320.00	Collection, Disposal, Treatment, Storage, Transportation	Recovered Sulphur; Disposal to common TSDF facility of BEIL / SEPPL

5.3 The authorization is granted to operate a facility as above.

5.4 The authorization shall be in force for a period up to 04/03/2022.

5.5 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act - 1986.

### 6 TERMS AND CONDITIONS OF AUTHORISATION:

6.1 The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.

Clean Gujarat Green Gujarat  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-10 of 11





**GUJARAT POLLUTION CONTROL BOARD**

Paryavaran Bhavan, Sector-10/A, Gandhinagar - 382010

Phone: (079)23226295 , Fax: (079)23232156

Website: [www.gpcb.gov.in](http://www.gpcb.gov.in)

- 6.2 The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the Gujarat Pollution Control Board.
- 6.3 The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
- 6.4 Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
- 6.5 The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
- 6.6 The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
- 6.7 It is the duty of the authorised person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- 6.8 The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
- 6.9 The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
- 6.10 The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
- 6.11 The importer or exporter shall bear the cost of import or export and mitigation of damages if, any.
- 6.12 An application for the renewal of an authorisation shall be made as laid down under Hazardous & Other Wastes (Management and Transboundary Movement) Rules - 2016.
- 6.13 Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
- 6.14 Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
- 6.15 Unit shall have to display the relevant information with regard to hazardous waste as indicated in the Court's order in W.P. No. 657 of 1995 dated 14th October 2003.

**For and on behalf of  
GUJARAT POLLUTION CONTROL BOARD**

*D.M. Thaker*  
16/6  
D. M. Thaker, Unit Head

**Clean Gujarat Green Gujarat**  
ISO-9001-2008 & ISO - 14001 - 2004 Certified Organisation

Page No-11 of 11

CTE Copy

**GUJARAT POLLUTION CONTROL BOARD****PARYAVARAN BHAVAN****Sector-10-A, Gandhinagar 382 010****Phone : (079) 23222425****(079) 23232152****Fax : (079) 23232156****Website : www.gpcb.gov.in****By R.P.A.D.****Consent to Establish (NOC) - Amendment****CTE AMENDMENT NO: CTE - 98963****NO: GPCB/ANK/CCA-115(12)/ID-15016/****DT: 30/03/2019****To****M/S. CHEMINOVA INDIA LTD.,****PLOT NO:27,28,****GIDC ESTATE PANOLI,****DIST-BHARUCH.****SUB: Amendment in Consent to Establish (NOC) under Section 25 of Water Act 1974 and Section 21 of Air Act 1981.****REF: (1) Your NOC application No. 144183 dated 05/12/2018( for CTE - Change in Product mix ).****(2) CCA No. AWH - 86147 dated :16/06/2017.****(3) CCA Amendment No. AWH -94667 dated:31/08/2018.****Sir,**

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air (Prevention and Control of Pollution) Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants **Consent to Establish (NOC)** for **Change in Product Mix** in an industrial plant/activities at **PLOT NO:27,28, GIDC ESTATE PANOLI, DIST: BHARUCH** to manufacture the following products. The Validity of this order will be up to **23/01/2024**.

**1. The list of proposed products to be manufactured shall be as follows:**

Sr. No.	Products	Quantity (MT/Annum)			Remarks
		Existin g	Propos ed	Total (After Chang e in Produ ct Mix)	
1.	Phosphorus Trichloride (PCl <sub>3</sub> )/ Phosphoryl chloride (POCl <sub>3</sub> )	1000	-	1000	No change
2.	Tri methyl Phosphite (TMP) or Tri ethyl Phosphite (TEP)	100	-	100	No change
3.	Diethyl Thio Phosphoryl Chloride (DETPC) /Sodium salt of Diethyl Thio Phosphoryl Chloride (Na-DETA)	5330	-	5330	No change

Page 1 of 5

**Clean Gujarat Green Gujarat**

ISO-9001-2008 &amp; ISO-14001 - 2004 Certified Organisation

# SIX MONTHLY EC COMPLIANCE REPORT

4.	Cyhalothrin Acid	250	-	250	No change
5.	Phosphorus Penta Sulphide (P2S5)	3400	-	3400	No change
6.	Fluindapyr (F 9990)	-	+150	150	New Product
7.	Bixlozone (F9600)	-	+960	960	New Product
8.	Acid based products [2-bromobutyric Acid (int), amino acid (int), ethyl 2-(4-hydroxy phenoxy) propionate (O-HPPA) (int), Thlocyclam (I), Bispyribac-Sodium (H), Pyriethioac-Sodium(H), Methoxy Amine Hydrochloride (int), 2- hydroxyphenyl Acetic Acid (HPAA) (int)] etc.	150	-	150	No change
9.	Amide group based products [Pretilachlor (H), Captan (F), Cymoxanil (F), Beflubutamide (H), Pethoxamide (H), Carboxin (F), Flubendamide (I), Chlorantraniliprole (I), Thiaflusamide (F), Zoxamide (F), Flufenacet (H), 2 Aminosulfonyl-N-N-Dimethylnicotinamide (SNA) (int), 2-(Methoxycarbonyl) thiophene thiophene-3 Sulfonamide (MST) (Int)] etc.	150	-	150	No change
10.	Aniline group Bases products [Pendimethalin (H), Fluazinam (F), Metalaxyl (F), Famoxadone (F)] etc.	1200	- 1200	0	Discontinue Product
11.	Azine group based product Fenpyroximate (I), Metribuzin (H), Pymetrozine (I), Armitraz (I), Indoxacarb (I), Clofentezine (I), 2 Methoxy- 4 - Methyl-6-Methylamino-1,3,5-Triazine (MMMT) (Int)] etc.	300	-	300	No change
12.	Azole group based	200	-	200	No change



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : [www.gpcb.gov.in](http://www.gpcb.gov.in)

	products [Fipronil (I), Hexaconazole (F), Propiconazole (F), Difenoconazole (F), Tricydazole (F), Myclobutanil (F), Florasulam (H), Tebuconazole (F), Flusilazole (F), Tebuconazole (F), Tridemefon, Paclobutrazol (F), Thiamethoxam (I), Flutriafol (F), (Safener Isoxadifen ethyl (Int), Irnidacloprid (I), 2, 6 DiChloro Benzoxazolone (Int), Penoxasulam (H)] etc.				
13.	Carbamate group based product [Thiodicarb (I), Propineb (F), Metiram (F), Thiram (F), Cartap hydrochloride (I), Thiophanate Methyl (F)] etc.	500	-	500	No change
14.	Ester group based products [Fenoxaprop-p-Et (H), Clodinafop-Pr (H), Quizolfop-p-ethyl (H), Quinzolfop-p-terfuryl (H), Cyhalofop (H), Isoprothiolane (F), Alphamethrin (I), Lambda Cyhathrin (I), Cypermethrin (I), Bifenazate (I), Phthalide (Int) etc.	300	-	300	No change
15.	Ether group based products [Propargite (I), oxyfluorfen (H), S- Cyano MPB (Int), 2 Ethoxy Ethyl Amine (Int)] etc.	200	-	200	No change
16.	Ketone group based product [Mesotrione (H), Suctioned (H), Isoxanutole (H), Dimethomorph (F), isobutyrophenone (IBP) (Int)] etc.	1200	-	1200	No change

Page 3 of 5

**Clean Gujarat Green Gujarat**

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation



# SIX MONTHLY EC COMPLIANCE REPORT

17.	Phosphate group based product [Chlorpyrifos (I) or its intermediate Na-TCP (Int), Acephate (I), Monocrotophos (I) or its intermediates MCMMAA (Int.), Dimethoate (I), Profenofos (I), Ethephon (PGR)] etc.	5000	-	5000	No change
18.	Pyridine group based product [Pyridalyl (I), Imazethapyr (H) Cloquintocet Methyl (H), Acetamiprid (I), 4, 6-DiChloro Pyridine (Int)], Azoxystrobin (F) etc	250	-	250	No change
19.	Urea group based product [Buprofezin (I), Lufenuron (I), Linuron (H), Diafenthiuron (I), Diuron (H), Novaluron (I), Chlorimuron (int), Hexythiazox (I), Spiromesifen (I), Azimsulfuron (H), Sulfonyl Ureas (H)] etc.	100	-	100	No change
20.	Phenol group based product [2- Cyanophenol (Int), 4-Fluoro-3 trilluromethyl phenole (Int)] etc.	75	-	75	No change
<b>Total</b>		<b>19705</b>	<b>-90</b>	<b>19615</b>	

## 2. SPECIFIC CONDITIONS:

- Total production shall not exceed 19615 MT/Annum in any case.
- There shall be no change in mode of disposal of wastewater.
- There shall be no change in fuel consumption, flue gas emission and process gas emission.
- There shall be no change in Hazardous waste quantity / category.
- Unit shall sell out their hazardous waste to authorized end-users who is having authorization with valid CCA and rule 9 permission to receive this waste. Unit shall make MoU with such authorized end-users and submit MoU at time of application of CCA.
- All the efforts shall be made to send hazardous waste to cement industry for Co- processing first & there after it shall be disposed through other option.
- Unit shall follow spent solvent management guideline framed by board and shall make MoU with outside distillation units, if any. Also submit the prescribed forms as per guideline.





## GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

- h. There shall not be increase in pollution load due to proposed change in product mix.
        - i. There shall not be any change in plant building, equipments & machineries to manufacture the proposed new products after change in product mix.
        - j. In the case of submission of the false or misleading data, this CTE amendment will be forfeited immediately.
3. **CONDITION UNDER THE WATER ACT:**
  - 3.1 The condition No. 3.3 for Water Consumption under Water Act of the CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/CCA-115(9)/ID-15016/415086, dated 16/06/2017 and further amended dated 31/08/2018 is amended and shall now be read as under.
    - a. Domestic: 25 KL/Day (Existing 25 KLD + Proposed Nil)
    - b. Industrial: 423 KL/Day (Existing 429 KLD - Proposed 6)
    - c. Gardening: 25 KL/Day (Existing 25 KLD + Proposed Nil)
    - Total: 473 KL/Day (Existing 479 KLD - Proposed 6 KLD)**
  - 3.2 The condition No. 3.1 & 3.2 for Wastewater Generation under Water Act of the CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/CCA-115(9)/ID-15016/415086, dated 16/06/2017 and further amended dated 31/08/2018 is amended and shall now be read as under.
    - a. Domestic: 25 KL/Day (Existing 25 KLD + Proposed Nil)
    - b. Industrial: 176 KL/Day (Existing 181 KLD - Proposed 5 KLD)
    - Total: 201 KL/Day (Existing 206 KLD - Proposed 5 KLD)**
  - 3.3 176 KLD treated effluent shall be discharged to NCTL by underground drainage line and 25 KLD domestic sewage shall be disposed off through septic tank/soak pit system as per previous CCA conditions.
4. All other Conditions of CCA order No: AWH-86147, issued vide letter no. GPCB/ ANK/CCA-115(9)/ID-15016/415086, dated 16/06/2017 and further amended dated 31/08/2018 shall remain unchanged.

For and on behalf of  
GUJARAT POLLUTION CONTROL BOARD

(A.V. SHAH)

SR. ENVIRONMENT ENGINEER

## SIX MONTHLY EC COMPLIANCE REPORT

EC to CTE



### GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382010

Phone : (079) 23222425

(079) 23222152

Fax : (079) 23232156

Website : www.gpcb.gov.in

### Application For CTE after EC

File No : GPCB/ (PCB ID. - 15016)

To,

M/s. Cheminova India Ltd( Intermediate Div ).

27,28, , ,

City : Panoli ,

Dist : Ankleshwar ,

Taluka : Ankleshwar

Sub: Consent to Establish (After obtaining Environment Clearance) under Section 25 of Water Act 1974 and Section 21 of Air Act 1981.

Ref: (1) Your online application No. 176068 dated 07/05/2020

(1) Environment Clearance issued by Central Authority vide their letter no. IA-J-11011/53/2018-IA-II(I) Dated 31/12/2019

Sir,

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants **Consent to Establish (After obtaining Environment Clearance) under Section 25 of Water Act 1974 and Section 21 of Air Act 1981** for manufacturing of products as mentioned into the Environment Clearance (EC) granted vide letter under reference no (2) above.

#### **Consent To Establish Is Granted Subject To The Following Conditions: -**

- 1) The validity period of this CTE shall be Seven Years from the issue of this order.
- 2) Applicant shall strictly comply with all conditions stipulated by competent authority in the order of Environment Clearance issued vide letter under reference No. : 2 above.
- 3) The applicant shall however , not without the prior concern of the Board. Bring into use any new or altered outlet for the discharge of effluent or gaseous emission or sewage waste from the proposed industrial plant. The applicant is required to make applications to this Board for this purpose in the prescribed forms under the provisions of the water Act - 1974, the Air - 1981 and the Environment (Protection) Act - 1986.

For and on behalf of  
Gujarat Pollution Control Board

R.R.Vyas  
ROH Head - Ankleshwar

- This order is issued to 27,28, , , City : Panoli, Dist : Ankleshwar, Taluka : Ankleshwar (15016) for CTE amendment after obtaining EC.

Printed On : 03/06/2020

Page 1 of 1

GPCB ID - 15016

**Specific Conditions along with EC to CTE order**

- 1) You shall maintain ZLD for entire project and surrender the membership alongwith physical connection of treated wastewater discharge to NCT
- 2) Comply with all provisions prevailing Dual discharge policy of the Board for Ankleshwar & Panoli Regions.
- 3) All other conditions mentioned in the EC granted to the unit shall be complied with.
- 4) MoUs shall be done with the actual users to whom all the Haz. Wastes are proposed to be sent. The actual user must have valid CCA of the Board and also shall have obtained permission under rule 9 of the Hazardous waste rules-2016.
- 5) Since your industry is located in critically polluted area, stringent environmental norms as per the NGT orders, shall be applicable

Outward No:15866, 04/06/2020

# SIX MONTHLY EC COMPLIANCE REPORT

## Annexure 4 - ANNUAL RETURN- FORM- 4 (2019-2020)



Cheminova India Limited  
Intermediate Division  
(27+28)/A, GIDC Estate,  
Panoli - 394 116  
Dist. Bharuch (Gujarat)  
India.

Phone : +91 9033978622-26  
fmc.com / fmc.in  
CIN NO. U24100MH1986PLC038327

Date – 5<sup>th</sup> June 2020

Ref No. CHEMINOVA/INTER/06/05/2020/01

PC3 ID -15016

To  
Member Secretary  
GUJARAT POLLUTION CONTROL BOARD  
PARYAVARAN BHAWAN  
SECTOR 10 -A, GANDHINAGAR – 382043.

Subject: Submission of Annual returns (Form -4)

Respected Sir,

We hereby declare that we have sent hazardous waste to different facilities during the period of April -2019 to March 2020 as per the Authorization for "The Hazardous and Other waste (Management & Transboundary Movement) Rule 2016.

This is as per the requirement of Rule – [ 6(5), 13(8),16(6) and 20 (2)].

We have uploaded the attached Form -IV at. xgn site. The hard copies are enclosed with this letter.

Thanking You,

For CHEMINOVA INDIA LTD.

AUTHORISED SIGNATORY

Encl: As above

CC: Regional Office, Ankleshwar.

Enc. Form -4



Cheminova India Ltd. Intermediate Division

PCB ID- 15016

Year -2019-20

FORM - 4

[See rule 6(5), 13(8), 16(6) and 20 (2)]  
FORM FOR FILING ANNUAL RETURNS[To be submitted by occupier/operator of disposal facility to State Pollution Control Board / Pollution Control Committee by 30<sup>th</sup> June of every year for the preceding period April to March]

1.	Name and address of facility :	M/s.CHEMINOVA INDIA LTD, (Intermediate Division) Plot No. - (27+28)/A, GIDC, PANOLI. Dist. - Bharuch								
2.	Authorization No. and Date of issue :	CCA No: AWH-86147, Date of issue-23rd-May-2017 and valid up to 4th-March-2022, CCA amendment dated 09/08/2017 having CTO no.: GPCB/ANK/CCA-115/ID-15016/419703, CCA amendment no.: AWH-94667 dated 31/08/2018, CCA amendment order no.: AWH-104863 issued vide letter no. GPCB/ANK/CCA-115(13) ID-15016/529725, dated 10/12/2019								
3.	Name of the authorized person and full address with telephone and fax number and e-mail :	Vinod S. Patel (Factory Manger) CHFMINOVA INDIA LTD, (Intermediate Division) Plot No. - (27+28)/A, GIDC, PANOLI Dist Bharuch Ph. No. 9033978622 to 26, e-mail- Vinod.Patel@fmc.com								
4.	Production (Product wise) during year April 2019 to March 2020	<table border="1"> <thead> <tr> <th>Product</th> <th>Quantity in (MT)</th> </tr> </thead> <tbody> <tr> <td>1. DIETHYL THIOPHOSPHORYL CHLORIDE (DETPC / NADETA)</td> <td>4378.686</td> </tr> <tr> <td>2. AZOLE GROUP BASED PRODUCTS (FLORASULAM)</td> <td>9.474</td> </tr> <tr> <td>3. Bixlozone (F-9600)</td> <td>29.253</td> </tr> </tbody> </table>	Product	Quantity in (MT)	1. DIETHYL THIOPHOSPHORYL CHLORIDE (DETPC / NADETA)	4378.686	2. AZOLE GROUP BASED PRODUCTS (FLORASULAM)	9.474	3. Bixlozone (F-9600)	29.253
Product	Quantity in (MT)									
1. DIETHYL THIOPHOSPHORYL CHLORIDE (DETPC / NADETA)	4378.686									
2. AZOLE GROUP BASED PRODUCTS (FLORASULAM)	9.474									
3. Bixlozone (F-9600)	29.253									



# SIX MONTHLY EC COMPLIANCE REPORT

PCB ID- 15016

Year -2019-20

## PART-A

1	Total Quantity of Category wise waste generated category wise	Hazardous waste generation	Category	Quantity Generated (in MT)
		1. Chemical sludge from waste water treatment (ETP Sludge)	35.3	1264.000
		2. Used or spent oil	5.1	0.460
		3. Empty barrels/containers/ liners contaminated with hazardous chemicals / wastes (a) Non-Recyclable Plastic / Contaminated liners, bags (b) Insulation waste (c) Asbestos sheet	33.1	16.905 8.130 9.465 Total Qty. = 34.500
		4. Process waste or Residue (a) For Incineration (b) For Co-process	29.1 29.1	271.000
		5. Process waste or Residue (Solid waste / Evaporation Salt)	29.1	Nil
		6. Total Sulphur	B37	23.865





# SIX MONTHLY EC COMPLIANCE REPORT

PCB ID- 15016

Year -2019-20

## PART-A

2	Total Quantity of Category wise waste Disposed	Hazardous waste	Category	To Disposal Facility TSDF/CHWIF (in MT)	To Recycler/Co-processors (in MT)	To Others (in MT)	Remarks (Details enclose as)
		1. Chemical sludge from waste water treatment (ETP Sludge)	35.3	1289.000	Nil	Nil	ANNEXURE- A
		2. Used or spent oil	5.1	Nil	0.460	Nil	ANNEXURE- B
		3. Empty barrels/containers/ liners contaminated with hazardous chemicals / wastes (a) Non-Recyclable Plastic / Contaminated liners, bags (b) Insulation waste (c) Asbestos sheet	33.1	(a) 16.960 (b) 8.770 (c) 10.760 Total Qty.=36.490		Nil	ANNEXURE- C
		4. Process waste or Residue (a) For Incineration (b) For Co-process	29.1 29.1	(a) 13.415	(b) 255.580	Nil	ANNEXURE- D
		5. Process waste or Residue (Solid waste / Evaporation Salt)	29.1	Nil	Nil	Nil	Nil
		6. Total Sulphur	837	24.415	Nil	Nil	ANNEXURE- E
		7. Spent Solvent	20.2	Nil	Nil	Nil	
3	Quantity utilized in-house			NIL			



5

# SIX MONTHLY EC COMPLIANCE REPORT

PCB ID- 15016

Year -2019-20

## PART-A

4	Total Quantity of Category wise waste storage at the end of the year	Hazardous waste	Category	Quantity (in MT)
		1. Chemical sludge from waste water treatment (ETP Sludge)	35.3	19.690
		2. Used or spent oil	5.1	Nil
		3. Empty barrels/containers/ liners contaminated with hazardous chemicals / wastes (a) Non-Recyclable Plastic / Contaminated liners, bags (b) Insulation waste (c) Asbestos sheet (d) Discarded containers	33.1	0.995 Nil Nil Nil Total Qty. = 0.995
		4. Process waste or Residue (c) For Incineration (d) For Co-process	29.1 29.1	12.612
		5. Process waste or Residue (Solid waste / Evaporation Salt)	29.1	Nil
		6. Total Sulphur	B37	6.000



6

# SIX MONTHLY EC COMPLIANCE REPORT

PCB ID- 15016

## PART-A

### HAZARDOUS WASTE DISPOSAL DETAILS

ANNEXURE- A

(1) Chemical sludge from waste water treatment (ETP Sludge) Cat- 35.3

Month of disposal	Date of disposal	Manifest No.	Quantity (In MT)	Disposed to
Apr-19	11-Apr-19	866458	15.480	BEIL
	12-Apr-19	867028	16.175	BEIL
	18-Apr-19	870651	15.785	BEIL
	18-Apr-19	870646	14.415	BEIL
	22-Apr-19	872735	15.280	BEIL
	24-Apr-19	873721	16.955	BEIL
	24-Apr-19	873746	15.310	BEIL
	29-Apr-19	876638	15.010	BEIL
	29-Apr-19	876670	15.540	BEIL
	29-Apr-19	876670	15.540	BEIL
May-19	3-May-19	879322	16.385	BEIL
	3-May-19	879365	15.885	BEIL
	10-May-19	883570	15.360	BEIL
	10-May-19	883594	15.865	BEIL
	14-May-19	885644	14.390	BEIL
	14-May-19	885637	12.520	BEIL
	22-May-19	890149	14.645	BEIL
	22-May-19	890152	12.115	BEIL
	28-May-19	893596	11.740	BEIL
	28-May-19	893596	11.740	BEIL
Jun-19	3-Jun-19	896455	15.625	BEIL
	8-Jun-19	898807	13.880	BEIL
	11-Jun-19	900025	14.625	BEIL
	11-Jun-19	900054	15.040	BEIL
Oct-19	23-Oct-19	933655	14.415	BEIL
	27-Oct-19	955715	12.900	BEIL
Nov-19	13-Nov-19	962027	17.145	BEIL
	16-Nov-19	963895	15.535	BEIL
	19-Nov-19	965589	16.470	BEIL
	20-Nov-19	966728	14.445	BEIL
	20-Nov-19	966628	12.310	BEIL
	23-Nov-19	969084	33.155	Detox
	23-Nov-19	969801	14.705	BEIL
	25-Nov-19	970017	24.040	Detox
	27-Nov-19	971748	39.120	Detox
	29-Nov-19	972800	30.000	Detox
Dec-19	29-Nov-19	972804	10.340	Detox
	2-Dec-19	975005	25.975	Detox
	3-Dec-19	975753	23.010	Detox
	4-Dec-19	976406	22.205	Detox
	6-Dec-19	978432	22.060	Detox
	9-Dec-19	980579	28.915	Detox
	11-Dec-19	981964	20.965	Detox
	16-Dec-19	986109	38.850	Detox
	20-Dec-19	989103	27.680	Detox
	23-Dec-19	991377	24.810	Detox
	24-Dec-19	992265	25.585	Detox
	24-Dec-19	992265	25.585	Detox



## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity (In MT)	Disposed to
Dec-19	27-Dec-19	995024	26.295	Detox
	31-Dec-19	998215	25.780	Detox
Jan-20	2-Jan-20	999831	23.485	Detox
	13-Jan-20	1007748	27.925	Detox
	16-Jan-20	1009480	22.620	Detox
	21-Jan-20	1013110	38.260	Detox
	30-Jan-20	1020392	24.810	Detox
	3-Feb-20	1023594	24.115	Detox
Feb-20	8-Feb-20	1027472	26.375	Detox
	12-Feb-20	1030261	24.865	Detox
	17-Feb-20	1033721	20.185	Detox
	18-Feb-20	1034742	25.790	Detox
	24-Feb-20	1039131	19.450	Detox
	24-Feb-20	1039161	25.795	Detox
	3-Mar-20	1044553	23.795	Detox
	7-Mar-20	1047495	24.890	Detox
Mar-20	14-Mar-20	1051415	15.250	Detox
	17-Mar-20	1053753	26.655	Detox
TOTAL QUANTITY (In MT)			1289.000	

### ANNEXURE- B

#### (2) Used or spent oil Cat-5.1

Month of disposal	Date of disposal	Manifest No.	Quantity (In MT)	Disposed to Refiners
Nov-19	26-Nov-19	970958	0.460	ABC Organic & Chemicals
TOTAL QUANTITY (In MT)			0.460	





# SIX MONTHLY EC COMPLIANCE REPORT

PCB ID- 15016

PART-A

ANNEXURE- C

- (3) Empty barrels/containers/ liners contaminated with hazardous chemicals / wastes Cat -33.1  
(a) Non-Recyclable Plastic /Contaminated liners, bags (Land Filling)

Month of disposal	Date of disposal	Manifest No.	Quantity (In MT)	Disposed to
May-19	2-May-19	879054	2.240	BEIL
	27-May-19	893266	1.495	BEIL
Nov-19	29-Nov-19	973110	1.070	BEIL
Dec-19	9-Dec-19	980418	1.560	BEIL
	12-Dec-19	982738	1.455	BEIL
	16-Dec-19	985986	1.350	BEIL
	20-Dec-19	989328	1.820	BEIL
Jan-20	21-Jan-20	1013374	1.600	BEIL
Feb-20	20-Feb-20	1036264	1.480	BEIL
	27-Feb-20	1040851	1.580	BEIL
Mar-20	3-Mar-20	1044155	1.310	BEIL
Sub TOTAL QUANTITY (In MT)			16.960	

- (3) Empty barrels/containers/ liners contaminated with hazardous chemicals / wastes Cat -33.1  
(b) Insulation waste (Land Filling)

Month of disposal	Date of disposal	Manifest No.	Quantity (In MT)	Disposed to
May-19	2-May-19	878937	0.905	BEIL
	3-May-19	879508	0.910	BEIL
Jan-20	4-Jan-20	1001429	1.025	BEIL
	31-Jan-20	1020907	1.025	BEIL
Feb-20	14-Feb-20	1031626	1.160	BEIL
	24-Feb-20	1039161	1.480	BEIL
	27-Feb-20	1040837	1.125	BEIL
	29-Feb-20	1042584	0.480	BEIL
Mar-20	17-Mar-20	1053407	0.660	BEIL
TOTAL QUANTITY (In MT)			8.770	

- (3) Empty barrels/containers/ liners contaminated with hazardous chemicals / wastes Cat -33.1  
(c) Asbestos sheet (Land Filling)

Month of disposal	Date of disposal	Manifest No.	Quantity (In MT)	Disposed to
Mar-20	5-Mar-20	1046152	2.820	BEIL
	7-Mar-20	1047409	2.230	BEIL
	9-Mar-20	1048590	2.645	BEIL
	11-Mar-20	1049388	3.065	BEIL
TOTAL QUANTITY (In MT)			10.760	



# SIX MONTHLY EC COMPLIANCE REPORT

(PCB ID- 15016)

PART-A

ANNEXURE-D

## 4 Process waste or Residue Cat -29.1

### (a) For Incineration

Month of disposal	Date of disposal	Manifest No.	Quantity (In MT)	Disposed to
Nov-19	25-Nov-19	970302	5.625	BEIL
Feb-20	24-Feb-20	1038944	5.390	BEIL
Mar-20	4-Mar-20	1045283	2.400	BEIL
TOTAL QUANTITY (In MT)			13.415	

## 5 Process waste or Residue Cat -29.1

### (b) For Co-processing

Month of disposal	Date of disposal	Manifest No.	Quantity (In MT)	Disposed to
May-19	22-May-19	890471	12.655	RSPL
	23-May-19	891030	9.200	RSPL
Jun-19	4-Jun-19	897110	14.900	RSPL
	12-Jun-19	900515	21.245	RSPL
	26-Jun-19	906194	20.215	RSPL
Jul-19	7-Jul-19	910506	12.130	RSPL
	10-Jul-19	911411	21.420	RSPL
	14-Jul-19	913271	7.305	RSPL
	16-Jul-19	914062	7.605	RSPL
	24-Jul-19	917837	11.040	RSPL
	27-Jul-19	918892	19.610	RSPL
Aug-19	6-Aug-19	922230	9.135	RSPL
	23-Aug-19	927965	22.030	RSPL
	28-Aug-19	930075	9.540	RSPL
	29-Aug-19	930380	23.250	RSPL
Sep-19	10-Sep-19	934930	8.290	RSPL
	18-Sep-19	937554	8.600	RSPL
Feb-20	6-Feb-20	1025949	8.675	RSPL
	18-Feb-20	1034374	8.735	RSPL
TOTAL QUANTITY (In MT)			255.580	

ANNEXURE-E

## 6 Recovered Sulphur Cat -B-37

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
May-19	4-May-19	880214	7.025	BEIL
Dec-19	31-Dec-19	998007	17.390	BEIL
TOTAL QUANTITY (In MT)			24.415	





PCB ID- 15016

Year -2019-20

## PART-A

## DETAILS OF BYPRODUCT (HAZARDOUS WASTE DISPOSED /TO END USERS)

1	Total Quantity of Category wise waste generated category wise	Hazardous waste generation	Category	Quantity Generated (in MT)
		Sodium Hydro sulfide 30%	-	2470.486
		Hydrochloric Acid 30%	B-15	3177.600
		Phosphoric Acid	B-15	545.600
		Sodium Bisulphite Powder	-	979.200
		Sodium Sulphite	-	264.565
		Sodium Bisulphite Solution (30%)	-	2813.085

2	Total Quantity of Category wise waste Disposed	Hazardous waste generation	Category	Quantity Disposal (in MT)
		Sodium Hydro sulfide 30%	-	2441.061
		Hydrochloric Acid 30%	B-15	3230.880
		Phosphoric Acid	B-15	490.140
		Sodium Bisulphite Powder	-	1012.720
		Sodium Sulphite	-	264.565
		Sodium Bisulphite Solution (30%)	-	2890.855

3	Total Quantity of Category wise waste storage at the end of the year	Hazardous waste generation	Category	Quantity Generated (in MT)
		Sodium Hydro sulfide 30%	-	69.980
		Hydrochloric Acid 30%	B-15	45.078
		Phosphoric Acid	B-15	67.115
		Sodium Bisulphite Powder	-	20.200
		Sodium Sulphite	-	35.000
		Sodium Bisulphite Solution (30%)	-	33.655



# SIX MONTHLY EC COMPLIANCE REPORT

ANNEXURE-F

## 1 Sodium Hydro sulfide 30%, Cat : Not Applicable

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
Apr-19	2-Apr-19	861627	16.365	Ohm Dye Chem
	4-Apr-19	862858	16.430	Dev Dyechem Industries
	6-Apr-19	864004	16.425	R.P. Industries
	8-Apr-19	864904	13.720	Pragna Chemical Industries
	8-Apr-19	864818	16.245	Sahyog Pharmachem Industries
	11-Apr-19	866682	15.320	Shree Hari Organic
	13-Apr-19	868030	15.005	Jayvir Dye Chem
	15-Apr-19	868884	16.345	Saga Chemie Pvt.Ltd.
	17-Apr-19	870273	16.355	Pragna Chemical Industries
	18-Apr-19	871038	16.050	R.P. Industries
	22-Apr-19	873071	17.675	Jayvir Dye Chem
	24-Apr-19	874153	15.350	Ohm Dye Chem
	26-Apr-19	875499	15.785	Dev Dyechem Industries
	29-Apr-19	877024	16.100	Pragna Chemical Industries
	29-Apr-19	877046	7.945	R.P. Industries
	4-May-19	880312	14.101	Dev Dyechem Industries
May-19	8-May-19	882464	16.285	Ohm Dye Chem
	11-May-19	884301	16.815	Pragna Chemical Industries
	13-May-19	885198	14.785	Saga Chemie Pvt.Ltd.
	14-May-19	885951	16.485	Jayvir Dye Chem
	17-May-19	887477	16.160	Ohm Dye Chem
	20-May-19	889180	16.665	Ohm Dye Chem
	22-May-19	890499	16.290	Supreme Industries
	23-May-19	890881	17.900	Sahyog pharma Industries
	25-May-19	892332	16.925	Dev Dyechem Industries
	28-May-19	893844	17.185	R.P. Industries
	30-May-19	895065	17.310	Jay Vir Dyechem
Jun-19	3-Jun-19	896577	16.305	R.P. Industries
	5-Jun-19	897679	16.305	Pragna Chemical Industries
	6-Jun-19	898100	16.345	R.P. Industries
	8-Jun-19	899009	18.140	Dev Dyechem Industries
	10-Jun-19	899796	16.640	R.P. Industries
	12-Jun-19	900864	17.640	R.P. Industries
	13-Jun-19	901286	18.010	Jayvir Dye Chem
	14-Jun-19	901743	14.495	R.P. Industries
	17-Jun-19	902669	18.185	Sahyog Pharmachem Industries
	19-Jun-19	903588	17.460	R.P. Industries
	20-Jun-19	904027	16.685	Ohm Dye Chem
	24-Jun-19	905406	15.215	Pragna Chemical Industries
	25-Jun-19	906062	15.355	Jayvir Dye Chem
	26-Jun-19	906429	9.825	R.P. Industries
	29-Jun-19	907572	15.790	Dev Dyechem Industries
Jul-19	29-Jun-19	907637	4.665	R.P. Industries
	1-Jul-19	908202	17.215	Pragna Chemical Industries
	9-Jul-19	911243	17.150	Jayvir Dye Chem
	11-Jul-19	912206	15.025	Ohm Dye Chem
	13-Jul-19	913112	14.495	Pragna Chemical Industries
	15-Jul-19	913845	15.660	R.P. Industries
	17-Jul-19	914753	16.840	Jayvir Dye Chem





## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	19-Jul-19	915677	17.390	R.P. Industries
	22-Jul-19	916653	15.960	Ohm Dye Chem
	23-Jul-19	917209	16.295	Dev Dyechem Industries
	25-Jul-19	918273	16.460	R.P. Industries
	27-Jul-19	919023	16.500	Sahyog Pharmachem Industries
	29-Jul-19	919696	10.760	R.P. Industries
	30-Jul-19	920064	16.385	Jay Vir Dyechem
<b>Aug-19</b>	02-Aug-19	921158	18.415	Ohm Dye Chem
	05-Aug-19	921961	16.360	R.P. Industries
	12-Aug-19	924371	16.580	Sahyog Pharmachem Industries
	14-Aug-19	925160	19.250	R.P. Industries
	19-Aug-19	926508	18.405	Ohm Dye Chem
	21-Aug-19	927419	18.660	Dev Dyechem Industries
	26-Aug-19	929307	17.375	Saga Chemie Pvt.Ltd.
	27-Aug-19	929658	12.525	R.P. Industries
	28-Aug-19	930101	18.115	R.P. Industries
	31-Aug-19	911390	16.575	Supreme Industries
<b>Sep-19</b>	04-Sep-19	932789	16.475	R.P. Industries
	05-Sep-19	933204	16.120	Ohm Dye Chem
	13-Sep-19	935901	17.725	Dev Dyechem Industries
	16-Sep-19	936817	18.535	Raina Industries
	17-Sep-19	937371	18.580	Pragna Chemical Industries
	19-Sep-19	938133	16.355	Supreme Industries
	23-Sep-19	939472	16.445	Supreme Industries
	23-Sep-19	939478	18.470	Jayvir Dye Chem
	24-Sep-19	940016	23.080	R.P. Industries
	26-Sep-19	940770	18.605	Raina Industries
	27-Sep-19	941329	15.270	R.P. Industries
	30-Sep-19	942260	18.605	Raina Industries
<b>Oct-19</b>	1-Oct-19	942662	16.445	Supreme Industries
	1-Oct-19	942642	15.665	R.P. Industries
	4-Oct-19	943816	16.205	Supreme Industries
	5-Oct-19	944194	18.575	Raina Industries
	7-Oct-19	944846	18.585	Ohm Dye Chem
	9-Oct-19	945389	18.760	Dev Dyechem Industries
	12-Oct-19	947276	16.690	Raina Industries
	14-Oct-19	948217	16.580	Supreme Industries
	14-Oct-19	948243	18.375	Jayvir Dye Chem
	16-Oct-19	949316	15.535	R.P. Industries
	18-Oct-19	950477	15.500	Ohm Dye Chem
	21-Oct-19	952425	16.705	Supreme Industries
	21-Oct-19	952412	16.765	Jayvir Dye Chem
	23-Oct-19	954052	15.340	R.P. Industries
	25-Oct-19	954845	16.810	Pragna Chemical Industries
	26-Oct-19	955540	15.630	Raina Industries
<b>Nov-19</b>	1-Nov-19	956842	17.760	R.P. Industries
	4-Nov-19	957884	16.680	Supreme Industries
	4-Nov-19	957868	16.370	R.P. Industries
	6-Nov-19	958955	17.665	Jayvir Dye Chem
	8-Nov-19	959774	10.170	Pragna Chemical Industries
	9-Nov-19	960162	15.450	Ohm Dye Chem



## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	11-Nov-19	961040	15.680	R.P. Industries
	12-Nov-19	961676	13.475	R.P. Industries
	14-Nov-19	962703	17.290	Dev Dyechem Industries
	16-Nov-19	964032	14.625	Raina Industries
	19-Nov-19	945996	16.450	Ohm Dye Chem
	22-Nov-19	968251	16.945	Sahyog Pharmachem Industries
	25-Nov-19	970174	10.225	R.P. Industries
	27-Nov-19	971498	17.095	Jayvir Dye Chem
	29-Nov-19	973347	15.095	Supreme Industries
	30-Nov-19	974102	16.350	Dev Dyechem Industries
<b>Dec-19</b>	4-Dec-19	976734	16.380	R.P. Industries
	6-Dec-19	978439	8.480	Pragna Chemical Industries
	10-Dec-19	981613	17.125	R.P. Industries
	16-Dec-19	986037	9.710	R.P. Industries
	25-Dec-19	992744	17.180	Jayvir Dye Chem
	27-Dec-19	995007	17.500	Sahyog Pharmachem Industries
	30-Dec-19	997365	16.200	Supreme Industries
	31-Dec-19	998162	6.755	R.P. Industries
<b>Jan-20</b>	2-Jan-20	999863	22.740	R.P. Industries
	3-Jan-20	1000636	16.295	Supreme Industries
	4-Jan-20	1001408	16.460	Ohm Dye Chem
	8-Jan-20	1004388	15.375	R.P. Industries
	17-Jan-20	1010530	16.655	R.P. Industries
	21-Jan-20	1013349	18.225	R.P. Industries
	22-Jan-20	1014255	16.105	Supreme Industries
	23-Jan-20	1015086	18.155	Jayvir Dye Chem
	25-Jan-20	1016522	18.290	Dev Dyechem Industries
	27-Jan-20	1017941	16.105	Ohm Dye Chem
	28-Jan-20	1018915	17.590	Sahyog Pharmachem Industries
	30-Jan-20	1020614	15.060	Jayvir Dye Chem
<b>Feb-20</b>	3-Feb-20	1023552	17.525	R.P. Industries
	4-Feb-20	1024489	18.140	Raina Industries
	4-Feb-20	1024459	16.470	Supreme Industries
	6-Feb-20	1025979	17.430	Dev Dyechem Industries
	14-Feb-20	1032037	17.285	Ohm Dye Chem
	15-Feb-20	1032626	16.290	Pragna Chemical Industries
	17-Feb-20	1033961	19.735	R.P. Industries
	19-Feb-20	1035721	15.115	Saga Chemie Pvt. Ltd
	20-Feb-20	1036474	18.695	Dev Dyechem Industries
	22-Feb-20	1037868	15.995	Ohm Dye Chem
	24-Feb-20	1038858	16.325	R.P. Industries
	25-Feb-20	1039829	15.020	Supreme Industries
	28-Feb-20	1042008	16.440	Saga Chemie Pvt. Ltd
<b>Mar-20</b>	4-Mar-20	1045462	16.180	Ohm Dye Chem
	9-Mar-20	1048898	17.075	Jayvir Dye Chem
	12-Mar-20	1050149	17.055	Ohm Dye Chem
	13-Mar-20	1051073	16.530	Sahyog Pharmachem Industries
	16-Mar-20	1052879	17.995	Jayvir Dye Chem
	20-Mar-20	1056196	18.075	Ohm Dye Chem
	23-Mar-20	1057483	18.630	R.P. Industries
	<b>TOTAL QUANTITY (In MT)</b>		<b>2441.061</b>	





# SIX MONTHLY EC COMPLIANCE REPORT

ANNEXURE-G

## 2 Hydrochloric Acid 30% Cat: B-15

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
Apr-19	1-Apr-19	861096	16.645	Sulaksh Chemicals
	4-Apr-19	863000	26.005	Sulaksh Chemicals
	5-Apr-19	863493	19.385	Rahul Intermediates
	5-Apr-19	863506	21.740	Sulaksh Chemicals
	6-Apr-19	864003	15.665	Sulaksh Chemicals
	11-Apr-19	866589	19.950	Sulaksh Chemicals
	11-Apr-19	866799	25.410	Sulaksh Chemicals
	18-Apr-19	870715	20.145	Sulaksh Chemicals
	19-Apr-19	871571	17.455	Sulaksh Chemicals
	23-Apr-19	873448	17.390	Sulaksh Chemicals
	25-Apr-19	874474	17.365	Sulaksh Chemicals
	26-Apr-19	875495	25.020	Sulaksh Chemicals
	30-Apr-19	877588	21.400	Gujarat Feed Care
May-19	1-May-19	878239	19.915	Sulaksh Chemicals
	3-May-19	879710	21.130	Gujarat Feed Care
	4-May-19	880417	21.335	Sulaksh Chemicals
	7-May-19	881649	25.710	Gujarat Feed Care
	7-May-19	881850	21.050	Gujarat Feed Care
	8-May-19	882593	19.685	Sulaksh Chemicals
	10-May-19	883934	20.090	Gujarat Feed Care
	13-May-19	885292	22.730	Gujarat Feed Care
	13-May-19	885101	19.185	Gujarat Feed Care
	15-May-19	886562	19.790	Gujarat Feed Care
	17-May-19	887724	20.135	Gujarat Feed Care
	20-May-19	888867	17.455	Sulaksh Chemicals
	21-May-19	889857	21.460	Gujarat Feed Care
	23-May-19	890994	18.535	Sulaksh Chemicals
Jun-19	27-May-19	893225	24.105	Gujarat Feed Care
	1-Jun-19	896045	20.675	Gujarat Feed Care
	4-Jun-19	897289	22.590	Gujarat Feed Care
	6-Jun-19	898105	19.150	Gujarat Feed Care
	7-Jun-19	898652	20.120	Gujarat Feed Care
	10-Jun-19	899780	21.535	Sulaksh Chemicals
	11-Jun-19	900249	20.490	Gujarat Feed Care
	14-Jun-19	901520	20.295	Gujarat Feed Care
	17-Jun-19	902676	19.130	Gujarat Feed Care
	18-Jun-19	903041	21.090	Gujarat Feed Care
	19-Jun-19	903514	21.430	Sulaksh Chemicals
	22-Jun-19	904866	17.830	Gujarat Feed Care
	26-Jun-19	906421	20.220	Gujarat Feed Care
	29-Jun-19	907635	19.320	Gujarat Feed Care
Jul-19	5-Jul-19	909878	19.985	Sulaksh Chemicals
	11-Jul-19	912205	19.245	Sulaksh Chemicals
	11-Jul-19	912197	19.675	Rahul Intermediates
	12-Jul-19	912687	25.945	Gujarat Feed Care
	17-Jul-19	914495	27.155	Rahul Intermediates
	17-Jul-19	914689	20.205	Rahul Intermediates





## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	18-Jul-19	914982	26.120	Gujarat Feed Care
	18-Jul-19	915279	17.335	Sulaksh Chemicals
	22-Jul-19	916820	19.620	Rahul Intermediates
	23-Jul-19	917276	22.675	Gujarat Feed Care
	24-Jul-19	917826	9.850	Rahul Intermediates
	26-Jul-19	918723	20.435	Sulaksh Chemicals
	29-Jul-19	919692	19.310	Rahul Intermediates
	30-Jul-19	920193	20.545	Rahul Intermediates
Aug-19	05-Aug-19	921908	21.455	Rahul Intermediates
	05-Aug-19	921993	10.140	Rahul Intermediates
	05-Aug-19	921969	20.210	Sulaksh Chemicals
	07-Aug-19	922792	19.470	Gujarat Feed Care
	08-Aug-19	923138	20.855	Rahul Intermediates
	12-Aug-19	924370	20.780	Rahul Intermediates
	13-Aug-19	924495	26.285	Sulaksh Chemicals
	18-Aug-19	926115	19.720	Rahul Intermediates
	19-Aug-19	926590	21.205	Sulaksh Chemicals
	21-Aug-19	927425	20.805	Rahul Intermediates
	21-Aug-19	927177	18.195	Sulaksh Chemicals
	26-Aug-19	929317	20.310	Rahul Intermediates
	28-Aug-19	930111	19.295	Sulaksh Chemicals
	30-Aug-19	930978	19.115	Gujarat Feed Care
	31-Aug-19	931387	19.480	Sulaksh Chemicals
	31-Aug-19	911394	20.535	Rahul Intermediates
Sep-19	04-Sep-19	932662	20.850	Rahul Intermediates
	05-Sep-19	933129	21.450	Sulaksh Chemicals
	09-Sep-19	934672	19.320	Sulaksh Chemicals
	11-Sep-19	935381	20.390	Sulaksh Chemicals
	13-Sep-19	935995	20.775	Sulaksh Chemicals
	17-Sep-19	937413	20.945	Rahul Intermediates
	17-Sep-19	937423	19.635	Sulaksh Chemicals
	19-Sep-19	938220	20.890	Sulaksh Chemicals
	19-Sep-19	938100	20.590	Rahul Intermediates
	23-Sep-19	939661	10.425	Rahul Intermediates
	24-Sep-19	939846	20.590	Sulaksh Chemicals
	24-Sep-19	940004	20.490	Rahul Intermediates
	26-Sep-19	940773	20.865	Sulaksh Chemicals
	27-Sep-19	941414	20.345	Rahul Intermediates
	30-Sep-19	942304	21.150	Sulaksh Chemicals
Oct-19	1-Oct-19	942587	20.735	Rahul Intermediates
	3-Oct-19	943222	11.910	Sulaksh Chemicals
	4-Oct-19	943815	10.545	Rahul Intermediates
	7-Oct-19	944834	20.420	Rahul Intermediates
	9-Oct-19	945614	21.025	Sulaksh Chemicals
	15-Oct-19	948884	20.285	Rahul Intermediates
	16-Oct-19	949424	20.675	Sulaksh Chemicals
	21-Oct-19	952420	20.690	Rahul Intermediates
	23-Oct-19	954043	21.585	Sulaksh Chemicals
	24-Oct-19	954512	20.020	Rahul Intermediates
	24-Oct-19	954569	19.990	Rahul Intermediates
	30-Oct-19	956203	20.680	Rahul Intermediates



## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
Nov-19	2-Nov-19	957229	19.855	Rahul Intermediates
	2-Nov-19	957212	20.690	Sulaksh Chemicals
	5-Nov-19	958381	20.500	Rahul Intermediates
	5-Nov-19	958376	19.795	Rahul Intermediates
	6-Nov-19	958830	20.285	Rahul Intermediates
	6-Nov-19	958978	20.425	Rahul Intermediates
	8-Nov-19	959788	20.310	Rahul Intermediates
	8-Nov-19	959784	20.270	Rahul Intermediates
	11-Nov-19	961137	20.650	Rahul Intermediates
	14-Nov-19	962883	20.925	Rahul Intermediates
	19-Nov-19	966001	20.080	Rahul Intermediates
	20-Nov-19	966001	20.080	Rahul Intermediates
	22-Nov-19	968227	16.070	Rahul Intermediates
	22-Nov-19	968193	20.130	Rahul Intermediates
	23-Nov-19	969062	15.985	Rahul Intermediates
	23-Nov-19	969076	19.820	Rahul Intermediates
	26-Nov-19	971006	20.410	Rahul Intermediates
	27-Nov-19	971620	16.475	Rahul Intermediates
	28-Nov-19	972555	19.785	Rahul Intermediates
	29-Nov-19	973329	19.610	Rahul Intermediates
Dec-19	2-Dec-19	975234	21.925	Rahul Intermediates
	5-Dec-19	977603	15.200	Rahul Intermediates
	23-Dec-19	991412	21.570	Gujarat Feed Care
	26-Dec-19	993924	17.550	Rahul Intermediates
	26-Dec-19	994099	20.220	Rahul Intermediates
	28-Dec-19	995739	21.170	Rahul Intermediates
Jan-20	2-Jan-20	999852	22.715	Rahul Intermediates
	4-Jan-20	1001019	19.220	Rahul Intermediates
	6-Jan-20	1002810	24.660	Rahul Intermediates
	7-Jan-20	1003542	20.750	Rahul Intermediates
	8-Jan-20	1004397	13.945	Rahul Intermediates
	13-Jan-20	1008005	12.365	Rahul Intermediates
	16-Jan-20	1009669	17.170	Rahul Intermediates
	20-Jan-20	1012481	20.025	Rahul Intermediates
	22-Jan-20	1014239	20.305	Rahul Intermediates
	24-Jan-20	1015766	19.975	Rahul Intermediates
	25-Jan-20	1016677	22.910	Gujarat Feed Care
	28-Jan-20	1018983	24.330	Gujarat Feed Care
	31-Jan-20	1021081	19.750	Gujarat Feed Care
Feb-20	3-Feb-20	1023559	19.035	Gujarat Feed Care
	4-Feb-20	1024450	25.445	Gujarat Feed Care
	6-Feb-20	1025971	23.820	Gujarat Feed Care
	7-Feb-20	1026659	18.640	Gujarat Feed Care
	8-Feb-20	1027555	19.860	Rahul Intermediates
	14-Feb-20	1032067	25.440	Gujarat Feed Care
	18-Feb-20	1034802	16.335	Rahul Intermediates
	19-Feb-20	1035508	24.905	Gujarat Feed Care
	22-Feb-20	1037859	25.115	Gujarat Feed Care
	24-Feb-20	1039053	19.665	Rahul Intermediates
	25-Feb-20	1039347	19.265	Rahul Intermediates
	25-Feb-20	1039817	23.910	Rahul Intermediates





## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	27-Feb-20	1041025	18.800	Rahul Intermediates
Mar-20	2-Mar-20	1043852	24.610	Rahul Intermediates
	5-Mar-20	1046001	17.085	Rahul Intermediates
	7-Mar-20	1047385	16.035	Rahul Intermediates
	7-Mar-20	1047568	17.385	Rahul Intermediates
	9-Mar-20	1048881	14.815	Rahul Intermediates
	9-Mar-20	1048883	24.110	Rahul Intermediates
	14-Mar-20	1051566	15.950	Rahul Intermediates
	16-Mar-20	1052805	16.260	Rahul Intermediates
	17-Mar-20	1053728	19.895	Rahul Intermediates
	19-Mar-20	1055359	24.455	Rahul Intermediates
	20-Mar-20	1056161	19.040	Rahul Intermediates
	<b>TOTAL QUANTITY (In MT)</b>		<b>3230.880</b>	

### 3 Phosphoric Acid Cat: B-15

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
Apr-19	2-Apr-19	861662	9.090	Choksey Chemical Industries
	10-Apr-19	865965	9.405	Choksey Chemical Industries
	12-Apr-19	867454	8.365	Choksey Chemical Industries
	18-Apr-19	871042	8.915	Choksey Chemical Industries
May-19	2-May-19	879027	9.120	S.R. Chemical
	22-May-19	890503	9.650	S.R. Chemicals
	27-May-19	893232	9.745	Choksey Industries
Jun-19	3-Jun-19	896766	9.255	S.R. Chemicals
	19-Jun-19	903596	9.950	S.R. Chemicals
	28-Jun-19	907262	15.905	Choksey Chemical Industries
Jul-19	12-Jul-19	912691	9.365	Choksey Chemical Industries
	16-Jul-19	914280	9.260	Choksey Chemical Industries
	19-Jul-19	915674	9.295	Choksey Chemical Industries
	31-Jul-19	920375	9.155	Choksey Chemical Industries
Aug-19	20-Aug-19	926960	9.380	Choksey Chemical Industries
	28-Aug-19	930204	8.835	S.R. Chemicals
	29-Aug-19	930659	5.390	Dev Satya Industries
Sep-19	10-Sep-19	934933	8.765	Choksey Chemical Industries
	13-Sep-19	935974	9.975	S.R. Chemicals
	16-Sep-19	936811	9.675	Choksey Chemical Industries
	23-Sep-19	938482	9.250	Choksey Chemical Industries
	27-Sep-19	941319	9.335	S.R. Chemicals
Oct-19	7-Oct-19	944837	9.500	Choksey Industries
	9-Oct-19	945597	9.075	Choksey Industries
	11-Oct-19	946725	9.535	S.R. Chemicals
	15-Oct-19	948877	8.715	Choksey Chemical Industries
	22-Oct-19	953124	9.035	Choksey Chemical Industries
	25-Oct-19	955107	8.765	Choksey Chemical Industries
Nov-19	5-Nov-19	958535	9.400	Choksey Chemical Industries
	7-Nov-19	959423	8.690	Choksey Chemical Industries
	12-Nov-19	961677	9.210	S.R. Chemicals
	15-Nov-19	963523	9.185	S.R. Chemicals



## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	19-Nov-19	966011	8.975	Choksey Chemical Industries
	25-Nov-19	970163	9.325	S.R. Chemicals
	29-Nov-19	973354	8.890	Choksey Chemical Industries
<b>Dec-19</b>	10-Dec-19	981410	9.140	S.R. Chemicals
	17-Dec-19	986521	9.175	S.R. Chemicals
	25-Dec-19	992759	9.030	S.R. Chemicals
	30-Dec-19	997165	9.830	Choksey Chemical Industries
<b>Jan-20</b>	2-Jan-20	999883	9.070	Choksey Chemicals Industries
	11-Jan-20	1006875	5.650	Dev Satya Industries
	23-Jan-20	1015076	9.190	S.R. Chemicals
	25-Jan-20	1016533	9.230	Choksey Chemicals Industries
	28-Jan-20	1018887	9.285	S.R. Chemicals
	31-Jan-20	1021521	9.295	S.R. Chemicals
<b>Feb-20</b>	10-Feb-20	1028771	9.525	S.R. Chemicals
	12-Feb-20	1030235	9.185	S.R. Chemicals
	15-Feb-20	1032698	5.375	Dev Satya Industries
	17-Feb-20	1033986	9.295	Choksey Chemicals Industries
	25-Feb-20	1039856	9.470	Choksey Chemicals Industries
<b>Mar-20</b>	9-Mar-20	1048600	9.385	Choksey Chemicals Industries
	14-Mar-20	1049533	9.105	S.R. Chemicals
	18-Mar-20	1054616	9.225	Choksey Chemicals Industries
	20-Mar-20	1056111	5.300	Dev Satya Industries
<b>TOTAL QUANTITY (In MT)</b>			<b>490.140</b>	

#### 4 Sodium Bisulphite Powder Cat: Not Applicable

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	4-Apr-19	862867	10.000	P.G. Chemicals
	4-Apr-19	862881	10.000	P.G. Chemicals
	5-Apr-19	863496	10.000	Shalibhadra Intermediates
	9-Apr-19	865529	20.000	Shalibhadra Intermediates
	13-Apr-19	868040	20.000	P.G. Chemicals
	17-Apr-19	870269	20.000	P.G. Chemicals
	22-Apr-19	873012	10.000	Shalibhadra Intermediates
	24-Apr-19	874161	5.000	Shalibhadra Intermediates
	27-Apr-19	875987	20.000	Trimurti Chemicals
	4-May-19	880319	10.000	Trimurti Chemicals
	9-May-19	883049	20.000	P.G. Chemicals
	9-May-19	883061	10.000	Karn Chem Corporation
	9-May-19	883339	5.000	Trimurti Chemicals
	11-May-19	884303	20.000	Shalibhadra Intermediates
	13-May-19	885268	10.000	Shalibhadra Intermediates
	15-May-19	886554	10.000	Shalibhadra Intermediates
	21-May-19	889862	10.000	Shalibhadra Intermediates
	22-May-19	890431	20.000	P.G. Chemicals
	23-May-19	891030	1.600	Shalibhadra Intermediates
	25-May-19	892305	10.000	Shalibhadra Intermediates
	1-Jun-19	896049	10.000	Shalibhadra Intermediates
	3-Jun-19	896747	10.000	Shalibhadra Intermediates
	6-Jun-19	898109	10.000	Shalibhadra Intermediates





## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	10-Jun-19	899653	10.000	P.G. Chemicals
	12-Jun-19	900871	10.000	Shalibhadra Intermediates
	15-Jun-19	901972	10.000	Akshar Enterprise
	15-Jun-19	901969	10.000	P.G. Chemicals
	18-Jun-19	903221	2.000	Shalibhadra Intermediates
	19-Jun-19	903520	10.000	Navkar Chemicals
	20-Jun-19	904013	10.000	Shalibhadra Intermediates
	20-Jun-19	904018	5.000	Trimurti Chemicals
	13-Jul-19	913108	10.000	P.G. Chemicals
	18-Jul-19	915272	2.000	Shalibhadra Intermediates
	23-Jul-19	917221	10.000	Shalibhadra Intermediates
	26-Jul-19	918634	20.000	Shalibhadra Intermediates
	27-Jul-19	919021	20.000	Shalibhadra Intermediates
	14-Aug-19	925253	10.000	Shalibhadra Intermediates
	14-Aug-19	925260	12.000	Shalibhadra Intermediates
	20-Aug-19	925258	10.000	Shalibhadra Intermediates
	27-Aug-19	929651	10.000	Navkar Chemicals
	28-Aug-19	930098	2.000	Shalibhadra Intermediates
	30-Aug-19	930994	10.000	Shalibhadra Intermediates
	13-Sep-19	935965	10.000	Karn Chem Corporation
	16-Sep-19	937017	10.000	P.G. Chemicals
	20-Sep-19	938613	5.000	Trimurti Chemicals
	26-Sep-19	940882	2.000	Shalibhadra Intermediates
	26-Sep-19	940764	10.000	Lovely Chemicals
	3-Oct-19	943235	10.000	Akshar Enterprise
	10-Oct-19	946095	10.000	Shalibhadra Intermediates
	17-Oct-19	950072	10.000	Navkar Chemicals
	17-Oct-19	950037	9.000	P.G. Chemicals
	18-Oct-19	950597	10.000	Shalibhadra Intermediates
	22-Oct-19	952996	10.000	Lovely Chemicals
	22-Oct-19	953099	10.000	P.G. Chemicals
	24-Oct-19	954518	10.000	P.G. Chemicals
	24-Oct-19	954618	10.000	Shalibhadra Intermediates
	25-Oct-19	955092	10.000	Shalibhadra Intermediates
	1-Nov-19	956823	20.000	Shalibhadra Intermediates
	2-Nov-19	957189	10.000	P.G. Chemicals
	7-Nov-19	959292	10.000	Karn Chem Corporation
	7-Nov-19	959417	20.000	Shalibhadra Intermediates
	12-Nov-19	961686	10.000	Shalibhadra Intermediates
	18-Nov-19	965254	10.000	Shalibhadra Intermediates
	23-Nov-19	969069	10.000	Shalibhadra Intermediates
	27-Nov-19	971610	10.000	Shalibhadra Intermediates
	28-Nov-19	972530	10.000	Lovely Chemicals
	30-Nov-19	973874	5.000	Trimurti Chemicals
	3-Dec-19	975972	3.000	Trimurti Chemicals
	4-Dec-19	976738	10.000	Shalibhadra Intermediates
	10-Dec-19	981414	10.000	P.G. Chemicals
	16-Dec-19	985765	10.000	Navkar Chemicals
	23-Dec-19	991425	10.000	Navkar Chemicals
	28-Dec-19	995562	10.000	Karn Chem Corporation
	28-Dec-19	995549	10.000	Navkar Chemicals





## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	3-Jan-20	1000581	10.000	Navkar Chemicals
	10-Jan-20	1005946	4.000	Trimurti Chemicals
	21-Jan-20	1013381	10.000	P.G. Chemicals Industries
	22-Jan-20	1014036	10.000	Shalibhadra Intermediates
	24-Jan-20	1015606	10.000	Akshar Enterprise
	29-Jan-20	1019794	10.000	Shalibhadra Intermediates
	1-Feb-20	1022252	5.000	Trimurti Chemicals
	1-Feb-20	1022228	10.000	Lovely Chemicals
	5-Feb-20	1025273	10.000	Karn Chem Corporation
	17-Feb-20	1033975	10.000	Lovely Chemicals
	19-Feb-20	1035448	10.000	Lovely Chemicals
	20-Feb-20	1036176	2.480	Navkar Chemicals
	22-Feb-20	1037874	20.000	Shalibhadra Intermediates
	24-Feb-20	1039062	20.000	Shalibhadra Intermediates
	27-Feb-20	1040814	6.000	Trimurti Chemicals
	29-Feb-20	1042425	14.640	Shalibhadra Intermediates
	4-Mar-20	1045421	2.000	Trimurti Chemicals
	7-Mar-20	1047528	10.000	Shalibhadra Intermediates
	9-Mar-20	1048894	5.000	Trimurti Chemicals
	12-Mar-20	1050116	5.000	Trimurti Chemicals
	17-Mar-20	1053740	20.000	P.G. Chemicals Industries
	19-Mar-20	1055357	10.000	Navkar Chemicals
	20-Mar-20	1056255	10.000	P.G. Chemicals Industries
<b>TOTAL QUANTITY (In MT)</b>			<b>1012.72</b>	

### 5 Sodium Bisulphite Solution (30%) Cat: Not Applicable

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
<b>Apr-19</b>	2-Apr-19	861671	18.725	Ohm Dye Chem
	2-Apr-19	861642	19.355	Trimurti Chemicals
	2-Apr-19	862278	18.900	Lovely Chemicals
	6-Apr-19	864001	19.350	Trimurti Chemicals
	6-Apr-19	863996	18.985	Trimurti Chemicals
	8-Apr-19	864895	19.200	Trimurti Chemicals
	12-Apr-19	867482	19.295	Trimurti Chemicals
	13-Apr-19	868011	19.100	Trimurti Chemicals
	15-Apr-19	868984	19.225	Trimurti Chemicals
	15-Apr-19	868900	18.705	Trimurti Chemicals
	18-Apr-19	870654	18.115	Lovely Chemicals
	18-Apr-19	870955	19.325	Trimurti Chemicals
	22-Apr-19	873065	18.820	Trimurti Chemicals
	24-Apr-19	874146	18.690	Trimurti Chemicals
	27-Apr-19	875980	14.545	P.G. Chemicals
	29-Apr-19	876969	18.480	Trimurti Chemicals
<b>May-19</b>	3-May-19	879608	18.660	Trimurti Chemicals
	7-May-19	882033	22.585	Trimurti Chemicals
	13-May-19	885095	19.580	Trimurti Chemicals
	14-May-19	885949	21.900	Trimurti Chemicals
	17-May-19	887473	22.435	Trimurti Chemicals



## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	20-May-19	889122	20.000	Trimurti Chemicals
	21-May-19	889870	21.840	Trimurti Chemicals
	25-May-19	892324	22.370	Trimurti Chemicals
	27-May-19	893285	19.795	Trimurti Chemicals
<b>Jun-19</b>	1-Jun-19	896051	19.470	Trimurti Chemicals
	3-Jun-19	896580	19.415	Trimurti Chemicals
	5-Jun-19	897745	19.420	Trimurti Chemicals
	8-Jun-19	899012	19.445	Trimurti Chemicals
	10-Jun-19	899839	19.305	Trimurti Chemicals
	12-Jun-19	900868	22.070	Trimurti Chemicals
	17-Jun-19	902762	22.570	Trimurti Chemicals
	17-Jun-19	902665	18.215	Trimurti Chemicals
Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	20-Jun-19	904058	17.765	Trimurti Chemicals
	22-Jun-19	904834	13.495	Trimurti Chemicals
	27-Jun-19	906670	22.490	Trimurti Chemicals
<b>Jul-19</b>	5-Jul-19	909872	18.630	Ohm Dye Chem
	6-Jul-19	910249	18.715	Trimurti Chemicals
	10-Jul-19	911727	24.845	Trimurti Chemicals
	12-Jul-19	912688	24.735	Trimurti Chemicals
	16-Jul-19	914256	19.975	P.G.Chemicals
	16-Jul-19	914269	24.115	Trimurti Chemicals
	25-Jul-19	918140	24.765	P.G.Chemicals
<b>Aug-19</b>	09-Aug-19	923419	18.935	P.G.Chemicals
	14-Aug-19	925111	18.915	P.G.Chemicals
	16-Aug-19	925658	19.460	P.G.Chemicals
	18-Aug-19	926110	19.345	Trimurti Chemicals
	19-Aug-19	926521	18.325	Trimurti Chemicals
	20-Aug-19	926983	19.175	Trimurti Chemicals
	22-Aug-19	927882	19.550	Trimurti Chemicals
	23-Aug-19	928304	13.160	Trimurti Chemicals
	26-Aug-19	929312	19.220	Lovely Chemicals
	28-Aug-19	930104	19.115	Trimurti Chemicals
	30-Aug-19	930979	19.110	Trimurti Chemicals
	30-Aug-19	931152	19.630	Trimurti Chemicals
<b>Sep-19</b>	04-Sep-19	932713	19.145	Trimurti Chemicals
	06-Sep-19	933585	19.205	Trimurti Chemicals
	07-Sep-19	934050	18.990	Trimurti Chemicals
	11-Sep-19	935374	18.985	Lovely Chemicals
	14-Sep-19	936174	19.185	Trimurti Chemicals
	16-Sep-19	936813	19.035	Trimurti Chemicals
	17-Sep-19	937286	25.095	Trimurti Chemicals
	18-Sep-19	937742	17.550	Trimurti Chemicals
	20-Sep-19	938422	17.420	Ohm Dye Chem
	20-Sep-19	938656	18.630	Trimurti Chemicals
	23-Sep-19	939484	15.205	Trimurti Chemicals
	25-Sep-19	940404	18.680	Trimurti Chemicals
	26-Sep-19	940886	18.540	Lovely Chemicals
	28-Sep-19	941762	18.675	Trimurti Chemicals





## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	30-Sep-19	942263	13.120	Trimurti Chemicals
Oct-19	1-Oct-19	942564	16.880	Ohm Dye Chem
	3-Oct-19	943314	18.640	Trimurti Chemicals
	5-Oct-19	944116	18.750	Trimurti Chemicals
	7-Oct-19	944926	18.200	Trimurti Chemicals
	9-Oct-19	945619	15.445	Trimurti Chemicals
	11-Oct-19	946723	18.655	Trimurti Chemicals
	12-Oct-19	947318	18.390	Trimurti Chemicals
	12-Oct-19	947282	24.195	Trimurti Chemicals
	14-Oct-19	948249	14.495	Ohm Dye Chem
	15-Oct-19	948879	18.670	Trimurti Chemicals
	18-Oct-19	950760	18.695	Trimurti Chemicals
	21-Oct-19	952430	18.765	Trimurti Chemicals
	24-Oct-19	954588	18.530	Lovely Chemicals
	26-Oct-19	955574	15.945	Ohm Dye Chem
Nov-19	2-Nov-19	957136	18.755	Faiz Chemicals
	4-Nov-19	957864	18.180	Trimurti Chemicals
	5-Nov-19	958371	24.040	Trimurti Chemicals
	5-Nov-19	958538	14.255	Trimurti Chemicals
	6-Nov-19	958969	18.670	Trimurti Chemicals
	7-Nov-19	959313	28.010	Trimurti Chemicals
	8-Nov-19	959779	18.735	Lovely Chemicals
	14-Nov-19	962715	27.650	Trimurti Chemicals
	15-Nov-19	963515	17.825	Ohm Dye Chem
	19-Nov-19	945989	27.955	P.G.Chemicals
	22-Nov-19	968165	11.720	Trimurti Chemicals
	23-Nov-19	969074	18.120	P.G.Chemicals
	25-Nov-19	970170	27.570	P.G.Chemicals
	27-Nov-19	971778	26.950	P.G.Chemicals
	27-Nov-19	971895	21.965	Trimurti Chemicals
	29-Nov-19	973340	27.750	P.G.Chemicals
	30-Nov-19	973890	18.475	Trimurti Chemicals
Dec-19	3-Dec-19	975943	24.040	Trimurti Chemicals
	3-Dec-19	975997	18.665	Ohm Dye Chem
	5-Dec-19	977788	18.490	Trimurti Chemicals
	5-Dec-19	977592	24.375	P.G.Chemicals
	7-Dec-19	979471	24.290	Trimurti Chemicals
	10-Dec-19	981583	24.590	Trimurti Chemicals
	20-Dec-19	989341	18.515	Trimurti Chemicals
	25-Dec-19	992727	18.285	Trimurti Chemicals
	27-Dec-19	994715	26.650	Trimurti Chemicals
Jan-20	6-Jan-20	1002742	18.165	Trimurti Chemicals
	8-Jan-20	1004378	16.590	Trimurti Chemicals
	16-Jan-20	1009676	18.190	Trimurti Chemicals
	17-Jan-20	1010382	18.755	Trimurti Chemicals
	20-Jan-20	1012483	24.465	Trimurti Chemicals
	23-Jan-20	1015083	24.350	Trimurti Chemicals
	25-Jan-20	1016541	24.420	Trimurti Chemicals
	27-Jan-20	1018035	24.585	Trimurti Chemicals
	28-Jan-20	1018989	22.115	Trimurti Chemicals



## SIX MONTHLY EC COMPLIANCE REPORT

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	28-Jan-20	1018939	23.510	Trimurti Chemicals
	28-Jan-20	1018927	17.250	Ohm Dye Chem
Feb-20	3-Feb-20	1023618	24.355	Trimurti Chemicals
	4-Feb-20	1024466	24.480	Trimurti Chemicals
	7-Feb-20	1026696	11.950	Ohm Dye Chem
	8-Feb-20	1027565	24.530	Trimurti Chemicals
	13-Feb-20	1031298	23.435	Trimurti Chemicals
	14-Feb-20	1032053	18.415	Trimurti Chemicals
	17-Feb-20	1034052	24.555	Trimurti Chemicals
	18-Feb-20	1034810	11.740	Trimurti Chemicals
	20-Feb-20	1036481	24.300	Trimurti Chemicals
	22-Feb-20	1037933	25.020	Trimurti Chemicals
	27-Feb-20	1040936	24.825	Trimurti Chemicals
	28-Feb-20	1041914	19.500	Trimurti Chemicals
Mar-20	2-Mar-20	1043857	23.305	Trimurti Chemicals
	4-Mar-20	1045486	23.680	Trimurti Chemicals
	7-Mar-20	1047787	23.640	Trimurti Chemicals
	9-Mar-20	1048920	21.170	Trimurti Chemicals
	12-Mar-20	1050185	24.895	Trimurti Chemicals
	14-Mar-20	1051654	19.255	Trimurti Chemicals
Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
	16-Mar-20	1052990	25.185	Trimurti Chemicals
	18-Mar-20	1054618	24.790	Trimurti Chemicals
	20-Mar-20	1056229	23.510	Trimurti Chemicals
	23-Mar-20	1057478	14.325	Trimurti Chemicals
	<b>TOTAL QUANTITY (In MT)</b>		<b>2890.855</b>	

### 6 Sodium Sulphite Cat: Not Applicable

Month of disposal	Date of disposal	Manifest No.	Quantity, MT	Disposed to
Jul-19	24-Jul-19	917823	23.230	Trimurti Chemicals
	25-Jul-19	918218	22.780	Trimurti Chemicals
	30-Jul-19	920081	22.325	Trimurti Chemicals
Aug-19	01-Aug-19	920871	22.970	Trimurti Chemicals
	02-Aug-19	921157	22.990	Trimurti Chemicals
	05-Aug-19	921976	22.955	Trimurti Chemicals
	08-Aug-19	923135	23.225	Trimurti Chemicals
Oct-19	1-Oct-19	942657	24.285	Trimurti Chemicals
	9-Oct-19	945603	24.085	Trimurti Chemicals
	17-Oct-19	950098	12.790	Trimurti Chemicals
	17-Oct-19	950051	24.740	Trimurti Chemicals
	23-Oct-19	954029	18.190	Trimurti Chemicals
	<b>TOTAL QUANTITY (In MT)</b>		<b>264.565</b>	

DATE: 5<sup>th</sup> June 2020

PLACE: Panoli

Signature of Factory manager /Occupier





# SIX MONTHLY EC COMPLIANCE REPORT

## Annexure 5 - ENVIRONMENTAL STATEMENT – FORM V (2019-2020)



ISO 9001:2015  
ISO 14001:2015  
OHSAS  
18001:2007  
ID 9106027522

Cheminova India Limited  
Intermediate Division  
(27+28)/A, GIDC Estate,  
Panoli - 384 116  
Dist. Bharuch (Gujarat)  
India.

Phone : +91 9033978622-26  
fmc.com / fmc.in  
CIN NO. L24100MH1986PLC038627

Ref No. CIL/ INTER/Form -V/2019-20 /09/05/20

**ID: 15016**

Date: 5<sup>th</sup> September 2020

To  
The Member Secretary  
Gujarat Pollution Control Board,  
Paryavaran Bhawan, Sector-10-A,  
Gandhinagar-382010

SUB: - Submission of Environment Statement (FORM-V) for the Year 2019-20

Respected Sir,  
Please find enclosed the duly filled Environment Statement in Form-V for the financial year  
2019-20.  
Please acknowledge the same.  
This is for your kind perusal please

Thanking you,  
Yours faithfully,

Cheminova India Limited, Panoli,  
Intermediate Division

Enclosures: Form —V

CC To: Regional Officer, GPCB, Ankleshwar.



# SIX MONTHLY EC COMPLIANCE REPORT

FORM - V  
(See Rule 14)

From :

CHEMINOVA INDIA LTD.  
Intermediate Division Plot no (27+28)A  
GIDC Panoli, Tal Ankleshwar Dist Bharuch

To :

Gujarat Pollution Control Board,  
Paryavaran Bhavan, sector 10 A  
Gandhinagar -382043

Environmental Statement for the financial year ending the 31st March, 2020

## PART -A

- i) Name & address of the Owner/Occupier of the industry, operation or process - Mr. Manoj Khanna  
CHEMINOVA INDIA LTD.  
Intermediate Division Plot no (27+28)A,  
GIDC Panoli, Tal Ankleshwar Dist Bharuch
- ii) Industry category - ISI  
Primary :- (STC Code) Not Applicable  
Secondary:- (SIC Code) Not Applicable
- iii) Production capacity:- Units - ANNEXURE-I
- iv) Year of establishment - 1998
- v) Date of the last environmental statement submitted - 24 th July 2019

## PART -B

### Water & Raw Material Consumption

- i) Water consumption - M<sup>3</sup>/day 363 m<sup>3</sup>/day
- Process - 134 m<sup>3</sup>/day
- Cooling - 182 m<sup>3</sup>/day
- Domestic - 25 m<sup>3</sup>/day
- Gardening - 22 m<sup>3</sup>/day

Name of products	Process water consumption per product output (Lit./ Kg)	
	During the previous financial year 2018-2019 (1)	During the current financial year 2019-2020 (2)
(1) Diethyl Thio Phosphoryl Chloride	8.99	11.00
(2) Azole group based products (Florasulam)	52.00	55.00
(3) Ester group based products ( Clodinafop / Phenoxo Propionate)	51.00	0.00
(4) Bixlozone (F-9600)	0.00	12.00

### ii) Raw Material consumption

* Name of raw materials	Name of Products	Consumption of raw material per unit of output	
		During the previous financial year 2018-2019	During the Current financial year 2019-2020
1 Phosphorous	DETPC	0.191	0.192
2 Sulphur		0.491	0.494
3 Ethanol		0.736	0.806
4 Caustic lye		0.134	0.282
5 Chlorine		0.408	0.508
6 Soda Ash		0.236	0.212



## SIX MONTHLY EC COMPLIANCE REPORT

7	Formet P	Azole group based products (Florasulam)	0.735	0.742
8	TEA		1.021	1.026
9	POCl <sub>3</sub>		0.865	0.870
10	Hydrazine Hydrate		0.404	0.396
11	H <sub>2</sub> O <sub>2</sub>		0.401	0.399
12	CS <sub>2</sub>		0.466	0.462
13	Chlorine		0.981	0.918
14	DEA		0.568	0.502
15	Toluene		0.549	0.416
16	Caustic lye - 100 %		1.532	1.534
17	Methanol		0.717	0.467
18	30% HCl		2.197	2.159
19	MDC		1.114	0.643
20	SBS		0.574	0.590
21	ACN		0.291	0.276
22	IPA		0.391	0.305
23	Sodium Methoxide-25%		2.435	2.422
24	TBAHS		0.028	0.028
25	Comman salt		0.269	0.253
26	Soda Ash		0.023	0.015
27	Sodium Bi carbonate		—	1.228
28	K <sub>2</sub> CO <sub>3</sub>		—	0.335
29	HPPA	ESTER GROUP BASED PRODUCTS (CLODINAFOP)	0.625	No production
30	DFCP		0.579	
31	DMSO		0.365	
32	KOH		0.541	
33	Boric Acid		0.084	
34	30% HCl		0.853	
35	Toluene( Fresh)		0.045	
36	Thionyl Chloride		0.511	
37	Propargyl Alcohol		0.307	
38	Isopropargyl Alcohol		0.059	
39	Tri Ethyl Amine		0.087	
40	Caustic Lye		0.593	
41	Caustic Flakes		0.036	
42	Soda Ash		0.013	
43	Toluene(Recovered)		0.345	
44	Isosaxolidinone solution,	Bixluzone (F-9600)	No production	0.629
45	Heptane			0.117
46	2,4-DCBC			0.980
47	TBAC catalyst			0.075
48	48%Caustic lye			0.115

\* Industry may use codes if disclosing details of raw materials would violate contractual obligations, otherwise all industries have to name the raw materials used.

### PART-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

i) Pollutants		Quantity of pollutants Concentrations of discharged pollutants in discharges (mass/day) TPD (mass/volume) mg/l except pH & Temp, except pH & Temp.		Percentage of variation from prescribed standard with reasons
Average Flow 149.27 m3/d.				
ii) Water		TPD	mg/L	
	Total Dissolved Solid	1.0582	7089	—
	Total Suspended Solid	0.0102	68.42	—
	Chemical Oxygen Demand	0.0428	286.83	—
	Biological Oxygen Demand	0.0120	80.25	—
	Ammonical Nitrogen	0.0029	19.60	—



## SIX MONTHLY EC COMPLIANCE REPORT

b) Air		TPD	mg/Nm <sup>3</sup>	
Sulphur Furnace	SPM	0.0041	37.83	—
	SOx	0.0025	23.383	—
	NOx	0.0017	15.67	—
	Cl <sub>2</sub>	BDL	BDL	—
	HCl	BDL	BDL	—
	CO	0.0014	13.250	—
Vent Incinerator	SPM	0.0066	35.87	—
	SOx	0.0077	41.583	—
	NOx	0.0038	20.33	—
	Cl <sub>2</sub>	BDL	BDL	—
	HCl	BDL	BDL	—
	CO	0.0032	17.333	—
Boiler	SPM	0.062	73.08 mg/m <sup>3</sup>	—
	SOx	0.016	18.33 ppm	—
	NOx	0.033	26.92 ppm	—

### PART-D

#### Hazardous Wastes

(As specified under Hazardous Wastes/Management & Handling Rules, 1989)

Hazardous wastes		Total Quantity (kg)	
		During the previous financial year 2018-2019	During the current financial year 2019-2020
a) From Process	Type of Waste		
	(1) Recovered Sulphur	76,960	24415
	(2) Used Oil	540	460
	(3) Evaporation Salt	—	0
	(4) Non Recyclable Plastic & Insulation Waste	61,960	25730
	(5) Incineration Waste	177,720	13415
	& Co Processing	50,190	255580
	(6) Asbestos Sheet	32,720	10760
b) From Pollution Control facilities	ETP Sludge	1,296,065	1289000
By products	Sodium Hydro sulfide 30%	2,887,290	2441061
	Hydrochloric Acid 30%	3,337,855	3230880
	Phosphoric Acid	615,165	490140
	Sodium Bisulphite Powder	1,428,720	1012720
	Sodium Sulphite 30%	666,480	264565
	Sodium Bisulphite Solution (30%)	2,773,555	2890855

### PART-E

#### Solid Wastes

	Total Quantity in Kgs	
	During the previous financial year 2018-2019	During the current financial year 2019-2020
a) From Process	Nil	Nil
b) From Pollution Control facilities	Nil	Nil
c) 1) Quantity recycled or re-utilized within the unit	Nil	Nil
2) Sold		
Discarded Container / Drum Cut sheet	94680	Nil
3) Disposed	Nil	Nil





## SIX MONTHLY EC COMPLIANCE REPORT

### PART-F

Please specify the characterizations (in terms of composition and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

KINDLY REFER ANNEXURE-2

### PART-G

Impact of the pollution control measures on conservation of natural resources and on the cost of production.

(1) Use of Furnace oil in Boiler has been stopped and Bio-Fuel (Briquette) Boiler is in operation most of time and Natural Gas Boiler is used as stand by.

(3) Agreement had been made with Solar Power supplier and Use of solar power will be started

### PART-H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.

The plant has an Management System certified against the international Standard ISO-14001:2016 and OHSAS : 18001:2007 & ISO 9001:2016 which encompasses, inter alia, measures for cost reduction and conservation of resources.

Continuous improvement is brought in as a part of the Environment Management System by undertaking objectives and targets for resource conservation.

Continuous improvement is brought in as a part of the Environment Management System by undertaking objectives and targets for resource conservation.

### PART - I

Any other particulars for improving the quality of the environment.

(1) Aeration Tank -3 has been cleaned and revamped to have effective working volume.

(2) Permanent shed was provided to Hazardous waste storage area.

Date: 5-Sep-20

(Signature of a person carrying out an activity, operation or process)

Name: Vinod S Patel

Designation: Factory Manager

Address: Cheminova India Limited,  
(Intermediate Division)  
Plot no.(27/28)/A,  
GIDC Estate, Panoli-394116,  
Dist. Bharuch, Gujarat.

# SIX MONTHLY EC COMPLIANCE REPORT

## PRODUCTION CAPACITY (MT / YEAR)

Sr. No.	Products	Total Capacity (MT/Annun)
1	Phosphorus Trichloride (PCl <sub>3</sub> )	1000
2	Trimethyl Phosphite (TMP) or Triethyl Phosphite (TEP)	100
3	Diethyl Thio Phosphoryl Chloride (DETPC)/DETA/NaDETA	5330
4	Cyhalothrin Acid	250
5	Phosphorus Penta Sulphide (P <sub>2</sub> S <sub>5</sub> )	3400
6	Acid based products [2-bromobutyric Acid (int), amino acid (int), ethyl 2-(4-hydroxy phenoxy) propionate (O-HPPA) (int), Thiocyclam (I), Bispyribac-Sodium (H), Pyriothiac-Sodium(H), Methoxy Amine Hydrochloride (int), 2-hydroxyphenyl Acetic Acid (HPAA) (int)]etc.	150
7	Amide group based products [Fenitrothion (H), Captan (F), Cymoxanil (F), Beffubutamide (H), Pethoxamide (H), Carboxin (F), Flubendamide (I), Chlorantraniliprole (I), Thiaflusamide (F), Zoxamide (F), Flufenacet (H), 2 Aminosulfonyl - N-N- Dimethylnicotinamide (SNA) (Int), 2-(Methoxycarbonyl) thiophene thiophene-3 Sulfonamide (MST) (Int)] etc.	150
8	Aniline group Bases products [Pendimethalin (H), Fluazinam (F), Metaixyi (F), Famoxadone (F)] etc.	1200
9	Azine group based product Fenpyroximate (I), Metribuzin (H), Pymetrozine (I), A' nitraz (I), Indoxacarb (I), Clofentezine (I), 2 Methoxy -4-Methyl-6-Methylamino-1,3,5-Triazine (MMMT) (Int)] etc.	300
10	Azole group based products [Fipronil (I), Hexaconazole (F), Propiconazole (F), Difenoconazole (F), Tricydazole (F), Myclobutanil (F), Florasulam (H), Tebuconazole (F), Flusilazole (F), Tebuconazole (F), Tridemefon, Paclobutrazol (F), Thiamethoxam (I), Flutriafol (F), (Safener Isoxadifen ethyl (Int), Irnidacloprid (I), 2, 6 DiChloroBenzoxazolone (Int), Penoxasulam (H)] etc.	200
11	Carbamate group based product [Thiodicarb (I), Propineb (F), Metiram (F), Thiram (F), Cartap hydrochloride (I), Thiophanate Methyl (F)] etc.	500
12	Ester group based products [Fenoxaprop-p-Et (H), Clodinafop-Pr (H), Quizalofop-p-ethyl (H), Quinzofofop-terfuryl (H), Cyhalofop (H), Isoprothiolane (F), Alphamethrin (I), Lambda Cyhaothrin (I), Cypermethrin (I), Bifenazate (I), Phthalide (Int)] etc.	300
13	Ether group based products [Propargite (I), oxyfluorfen (H), S-Cyano MPB (Int), 2 Ethoxy Ethyl Amine (Int)] etc.	200
14	Ketone group based product [Mesotrione (H), Suctioned (H), Isoxaflutole (H), Dimethomorph (F), Isobutyrophenone (IBP) (Int)] etc.	1200
15	Phosphate group based product [Chlorpyrifos (I) or its intermediate Na-TCP (Int), Acephate (I), Monocrotophos (I) or its intermediates MCMMAA (Int.), Dimethoate (I), Profenofos (I), Ethephon (PGR)] etc.	5000
16	Pyridine group based product [Pyridalyl (I), Imazethapyr (H) Cloquintocet Mexyl (H), Acetamiprid (I), 4,6-DiChloro Pyridine (Int)], Azoxystrobin (F) etc.	250
17	Urea group based product [Buprofezin (I), Lufenuron (I), Linuron (H), Diafenthiuron (I), Diuron (H), Novaluron (I), Chlorimuron (int), Hexythiazox (I), Spiromesifen (I), Azimsulfuron (H), Sulfonyl Ureas (H)] etc.	100
18	Trienol group based product [2-Cyanophenol (int), 4-Fluoro-3-methoxyphenol (int)] etc.	75



## ANNEXURE -2

## CHARACTERISATION OF HAZARDOUS WASTE

Sr. No.	Name	Physical Form	Waste Category No.	Sp. Gr.	% Solids	Chemical Composition	Method of Disposal
1	ETP SLUDGE	Solid	34.3	-----	85	CaO - 55 % P2O5 - 15 % SiO2 - 5 % Water - 15 % Other CaSalts - 10 %	Disposal to Common TSDF facility of M/s. BEIL, Ankleshwar & M/s. SEPPIL
2	RECOVERED SULFUR	Solid	D-1	-----	---	Recovered Sulfur CAS No. 7704-349	Disposal to Common TSDF facility of M/s. BEIL, Ankleshwar
3	USED OIL	Liquid	5.1	0.94	---	Not Applicable	Dispose by Selling to registered Collection, Storage, and Transportation Reprocessors.
4	DISCARDED CONTAINERS, BAGS/ LINERS	Solid	33.3	-----	-----	M.S., PVC, HDPE.	Discarded containers sale to Authorised Traders. Bags/Liners disposed to Common TSDF facility of M/s. BEIL & SEPPIL
5	PROCESS WASTE / RESIDUE	Liquid / Residue	29.1	-----	-----	Mostly Organic compound	Stored In Drums and kept at dedicated area and disposed to common Incineration Facility developed by BEIL - Ankleshwar / SEPPIL
6	SOLID WASTE ( EVAPORATION SALT)	Solid	29.1	-----	-----	Mostly In-Organic compound	Disposal to Common TSDF facility of M/s. BEIL, Ankleshwar & M/s. SEPPIL
7	Sodium Hydro sulfide 30%	Liquid	---	-----	-----	NaSH -30%	Sold to Authorized End users
8	Hydrochloric Acid 30%	Liquid	B-15	-----	-----	HCL-30%	Sold to Authorized End users
9	Phosphoric Acid	Liquid	B-15	-----	-----	Phosphoric Acid-68 %	Sold to Authorized End users
10	Sodium Bisulphite Powder	Powder	B-23	-----	-----	SBS Powder	Sold to Authorized End users
11	Sodium Sulphite 30%	Liquid	B-15	-----	-----	SS -30 %	Sold to Authorized End users
12	Sodium Bisulphite Solution (30%)	Liquid	B-23	-----	-----	SBS Sol. 30 %	Sold to Authorized End users

