

FMC

LOOP™ 240SC Herbicide

A Post-emergent herbicide for the control of perennial and annual grasses and broadleaf weeds in Maize

GUARANTEE/(DHAMANA): Nicosulfuron 23.5 %
COMMERCIAL AND AGRICULTURAL CLASS/ (KUNDI LA BIASHARA NA KILIMO)
REGISTRATION NO/(NAMBARI YA USAJILI): PCPB(CR)1896

Registrant/ Wasajili: FMC Corporation Agricultural Products Group 1735 Market Street Philadelphia, USA

Distributed by/Wasambazaji:

Juanco Centre, Ngong Rd., Ngong Hills P.O.Box 381, Karen 00502, Nairobi.
Tel: +254 (20) 2088754, 2088755/6
Fax: +254 (722) 207805/6
Mobiles: info@juancogroup.com
Website: www.juancogroup.com



Manufactured/Watengenezaji:

Cheminova, Inc. One Park Drive, Suite 150, P.O Box 110566 Research Triangle Park, NC 27709, Denmark.

Shelf Life: Two (2) years from the date of manufacture when stored in its original unopened container in a cool, dry well ventilated place.

(Maisha rafuni): Miaka miwili baada ya tarehe ya kutengenezwa ikiwa imehifadhiwa kwenye chombo chake asili kilichofungwa mahali pakavu na pasipo na joto jingi.

**WARNING
HARMFUL**



**ILANI
INADHURU**

**IN CASE OF POISONING CALL
TOLL FREE NUMBER:
(WAKATI WA KUSUMIKA
PIGA SIMU BILA MALIPO
KWA NAMBARI
0800730030 OR/AU
0800720021(24HRS)**

**READ THE LABEL CAREFULLY
BEFORE USE
(SOMA MAELEZO KABLA YA
KUTUMIA**

**KEEP OUT OF REACH OF CHILDREN
WEKA MBALI NA WATOTO)**



MEMBER OF
AGROCHEMICAL
ASSOCIATION OF
KENYA
REG. NO. AAK 273



NET CONTENTS/(KIASI): **1L e**



CAUTION

FMC

Manufactured/Watengenezaji:
Cheminova, Inc. One Park Drive, Suite 150, P.O Box 110566 Research Triangle Park, NC 27709, Denmark.

Batch No: See print on packaging (Nambari ya furushi)

Date of Manufacture: See print on packaging (Tarehe ya kutengenezwa)



| | FILL IN | | DIMENSIONS (WXH) |
|--------------------------------|--------------------------------|---------------------------|------------------|
| Country | Kenya | Single label | x |
| Product SKU | 10079186 | Base for Booklet | x |
| Product SKU Description | LOOP,240SC,1L,E,0#Juanco,Kenya | Booklet | 244 x 130 mm |
| Label SKU | 15142966 | Number of pages (Booklet) | 3 pages |
| Label SKU Description | E_LOOP,240SC,1L,E,0#KE,M/F | Carton label | x |
| Label SKU (earlier version(s)) | | Preprinted Material | x |

DESCRIPTION

LOOP™ 240 SC is a selective, systemic, herbicide for the post-emergent control of grasses and broadleaf weeds in maize.

DIRECTIONS FOR USE

LOOP™ 240 SC may be applied post-emergent to maize up to 50 cm tall (Free standing). Best results are obtained when the application is made early post-emergence when maize and weeds are small. Target application when maize is less than 30 cm tall. Controls only weeds that have emerged.

Application Rates

Apply 300 mls of **LOOP™ 240 SC** per hectare in 200L spray volume.

| Crop | Stage | Rate/ha | Rate/20L water |
|-------|----------------------------|----------|----------------|
| Maize | less than 30 cm high maize | 300ml/ha | 30mls |

Use limitations

Do not make more than two applications of **LOOP™ 240 SC** Herbicide per cropping season. The combined dosage of sequential applications cannot exceed 300 mls per hectare of **LOOP™ 240 SC** Herbicide.

WEEDS CONTROLLED:

When **LOOP™ 240 SC** is sprayed according to the recommendations above, the following weed species are normally controlled from seedling stage (1-2 leaves) up to the stage indicated in the table below.

| BOTANICAL NAME | COMMON NAME | MAXIMUM WEED GROWTH STAGE AT APPLICATION |
|--|--|--|
| 1.Grasses <i>Panicum schinzii</i> <i>Setaria pallide-fusca</i> <i>Sorghum halepense</i> <i>Sorghum bicolor</i> <i>Sorghum versicolor</i> <i>Urochloa panicoides</i> <i>Rottboellia exaltata</i> | Sweet buffalo grass Red bristle grass Johnson grass Wild sorghum Black-seed wild sorghum Herringbone grass Guinea fowl grass | Up to tillering stage Up to 4 leaves Up to 7 leaves Up to 7 leaves Up to 7 leaves Up to tillering stage Up to 5 leaves |
| 2. Broadleaves <i>Amaranthus thunbergii</i> <i>Amaranthus deflexus</i> <i>Cleome monophylla</i> <i>Datura stramonium</i> <i>Schkuhria pinnata</i> <i>Tagetes minuta</i> <i>Tribulus terrestris</i> | Red pigweed Perennial pigweed Spindlepod Thorn apple Dwarf marigold Tall khakiweed Common Dubbeltjie | 4 leaves 4 leaves 6 leaves 4 leaves 3 leaves 4 leaves 4 leaves |

Mixing instructions

1. Fill a thoroughly clean spray tank 1/2 to 2/3 full of water.
2. While agitating, add directly from the container the required amount of **LOOP™ 240SC** Herbicide.
3. When this product mix is thoroughly suspended, finish filling the spray tank.
4. Maintain continuous agitation throughout the application of **LOOP™ 240SC** Herbicide.
5. Apply **LOOP™ 240SC** Herbicide spray mixture within 24 hours of mixing to avoid product degradation.

PRECAUTIONS

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical Do not eat, drink or smoke during or after applying. Wash body, equipment and clothes thoroughly after application. Avoid grazing the sprayed area for one day where annual weeds are present or 7 days where perennial weeds are present.

STORAGE

Keep in closed, labelled containers in rooms without access of unauthorized persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present.

DISPOSAL

Do not dispose off the chemical or container in waterways. Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste. Disposal of waste and packagings must always be in accordance with all applicable local regulations.

ENVIRONMENTAL HAZARD

Since the product is a herbicide, it is toxic to many plants, including algae. The product is considered as non-toxic to fish, aquatic invertebrates, soil micro- and macro-organisms, birds, mammals and insects.

FIRST AID INSTRUCTIONS

Skin contact: immediately remove contaminated clothing and footwear. Flush skin with much water. Wash with water and soap. See physician if any symptom develops.

If in the eyes: immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. Get medical attention if irritation persists.

If swallowed: inducing vomiting is not recommended. Rinse mouth and drink water or milk. If vomiting does occur, rinse mouth and drink fluids again.

Get medical attention immediately.

If inhaled: immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of Poisoning call Toll Free Number: 0800730030 or 0800720021(24HRS)

TOXICOLOGICAL INFORMATION**Symptoms of poisoning**

Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Antidote - Unknown

Treat symptomatically.

Note to Doctor

Gastric lavage and/or administration of activated charcoal can be considered. After decontamination, treatment of exposure is as for a general chemical and should be directed at the control of symptoms and the clinical condition.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions

WARRANTY

Sellers guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons arising from the use or handling of this product and accepts the product on that condition.

| | FILL IN | | DIMENSIONS (WXH) |
|--------------------------------|--------------------------------|---------------------------|------------------|
| Country | Kenya | Single label | x |
| Product SKU | 10079186 | Base for Booklet | x |
| Product SKU Description | LOOP,240SC,1L,E,0#Juanco,Kenya | Booklet | 244 x 130 mm |
| Label SKU | 15142966 | Number of pages (Booklet) | 3 pages |
| Label SKU Description | E_LOOP,240SC,1L,E,0#KE,M/F | Carton label | x |
| Label SKU (earlier version(s)) | | Preprinted Material | x |

MAELEZO

LOOP™240 SC ni kiuwa kwekwe aina ya nyasi na matawi pana kwenye mimea ya mahindi.

JINSI YA KUTUMIA

LOOP™ 240 SC hunyunyiziwa kwa mahindi yaliyo na urefu wa hadi centimita 50. Matokeo mema zaidi hupatikana mahidi yakiwa na kimo cha centimita 30

Kiasi cha kutumia

Tumia mililita 150 hadi 300 za **LOOP™ 240 SC** kwa hektari moja.

| Mimea | wakati wa kunyunyizia | Kiasi kwa hektari | kiasi kwa mbomba la lita 20 |
|---------|--|-------------------|-----------------------------|
| Mahindi | Mahindi yenye urefu wa chuni ya centimeteta 30 | mililita 300 | mililita 30 |

Onyo kwa mtumizi

Usitumie **LOOP™ 240 SC** zaidi ya mara mbili kwa msimu mmoja

TAHADHARI

Jiepushe dawa isiguse ngozi ya mwili, kuingia machoni, puani na mdomoni. Vaa nguo za kuihami ngozi. Osha mikono na sehemu zilizoingia dawa kwa sabuni na maji kabla ya kula na kunywa na kuvuta sigara baada ya kazi.

UHIFADHI

Hifadhi dawa ndani ya chombo chake asili na ufunge vizuri kwenye mahali penye giza na mbali na watoto, mifugo na pia vyakula. Usiweke dawa karibu na moto au vyombo vyenye kutoa joto.

UTUPAJI

Suza vyombo vitupu mara tatu na uvitoboe halafu utupe kulingana na sheria na kanuni za utupaji za nchi. Iwapo dawa imemwagika, zoa mchanga mkavu au (vumbi la mbao kisha uinyunyizie na uzike). Ikiwa kuna haja ya kutupa kiasi kikubwa, pata mashauri kutoka kwa watengenezaji au wale ambao wanahusika na ugawaji dawa hii. Usitumie vyombo vilivyo vitupu kwa njia yeyote.

HATARI KWA MAZINGARA

Usitupe dawa au chombo kwenye maji baada ya kushugulikia dawa hii. Usinyunyizie wakati upepo unapiga kwa kasi.

HUDUMA YA KWANZA

Ikimezwa: Usimtapishe mgonjwa. Usimlishe kitu chochote kupitia mdomoni kama mhusika amezirai. Mpeleke mgonjwa kwa daktari haraka.

lingiapo machoni: Yasafishe macho kwa maji kwa kuyarushia macho maji, kwa mda wa dadika 15. Ikiwa utasikia mwasho au mwasho ukiendelea tafuta

matitabu.

Ikiwa katika ngozi: Vua nguo zilizoingia dawa, kisha osha ngozi kwa sabuni nyingi. Tafuta matitabu haraka ikiwa mwasho utatokea na kuendelea.

Ikiwa kwa pua: Mpeleke mhusika katika sehemu yenye hewa safi na akiendelea kuwa na shida ya kupumua mpeleke mjeruhi kwa daktari.

MARIFA JUU YA SUMU**Dalili Ya Sumu:**

Kuwashwa macho. Matumizi kwa muda mrefu husababisha mwasho wa ngozi

Dawa za kutibu : Hakuna

Taarifa kwa daktari

Matitabu hufanywa kuhusiana na dalili za madhara na utunzaji.

Wakati wa Kusumika Piga Simu Bila Malipo kwa Nambari: 0800730030 ama 0800720021(MASAA ISHIRINI NA MANNE)

ILANI KWA MTUMIAJI

Dawa hii sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyosalama

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.

| | FILL IN | | DIMENSIONS (WXH) |
|--------------------------------|--------------------------------|---------------------------|------------------|
| Country | Kenya | Single label | x |
| Product SKU | 10079186 | Base for Booklet | x |
| Product SKU Description | LOOP,240SC,1L,E,0#Juanco,Kenya | Booklet | 244 x 130 mm |
| Label SKU | 15142966 | Number of pages (Booklet) | 3 pages |
| Label SKU Description | E_LOOP,240SC,1L,E,0#KE,M/F | Carton label | x |
| Label SKU (earlier version(s)) | | Preprinted Material | x |