



AVATAR® 150 EC

Insecticide

GROUP 22A INSECTICIDE

Emulsifiable concentrate

Insecticide for control of Diamond back moth in cabbage, African bollworm and Tomato leaf miner moth (*Tuta absoluta*) in Tomatoes and Fall Army Worm (*Spodoptera frugiperda*) in Maize.

Dawa inayoaangamiza viwavi wa aina ya 'Diamond Back Moth' katika Kabeji na 'African bollworm' na 'leaf miner moth' (*Tuta absoluta*) kwene Nyanya na Fall Army Worm (*Spodoptera frugiperda*) kwene Mahindi.

COMMERCIAL AND AGRICULTURAL CLASS (KUNDI LA BIASHARA NA KILIMO)

GUARANTEE / DHAMANA: Indoxacarb 150 g/L



HARMFUL/INADHURU

250ml e

[®] is a trademark
of FMC Corporation or an affiliate

REGISTRATION No.
(Nambari ya usajili).... PCPB (CR) 1021 p (i)

Shelf Life: 2 years from the date of manufacture if stored in unopened original container in a dry cool place.

Maisha rafuni: Milaka miwili baada ya tarehe ya kutengenezwa iwapo dawa hii itawekwa kwa chombo chake asili bila kufunguliwa mahali na pasipo na joto.

SHAKE WELL BEFORE USE

Batch No: See print on packaging
(Nambari ya furushii)

Date of Manufacture: See print on packaging
(Tarehe ya kutengenezwa)

Expiry date: See print on packaging



Harmful if swallowed



Dangerous for
the environment

**IN CASE OF POISONING CALL
TOLL FREE NUMBERS
0800 730030/0800 720021
(24HRS)**

**WAKATI WA KUSUMIKA PIGA
SIMU BILA MALIPO
0800 730030/0800 720021
(MASAA 24).**

**READ THE LABEL BEFORE USING
(SOMA KIBANDIKO KABLA YA
KUTUMIA)**

**KEEP OUT OF REACH OF
CHILDREN (WEKA MBALI NA
WATOTO)**

11013876_22049250_KENYA



5 703265 584746 >

175 x 70 - 11013876_22049250_LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1_BOOKLET_9pages.indd 1

22/02/2022 15:56

P 032C P 7412C CYAN MAGENTA YELLOW BLACK



	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBI_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

GENERAL INFORMATION

AVATAR® 150 EC is an Insecticide for control of Diamond back moth in cabbage, African bollworm and Tomato leaf miner moth (*Tuta absoluta*) in Tomatoes and Fall Army Worm (*Spodoptera frugiperda*) in Maize.

AVATAR® 150 EC blocks sodium channels in insect nerve cells. Following intoxication, the insect quickly stops all movement including feeding. Susceptible insects die within 24 - 60 hours of intoxication.

AVATAR® 150 EC is active against all larval stages of lepidoptera pests and also shows ovicidal activity on some species.

DIRECTION FOR USE**Tank Mixing Sequence**

Add different formulation types in the sequence indicated below*. Allow time for complete mixing and dispersion after addition of each product.

1. Water soluble bag.
2. Water dispersible granules.
3. Wettable powders.
4. Water based suspension concentrates.
5. Water-soluble concentrates.
6. Oil based suspension concentrates.
7. DuPont™ AVATAR® 150 EC Emulsifiable concentrate.
8. Adjuvants, surfactants, oils.
9. Soluble fertilizers.
10. Drift retardants.

* Unless otherwise specified by manufacturer directions for use or by local experience.

RECOMMENDATIONS FOR USE

Use 1000 L of water per Hectare

CROP	PEST	COMMENTS	RATE	PHI
Tomatoes	African bollworm: <i>Helicoverpa Armigera</i> Tomato leaf miner moth: <i>Tuta absoluta</i>	Apply on first sign of insects.	300 ml/Ha 6 ml/20 L Knapsack	1 day
Cabbages	Diamond Back Moth: <i>Plutella xylostella</i>		300 ml/Ha 6 ml/20 L Knapsack	1 day
Maize	Fall Army Worm: <i>Spodoptera frugiperda</i>		300 ml/Ha 6 ml/20 L Knapsack	3 days

NB: Repeat spray to be done at an interval of 7 - 14 days.

Maximum 2 applications per growing season.

The recommended withholding period between last application and harvest meets local residue requirements but may not meet export requirements. If the treated crop is intended for the export market, consult the relevant exporting body before application of the product regarding the Maximum Residue limits (MRL) and applicable pre-harvest interval (PHI) requirements.



	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

PREPARATION OF SPRAY

Fill a clean knapsack sprayer with clean water up to three quarters of its volume. Thoroughly shake the container of AVATAR® 150 EC to ensure an uniform suspension. Add the required amount of AVATAR® 150 EC and start agitation. Complete the filling of the knapsack sprayer with water. Continue agitation during spraying. Do not prepare more spray liquid than necessary.

SPRAY DRIFT MANAGEMENT

Special care must be taken to avoid spray drifts outside the target area, or onto ponds, waterways or ditches. Applying larger droplets reduces drift potential, but will not prevent drift if applications are made improperly or under unfavourable environmental conditions. It is the responsibility of the applicator to determine that a sprayer is suitable for the intended application, is configured properly, and that a drift is not occurring.

INTEGRATED PEST MANAGEMENT (IPM)

As a result of its favorable profile with respect to beneficial insect arthropods, pollinators and insect parasitoids AVATAR® 150 EC fits well in with an integrated pest management program (IPM). Important beneficial mites and insects vary by crop and by country. Please consult your local distributor or advisor for information regarding applications of AVATAR® 150 EC in IPM program.

RESISTANCE MANAGEMENT

Some insects have developed resistance to commercially available products. When resistance occurs, recommended rates fail to suppress the pest population below economic thresholds. The onset of resistance cannot be predicted and local advisors should be consulted for resistance management recommendations.

AVATAR® 150 EC is an emulsifiable concentrate (EC) formulation containing 150 g/L of the active ingredient indoxacarb, which is an oxadiazine insecticide and is a Group 22 Insecticide based on the IRAC mode of action classification. Repeated and exclusive use of AVATAR® 150 EC or other Group 22 Insecticides may lead to the build-up of resistant strains of insects in some crops.

The number of applications of AVATAR® 150 EC is limited to 2 per season to minimize the risk of resistance.

Because the development of resistance cannot be predicted, this product should be used as part of a resistant management strategy established for the use area. These strategies may include:

- Incorporation of cultural and biological control practices.
- Targeting the most susceptible life stage.
- Applying AVATAR® 150 EC or other Group 22 insecticides using a "window" approach to avoid exposure of consecutive insect pest generations to the same mode of action.
- Applying multiple successive applications of AVATAR® 150 EC only if they are used to treat a single insect generation.



	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

- Following a "window" of applications of AVATAR® 150 EC or other Group 22 insecticide, rotate to a "window" of applications of effective insecticides with a different mode of action.
- The total exposure period of all "Group 22-active windows" applied throughout the crop cycle (from seedling to harvest) should not exceed 50% of the crop cycle.
- Incorporating IPM techniques into the overall pest management program.
- Monitoring insect populations for loss of field efficacy.

Indoxacarb respects beneficial insects and mites, which will remain after treatment and can help control remaining pest populations resulting from application deficiencies.

RAIN FASTNESS

As long as an application of AVATAR® 150 EC has dried on the plant there is no need to re-treat in the event of rain.

HAZARDS/PRECAUTIONS

Avoid contact with skin and eyes and avoid inhaling the product dust or spray mist. In case of accidental intoxication, see under "First Aid Measures" for practical treatment, and if necessary call for medical attention. Do not contaminate environment and water and do not endanger humans and animals by spray drift. The product is toxic to aquatic life. The product should be handled and used with the normal care and caution that should be exercised in dealing with other pesticides.

HANDLING

Wear suitable protective clothing (coveralls, gloves, and face protection). Remove personal clothing immediately after handling. Wash thoroughly and change into clean clothes. Abstain from eating, smoking and drinking before accomplishing spray operation and cleaning up all contaminated skin parts with soap and water.

SPRAY TANK CLEANING

- Immediately after application, completely drain spray equipment.
- Thoroughly rinse sprayer and flush the hoses, boom and nozzles with clean water.
- Take all necessary safety precautions when cleaning equipment.
- Do not clean near wells, water sources.

STORAGE

AVATAR® 150 EC must be kept in its original tightly sealed container in a cool, dry and well ventilated place under lock and key away from food stuffs, drinks, animal feed and packaging materials used for these commodities.

Once it is opened, it is important to ensure that the pack is tightly closed before storage. Protect against extreme temperatures. Store out of reach of children.

DISPOSAL

Never re-use empty containers. Puncture, triple rinse and dispose empty container in a safe authorized place according to national legislation and regulation. Do not dispose off concentrate or spray solution in domestic sewer systems. Dispose off unused product in a safe and authorised place.



	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

ENVIRONMENTAL HAZARDS

This product is toxic to bees exposed to direct applications. Apply to crops in flower or crops with flowering weeds only when bees are not active, preferably after daily bee flight. Avoid spray drift to off-field bee-attractive habitats.

For protected crops pollinated by bumble bees, it is recommended that the bumble bee hive is closed and bumble bees contained for a period of 24 hours after treatment with AVATAR® 150 EC.

RE-ENTRY INTERVAL

Do not allow entry into treated areas until spray has dried. When prior entry is necessary, wear cotton overalls buttoned to the neck and wrists, a washable hat and chemical resistant gloves. Clothing must be washed after each day's use.

FIRST AID INSTRUCTIONS

General advice: Never give anything by mouth to an unconscious person.

Inhalation: Move to fresh air. Supply Oxygen or artificial respiration if needed. Consult a physician.

Skin contact: Wash off immediately with soap and plenty of water. Take off contaminated clothing and shoes immediately. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use.

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.

Ingestion: Obtain medical attention. DO NOT induce vomiting unless directed to do so by a physician or poison control centre. If victim is conscious: Rinse mouth with water.

TOXICOLOGICAL INFORMATION / NOTE TO MEDICAL DOCTOR**Symptoms of poisoning**

AVATAR 150 EC may cause eye or skin irritation. It may cause sensitisation by skin contact.

Antidote: No specific antidote.

Treatment: Treat symptomatically.

In case of poisoning call toll free numbers 0800 730030/0800 720021 (24hrs).

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.



	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

MAELEZO KWA JUMLA

AVATAR® 150 EC ni dawa inayowaangamiza viwavi wa aina ya 'Diamond Back Moth' katika Kabeji na 'African bollworm' na 'leaf miner moth' (*Tuta absoluta*) kwenye Nyanya na Fall Army Worm (*Spodoptera frugiperda*) kwenye Mahindi.

AVATAR® 150 EC huziba mikondo ya Sodium katika neva za wadudu waharibifu. Baada ya kusumishwa, mdudu huwacha kula maramoja. Wadudu waliolengwa hufa kati ya masaa 24 - 60.

AVATAR® 150 EC inanguvu dhidi ya rika tofauti ya viwavi aina ya Lepidoptera na pia dhidi ya mayai ya wadudu kadhaa.

JINSI YA KUTUMIA

Tumia Lita 1000 za maji kwa Hektari

MMEA	MDUDU	MAELEZO	KIWANGO	PHI
Nyanya	African bollworm: <i>Helicoverpa armigera</i>	Tumia dawa mara tu unaapoona ishara ya kwanza ya wadudu.	300 ml/Ha 6 ml/20 L Knapsack	Siku 1
	Tomato leaf miner moth: <i>Tuta absoluta</i>			
Kabeji	Diamond Back Moth: <i>Plutella xylostella</i>		300 ml/Ha 6 ml/20 L Knapsack	Siku 1
Mahindi	Fall Army Worm: <i>Spodoptera frugiperda</i>		300 ml/Ha 6 ml/20 L Knapsack	Siku 3

NB: Kwa ujumla, rudia kunyunyizia baada ya kila siku 7-14.

Tumia dawa mara 2 tu katika msimu mmoja wa mimea.

Muda wa kusubiri ulipendekezwa ni katy ya wakati ya mwisho uliponyunyizia dawa na hadi kuvuna kwa soko la humu nchini; lakini huenda muda huo usipite viwango nya soko la nje. Ikiwa mavuno yako ni yakuuza nchi za nje, pata ushauri kutoka kwa wanaouza bidhaa hizo nje ya nchi kabla ya kutumia dawa hasa kulingana na viwango nya MRL na muda wa kusubiri yaani PHI

KUTAYARISHA DAWA

Weka maji safi ndani ya bomba safi hadi kiasi cha robo tatu. Tingiza vizuri kiwekeo cha AVATAR® 150 EC ili dawa ichanganyika kikamilifu. Ongeza kipimo kinachohitajika cha AVATAR® 150 EC halafu changanya na kutingiza. Jaza sehemu iliyobaki kwa maji. Endelea kutingiza hata wakati unaponyunyizia dawa hii. Usitayariske dawa nydingi kupita kiasi unachohitaji kwa siku.

UDHIBITI WA MVUKE WA DAWA

Tahadharri mvuke wa dawa usipate kushika sehemu au mimea isiyolengwa unaponyunyizia. Mvuke wenye matone makubwa ni bora kwa kuwa unapunguza uwezekano wa dawa kueperushwa na upepo. Ni bora zaidi kuzingatia hali ya hewa unapotaka kunyunyizia dawa kwa kuepuka nyakati za upepo mkali. Ni jukumu la mnyunyizaji kukadiria uzuri wa bomba litakalofaa na lisilowenza kusababisha kueperushwa kwa mvuke wa dawa.

	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

IPM (INTEGRATED PEST MANAGEMENT)

Kwa sababu ya ubora wa AVATAR® 150 EC, isiyokuwa na madhara kwa wadudu muhimu, hupatana vyema na mfumo wa kilimo cha IPM. Fahamu kuwa wadudu muhimu hutegemea mimea na nchi inayozingatiwa. Hivyo basi ni vyema kupata ushauri zaidi kutoka kwa ofisa wa kilimo.

KUDHIBITI UKINZANI WA WADUDU**Kuthibiti ukinzani wa wadudu tumia AVATAR® 150 EC mara mbili pekee kwa msimu mmoja wa mimea.**

Wadudu wengine wamekuwa sugu dhidi dawa zingine zilizokwenye soko. Ukinzani unaposhuhudiwa, viwango vilivycopendekezwa hushindwa kuua au kudhibiti uharibifu wa wadudu hao. Hali hii ni ngumu kubashiri na hivyo ni vyema kushauriana na afisa wa kilimo katika sehemu yako. Kwa hio, utendaji kazi wa kipekee wa dawa hii ni bora katika kudhibiti ukinzani. Hakujatolewa taarifa kuwa dawa hii imeshindwa kutenda kazi.

Dawa hii haina madhara kwa wadudu wenye manufaa kwa mkulima na pia *mites* ambao watatalia hata baada ya kunyonyizia.

Wadudu hawa husaidia kupunguza idadi ya wadudu waharibifu na hivyo basi kupunguza hali ya ukinzani.

KUTOOSHTWA NA MVUA

Ikiwa mnyonyizio wa AVATAR® 150 EC umenata kwa mimea, hakuna haja ya kurudia unyonyizaji hata mvua ikinyesha baadaye.

TAHDHARI

Jikinge dhidi ya dawa kuguza ngozi au kuingia machoni au kupumua mvuke wake. Ikiwa kutakuwa na ajali ya kusumishwa, fuata maelezo ya huduma ya kwanza kama ilivyoelezwa hapo chini, na ikilazimu, pata ushauri au huduma ya daktari. Usichafue mazingira, maji au kuweka hatarini binadamu au wanyama unaponyunyizia. Ni sumu dhidi ya wanyama wa maji kama vile samaki. Sharti dawa hii itumiwe kwa njia na maagizo yanayofaa na yanayofuatwa wakati wa kutumia dawa zozote za wadudu.

UTUMIZI

Valia mavazi ya kujikinga (*coveralls*, *vizuizi* vya mikono (*gloves*) na uso (*face protection*)). Wear suitable protective clothing (coveralls, gloves, and face protection). Vua nguo ulizovalia wakati wa kunyonyiza kisha uvae nguo zingine safi halafu uzioshe vizuri. Usile, usinywe au kuvuta sigara unaponyunyizia dawa hii na kabla ya kusafisha bomba au kuoga kwa sabuni na maji.

KUSAFISHA BOMBA

- Punde baada ya kunyonyizia, mwaga masilio ya dawa kutoka kwa bomba
- Sunza kabisa na kuosha sehemu zote za bomba kwa maji safi
- Tilia maanani kanuni zote za kujikinga unapoosha bomba
- Usiooshee karibu na visima, vidimbwi au mito



	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

KUHFADHI

AVATAR® 150 EC sharti ihifadhiwe kwenye chombo chake asili kilichofunika vizuri pahali pakavu pasipo na joto na penye hewa safi. Ifungie kwa kufuli mbali na vyakula, vinywaji, vyakula vya mifugo na vyombo vinavyotumiwa kuweka vyakula na vinywaji hiyo.

Mara tu ikishafunguliwa, inabidi uhakikishe kwamba chombo chake kimefungwa vizuri kabla ya kuhifadhi. Usiweke penye joto nyingi au baridi sana.

Hifadhi mbali na watoto

UTUPAJI

Usitumie chombo cha kuweka dawa kwa matumizi mengine. Ondosha vyombo viliyoisha dawa kwa kutoboa, na kutupa mahali stahiki palipoihinishwa na mamlaka husia. Usimwage mabaki ya dawa au maji iliyotumiwa kuosha vyombo kwa mifereji ya maji machafu. Tupa mabaki ya dawa pahali palipoihinishwa kulingana na sheria za nchi.

MADHARA KWA MAZINGARA

AVATAR® 150 EC ina madhara kwa nyuki inaponyunyizwa moja kwa moja, dawa hii sharti itumiwi wakati nyuki hawafanyi kazi ikiwezekana baada ya nyuki kumaliza kuzunguka shambani. Epuka mtiririko wa dawa kwenye makaazi yanayovutia nyuki. Kwa mimea maalumu inayozalishwa na nyuki, inapendekezwa kwamba mzinga wa nyuki ufungwe na nyuki kuzuiliwa kwa mda wa masaa 24 baada yakunyunyizwa AVATAR® 150 EC.

MUDA WA KUSUBIRI KABLA KUINGIA SHAMBAANI

Usiruhusu kuingia mahala paliponyunyizwa dawa hadi dawa ikauke kwenye mimea. Iwapo kuna lazima kuingia mahali paliponyunyizwa dawa ni sharti kuvilia mavazi ya kinga kama overall zilizotengenezwa na pampa zilizo na vifungo kwenye shingo na vifundo vya mikono, kofia zinazoosheka na glavu zilizosugu kwa kemikali. Ni sharti kuosha mavazi haya kila siku yanapotumika.

MAELEZO YA HEDUMA YA KWANZA

Maelezo kwa jumla: Usimlishe au kumnywesha mwasiriwa aliyepoteza fahamu.

Ikipumuliwa: Mweke mahala penye hewa safi. Mpe hewa ya Oxygen au chombo cha kumsaidia kupumua ikilazima. Pata ushauri au heduma ya daktari.

Ikigusa ngozi: Osha mara moja (haraka) kwa sabuni na maji mengi. Mvue mavazi yaliyosumishwa mara moja (haraka). Iwapo kutakwa na mwasho kwenye ngozi, pata heduma ya daktari. Osha mavazi yaliyosumishwa kabla ya kutumia tena.

Ikiingia macho: Shikilia jicho (macho) wazi na kusunza taratibu kwa maji safi kwa muda wa dakika 15-20. Mwasho wa macho ukizidi, pata heduma ya daktari.

Ikimezwu: Pata matibabu haraka. USIMULAZIMU mwasiriwa kutapika ila tu kwa ushauri wa daktari. Ikiwa mwasiriwa amepoteza fahamu: Sunza mdomo wake kwa maji.

MAELEZO YA SUMU / ARIFA KWA DAKTARI

Dalili ya sumu: AVATAR® 150 EC yaweza kuwashaa ngozi au macho. Inaweza kusababisha maumivu inapoguza ngozi.

Makata: Hakuna dawa ya kutibu inayojulikana.

Tiba: Tibu kulingana na ishara zinazoonekana.

	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

PELEKA MJERUHI KWA DAKTARI

Wakati wa kusumika pigi simu bila malipo **0800 730030/0800 720021** (masaa 24)

ILANI KWA MTUMIAJI

Dawa hii lazima itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyio salama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yaafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokea kutokana na matumizi ya dawa hii, kwenye binadamu au mali na lazima aikubali dawa hii katika hali hiyo.



	FILL IN		DIMENSIONS (WXH)
Country	KENYA	Single label	x
Product SKU	11013876	Base for Booklet	x
Product SKU Description	AVATAR 150EC_250ML_KE_JUANCO	Booklet	175 x 70 mm
Label SKU	22049250	Number of pages (Booklet)	9 pages
Label SKU Description	LBL_ML-F_250ML_AVATAR 150EC_JUA KE_1	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x