

FMC

Azaka 250 SC®

Fungicide

Azaka 250 SC® is a broad-spectrum fungicide with both contact and systemic properties for the control of powdery mildew in roses, and rust in carnations.

Dawa ya wigo mpana ya kuangamiza kuu aiana ya powdery mildew kwa maua ya waridi na kutu kwa carnations.

GUARANTEE / DHAMANA: Azoxystrobin 250 g/L
REGISTRATION NO / NAMBARI YA USAJILI: PCPB (CR) 1214
COMMERCIAL AND AGRICULTURAL CLASS (KUNDI LA BIASHARA NA KILIMO)

Shelf Life: 2 years from the date of manufacture if the product is stored in unopened original container in a dry, cool and well ventilated dry place..

Maisha Rafuni: Miaka miwili baada ya tarehe ya kutengenezwa iwapo dawa hii itahifadhiwa kwa chombo chake asili bila kufunguliwa iwe mahali pakavu na pasipo na joto.

Net Content (Kiasi) **1L e**

**CAUTION****FMC**

Manufacturer (Watengenezaji):
 Cheminova A/S P.O. Box 9, DK-7620
 Lemvig - Denmark

Distributed by: (Wasambazaji):

Lachlan

A Unifert Company

Lachlan Kenya Limited

P.O Box 24602-00100, Nairobi

Tel: +254 20 2073912/3/4

Cell: +254 722 209 474

Email: info@lachlanafrika.com

Web: www.lachlanafrika.com

Local Agent:

FMC Kenya Branch

P.O.BOX 25459-00100

Nairobi, Kenya

Tel: +254 20 5154241/2

www.fmc.com



MEMBER OF AGROCHEMICALS
 ASSOCIATION OF KENYA
 REGISTRATION NUMBER 102

**In case of poisoning
 call toll free number / piga simu
 ya kusumika bila
 malipo kwa number
 0800720021/0800730030**

**READ THE PRODUCT LABEL
 BEFORE USE (SOMA KIBANDIKO
 KABLA YA KUTUMIA)**

**KEEP LOCKED OUT OF REACH
 OF CHILDREN (WEKA MBALI NA
 WATOTO)**



10079450,15145031,KENYA

	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	10079450	Base for Booklet	x
Product SKU Description	AZAKA,250SC,1L,E,0#Lachlan,Kenya	Booklet	244 x 130 mm
Label SKU	15145031	Number of pages (Booklet)	3 pages
Label SKU Description	E,AZAKA,250SC,1L,E,0#KE,M/F	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

P 562C P 032C P 2149C CYAN MAGENTA YELLOW BLACK



Description

Azaka 250 SC® is a broad spectrum fungicide for control of powdery mildew (*Sphaerotheca pannosa*) in roses and rust (*Uromyces dianthi*) in carnations. **Azaka 250 SC®** contains Azoxystrobin 250 g/L as active ingredient.

When applied to the crop Azoxystrobin diffuses through the leaves to the vascular tissues where it is moved upwards (acropetally) within the plant through the transpiration stream.

Mode of Action

Azaka 250 SC® works by inhibition of the mitochondrial respiration thereby inhibiting spore germination, mycelial growth in fungi. It also works by its anti sporulant activity, thus affording control in all stages of disease development.

Recommendations and Rates of Application

Apply **Azaka 250 SC®** at the onset of disease development or conditions are right for disease development at below rates. Repeat application after 14 days during low disease pressure. When disease pressure is high reduce the interval to 7 days. Give 2 applications per season then change to a product with a different mode of action. Rates are based on a 1000 L water pr. Ha.

Crop	Disease	ml / ha	Rates of application ml / 20 L
Roses	Powdery Mildew (<i>Sphaerotheca pannosa</i>)	500	10
Carnations	Rusts (<i>Uromyces dianthi</i>)	500	10

Re entry Interval - 6 hours

Preparation for the spray mixtures

Half fill the sprayer tank with clean water. Shake the product container well and measure the required amount of **Azaka 250 SC®** into the tank. Top up

the spray tank with the remaining amount of water while agitating, apply as a full cover spray ensuring full cover even and complete coverage of all plant surfaces.

Hazards and handling precautions

Wear protective clothing when mixing. Do not inhale. Avoid contact with skin, eyes and clothing. Do not smoke, drink or eat while handling the product.

After work:

Wash gloves before removal. Change clothes and thoroughly wash yourself. Carefully wash the spraying equipment and personal protective clothing.

Storage:

Azaka 250 SC® must be kept in its original, sealed labelled container in a cool, dry and ventilated place under lock and key away from food stuffs, beverages, animal feed and packaging materials used for these commodities. Store out of reach of children and unauthorised people. Storage temperature between 5°C and 30°C, protect from frost and extreme heat.

Disposal:

Triple rinse empty containers and make them unusable by puncturing and dispose them in licensed incineration or authorized place. Do not re-use them for any other purpose. Unwanted **Azaka 250 SC®** or rinsate that cannot be used must be disposed of where it cannot contaminate water in accordance with National regulations and legislation

Spill, Leak and Disposal Procedures

Stop the spills immediately if it is safe to do so. Cover the spill with an absorbent material (sand, sawdust, soil, hydrated lime, universal binder or fullers earth). Sweep up the material and shovel

into closable approved chemical waste container. Rinse the spill area with soda lye or water containing strong detergent. Absorb wash liquid with absorbent and place in the chemical waste container. Wash waters must be prevented from entering surface water drains. Seal container and dispose of in an approved manner.

Wildlife and Environmental Protection:

Azaka 250 SC® is harmful to fish and aquatic life. It is less toxic to insects, birds and soil microorganism. Livestock should not be allowed to feed on treated grain. Do not contaminate ponds or waterways by direct application, cleaning of equipment, disposal of waste and empty container. No food or feed should be collected from treated CAUTION area for a period corresponding to pre-harvest interval.

FIRST AID INSTRUCTIONS

In case of eye contact: Rinse immediately with gently running water for about 10 - 15 minutes, maintaining the eyelids open and consult an Ophthalmologist or a Physician.

In case of skin contact: Remove the contaminated clothes immediately and wash thoroughly with plenty of water and soap. See the physician if necessary.

In case of ingestion: If swallowed, do not induce vomiting or give anything by mouth. Seek medical advice, if vomiting occurs rinse mouth with water and give fluids and seek medical advice.

In case of inhalation: remove patient from exposure, keep warm and at rest. Seek medical advice.

TOXICOLOGICAL INFORMATION/NOTICE TO PHYSICIAN:

Antidote: There is no specific antidote known.

Treatment: Treat symptomatically and give supportive therapy gastric lavage or administration of activated charcoal can be considered.

In case of poisoning call toll free number / piga simu ya kusumika bila malipo kwa number 0800720021/0800730030

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAELEZO KWA JUMLA

Dawa ya wigo mpana ya kuzuia magonjwa kama Powdery mildew kwa maua ya waridi na kuuu yak utu kwenye carnations.

Jinsi inavyofanya kazi

Azaka 250 SC® ni aina ya dawa ya strobilurin ambayo hufanya kazi kwa kuangamiza mitochondria kisha kusimamisha kuota kwa spores na ukuaji wa mycelia kwa spores na hiyo basi kudhibiti kuenea kwa ugonjwa katika hali zote za maendeleo Azoxystrobin pia husaidia kuuangamiza kuta za chembechembe za kuuu na ukuaji wake kisha kuzuia ueneaji wa spores.

MAPENDEKEZO YA MATUMIZI

Tumia **Azaka 250 SC®** wakati dalili za ugonjwa zimeonekana ama hali ya anga yaweza kusababisha magonjwa. Fuata maagiza yafuatayo wakati wa kunyunyiza dawa. Rudia kueka dawa baada ya siku kumi na ine iwapo hali ya magonjwa iko chini na baada ya juma moja kama hali ya magonjwa iko Juu, kisha ubadilisha dawa na

	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	10079450	Base for Booklet	x
Product SKU Description	AZAKA,250SC,1L,E,0#Lachlan,Kenya	Booklet	244 x 130 mm
Label SKU	15145031	Number of pages (Booklet)	3 pages
Label SKU Description	E,AZAKA,250SC,1L,E,0#KE,M/F	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x

nyingine ambayo inafanya kazi tofauti.

Viwango vya kutumia na mimea:

Crop	Disease	Rates of application	
		Milita kwa hektari	Milita kwa lita 20
Waridi (Roses)	Powdery Mildew (<i>Sphaerotheca pannosa</i>)	500	10
Carnations	Rusts (<i>Uromyces dianthi</i>)	500	10

Muda salama wa kuingia palipo nyunyuziwa dawa Masaa sita (6)

Wakati wa kunyunyizia

Kifaa cha kuchanganya dawa ni lazima kiwe kimepimwa vizuri ili kiambatane na kiasi kinachopendekewa kutumiwa cha dawa.

Tahadhari

Usivute sigara, usinywe wala kula unapotumia dawa hii. Epuka ukungu wa dawa hii unapotumia. Dawa hii huwasha macho. Nawa mikono na sehemu ya mwili iliyo wazi ukimaliza kutumia dawa hii na kabla ya kula.

Utumiaji

Vaa nguo za kinga wakati unapotayarisha dawa na unapotumia dawa. Jiepushe na kuvuta dawa. Jihadhari isiguze ngozi, macho au nguo. Usivute sigara, usinywe wala kula unapotumia dawa hii.

Baada ya kazi

Osha 'gloves' vizuri baada ya kazi. Badilisha nguo ulizotumia kisha unawe uso na mikono vizuri. Osha bomba na nguo za kazi kwa uangalifu.

UHIFADHI

Azaka 250 SC® ni sharti ihifadhiwe kwenye chombo chake asili kilichoibwa vizuri pahala palipokauka, pasipo na joto nyingi na penye hewa ya kutosha. Ifungie ukitumia kufuli mbali na vyakula, vinywaji, chakula cha mifugo na vifurushi vinavyotumika kufungia vyakula na vinywaji. Ghala iwe marufuku kwa watoto na wasioidhinishwa.

KUTUPILIA KIKOPO

Suza mkebe mara tatu. Ondosha chombo kilichoisha dawa kwa kukichoma au kukizika pahali palipo salama na panaporuhusiwa kulingana na sheria za utupaji. Usikitumie kwa matumizi mengine yoyote. Dawa iliyobaki pamoja na maji yaliyoosha chombo au bomba lazima imwagwe kwenye shimo mbali na maji au mwanzo wa maji.

KUKINGA WANYAMA NA MAZINGARA

Kiasi cha juu kinaweza kudhuru samaki na viumbe wa majini. Inadhuru mifugo. Mimea ambayo imenyunyizwa dawa isilishwe. Usichafue visima au mito kwa kunyunyizia, kuosha vyombo, kumwaga mabaki, au kutupa viwekeo vya dawa hii.

Azaka 250 SC® yaweza kudhuru matunga ya Apple, TAHADHARI DAWA ISIENDE PAHALI PASIPOHITAJIKA. Chukua tahadhari usidhuru matunda ya Apple. **USINYUNYZE Azaka 250 SC®** ampapo kunahadhari ya kudhuru Apples. Hakikisha bomba limesafishwa vizuri baada y akunyunyiza **Azaka 250 SC®** kabla ya akunyunyiza mimea ya apples. Kiasi kidogo cha **Azaka 250 SC®** chaweza kudhuru mimea ya apples.

MAELEZO YA HUDUMA YA KWANZA

Ikiguza macho: Sunza macho mara moja ukitumia maji safi kwa muda usiopungua dakika kumi na tano kisha umwone daktari.

Ikiguza ngozi: Vaa nguo zilizopatwa na dawa mara moja kisha uoge vizuri kwa maji na sabuni.

Ikimezwa: Usimtapishe wala kumlisha chochote ikiwa mgonjwa amepoteza fahamu. Mwone daktari.

Ikikumuliwa: mpeleke mgonjwa mahali penye hewa safi kisha muone daktari.

MAELEZO YA SUMU/ARIFA KWA DAKTARI:

Makata: Hakuna makata ijulikanayo.

Matibabu: Mtibu mgonjwa kulingana na dalili zinazoonekana.

PELEKA MJERUHI KWA DAKTARI

Wakati wa kusumika / piga simu bila malipo kwa number 0800720021 / 0800730030 24 hrs / masaa 24

ILANI KWA MTUMIAJI

Dawa hii lazima itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyosalama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokea kutokana na matumizi ya dawa hii, kwenye binadamu au mali na lazima aikubali dawa hii katika hali hiyo.

	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	10079450	Base for Booklet	x
Product SKU Description	AZAKA,250SC,1L,E,0#Lachlan,Kenya	Booklet	244 x 130 mm
Label SKU	15145031	Number of pages (Booklet)	3 pages
Label SKU Description	E,AZAKA,250SC,1L,E,0#KE,MF	Carton label	x
Label SKU (earlier version(s))	x	Preprinted Material	x