



Foxtrot™ 69 EW

Herbicide

Foxtrot™ 69 EW is a selective herbicide for post emergence control of grass weeds in wheat and barley. **Foxtrot™ 69 EW** Ni dawa ya kuangamiza kwekwe aina za nyasi kwenye ngano na shayiri.

GUARANTEE/(DHAMANA): 69 g/L of Fenoxaprop-p-ethyl
COMMERCIAL AND AGRICULTURAL CLASS (KUNDI LA BIASHARA NA KILIMO)
REGISTRATION No./(NAMBAARI YA USAJILI): PCPB(CR)1545

Registrant:
 FMC Agricultural Solutions A/S
 Thyborønvej 787673 Harboøre
 Denmark

Distributed by/Wasambazaji:
JUANCO SPS LTD.
 Juancos Centre, Ngong Rd., Ngong Hills
 P.O.Box 381, Karen 00502, Nairobi.
 Tel: +254 (20) 2088754, 2088755/6

NET CONTENTS/(KIASI):

1L e

Shelf Life: 2 years from the date of manufacture if the product is stored in unopened original container in a cool and well ventilated dry place.

Maisha rafuni: Miaka miwili kutoka tarehe ya kutengeneza iwapo dawa itahifadhiwa kwa chombo chake asili bila kufunguliwa na iwekwe mahali pakavu pasipo na joto.



Agent/Agenti:
 FMC Kenya Branch
 P.O.BOX 25459-00100
 Nairobi, Kenya
 Tel: +254 20 5154241/2
www.fmc.com

MEMBER OF AGROCHEMICAL
 ASSOCIATION OF KENYA
 A.A.K NO 273

**IN CASE OF POISONING CALL
 TOLL FREE NUMBER:
 (WAKATI WA KUSUMIKA
 PIGA SIMU BILA MALIPO
 KWA NAMBAARI
 0800730030 OR/AU
 0800720021(24HRS)**

**READ THE LABEL BEFORE USE
 CAUTION KEEP LOCKED OUT
 OF REACH OF CHILDREN**

**SOMA MAELEZO KABLA YA
 KUTUMIA TAHDHARI WEKA
 IMEFUNGIWA MBALI NA WATOTO**



5 703265 556156 >

11001596_22013986_KENYA



Manufactured by:
 Cheminova A/S, P.O. Box 9,
 DK-7620 Lemvig, Denmark

Batch No: See print on
 packaging(Nambari ya furushi)

Date of Manufacture: See
 print on packaging (Tarehe ya
 kutengenezwa)



	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	11001596	Base for Booklet	x
Product SKU Description	FOXTROT 69EW_1L_KE_JUAN	Booklet	244 x 130 mm
Label SKU	22013986	Number of pages (Booklet)	2 pages
Label SKU Description	LBL_ML-F_1L_FOXTROT 69EW_JUAN KE_1	Carton label	x
Label SKU (earlier version(s))	15144604	Preprinted Material	x

DESCRIPTION:

Foxtrot™ 69 EW is a selective herbicide for post emergence control of grass weeds in wheat and barley.

Mode of action

Foxtrot™ 69 EW is a Aryloxyphenoxy-propionate and works by inhibition of acetyl coA carboxylase(ACCase)

DIRECTION FOR USE

Use Foxtrot™ 69 EW at the rates in table below. Apply before the end of tillering of cereals, once per season.

Crop	Weeds	Rates	Volume
Wheat	Setaria verticillata Eleusin multiflora	1 Litre/ha	Use at least 200 L of water/ha crop
	Eragrotis superba and Avena fatua	100ml/20L	Aerial application use 30-50 litres.
Barley	Setaria verticillata Eleusin multiflora	1 Litre/ha	Use at least 200 L of water/ha or 300 L in dense crop
	Eragrotis superba and Avena fatua	100ml/20L	Aerial application use 30-50 L.

Preparation of Spray

Fill spray equipment with water up to three quarters of its volume. Thoroughly shake the container of Foxtrot™ 69 EW to ensure a uniform suspension. Add the required amount of Foxtrot™ 69 EW and start agitation. Complete the filling of the knapsack sprayer with water. Continue agitation during spraying. Do not prepare more spray liquid than necessary.

Precautions:

Undiluted Foxtrot™ 69 EW can irritate the eyes and skin. Wash hands and exposed skin before meals and after work.

Storage:

Keep Foxtrot™ 69 EW in its original sealed container and store in a cool, dry place out of reach of children and away from animals, food and feedstuffs. Protect from frost fire and heat.

Disposal:

Containers can be triply rinsed (or equivalent), the packaging can be punctured to make it unusable for other purposes. Packaging, product, and rinsing water should be disposed of in accordance with national regulations. Do not discharge product or rinsing water to sewer systems.

ENVIRONMENTAL HAZARD

Foxtrot™ 69 EW is not toxic to honey bees and has low toxicity to birds. It is slightly hazardous to domestic animals. Livestock should not be allowed to feed on newly sprayed herbage. The product is harmful to fish and aquatic life. Do not contaminate ponds or waterways by direct application, cleaning of equipment, disposal of waste and empty container.

FIRST AID INSTRUCTIONS

Inhalation: If experiencing any discomfort, immediately remove from exposure.
Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop.

Serious cases: Get medical attention immediately or call for an ambulance.

Skin contact: Immediately remove the contaminated clothing and footwear. Flush skin with much water. Wash with water and soap. See physician if irritation persists.

Eye contact: Immediately rinses eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. See physician if irritation persists.

Ingestion: Let the person rinse mouth and let him/her drink several glasses of water or milk, but do not induce vomiting. If vomiting occurs, let him/her rinse mouth and drink fluid again. Never give anything by mouth to an unconscious patient. Get medical attention immediately. Symptoms of poisoning: No specific adverse effects in humans have been reported. However, discomfort, eye / skin irritation might be experienced. When fed to animals at high dosage, similar compounds caused salivation, depression of activity, muscle spasms, ataxia and increased body temperature.

TOXICOLOGICAL INFORMATION/NOTICE TO PHYSICIAN

Antidote: There is no specific antidote known.

Treatment: Treat symptomatically and give supportive therapy.

Administration of activated charcoal or gastric lavage can be considered.

In case of poisoning call toll free number 0800720021/0800730030, 24 hrs.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAELEZO

Foxtrot™ 69 EW ni dawa ya kuangamiza kwekwe aina ya nyasi kwenye ngano na shahiri.

JINSI YA KUTUMIA

Tumia viwango ya Foxtrot™ 69 EW vilivypendekezwa. Nyunyiza wakati kwekwe unapo onekania au jani kamili linapochitokeza. Kunyuniya tena kunawenza hitajika kama shambulizi ni kubwa na la muda mrefu.

Kiasi cha kutumia

Mmea	Kwekwe	Mapendekezo	Kiwango cha maji
Ngano	Setaria verticillata, Eleusine multiflora, Eragrostis superba and Avena fatua.	Lita 1 kwa ha	Tumia lita 200 kwa hektari
		Mililita 100 kwa bomba ya lita 20	
Shayiri	Setaria verticillata Eleusin multiflora Eragrotis superba and Avena fatua	Lita 1 kwa ha	Tumia lita 200 kwa hektari
		Mililita 100 kwa bomba ya lita 20	

Onyo kwa mtumizi

Usitumie Innovate 240SC zaidi ya mara mbili kwa msimu mmoja

TAHADHARI

Dawa hii huwasha macho na ngozi. Nawa mikono na sehemu ya ngozi iliy wazi baada ya kazi na kabila ya kula.

UHIFADHI

Foxtrot™ 69 EW sharti ihifadhiwe kwenye chombo chake asili kilichoziwa vizuri na iwekwe pahali pakavu pasipo na joto jingi na penye hewa ya kutosha. fungie ukitumia kufuli mbali na watoto, vyakula, vinywaji, chakula cha mifugo na vifurushi vinavyotumika kufungia vyakula na vinywaji.

UTUPAJI

Usitumie tena chombo kilichoisha dawa kwa matumizi mengine bali kizushe mara tatu kasha ukitoboe kisitumike tena kisha ukiondoo kwa njia inayostahili kwa mijibu wa sharia ziliozowekwa.

HATARI KWA MAZINGARA

Foxtrot™ 69 EW haina madhara kwa nyuki. Dawa hii ina madhara ya kwango cha chini kwa ndege na mifugo. Mifugo wasilishwe pahali dawa imenyunyizwa. Inaweza kudharu samaki na viumbu ya majini. Usichafue visima au mitio kwa kunyuniya, kuosha vyombo, kumwaga mabaki, au kutupa viwekeo vya dawa hii. Usinu yize dawa karibu na maji (wacha na fasi salama ya Mita 2).

HUDUMA YA KWANZA

Ikigusa macho: Sunza macho mara moja ukitumia maji safi kwa muda usiopungua dakika kumi na tano kisha umwonee daktari.

Ikigusa ngozi: Vua nguo zilizopata na dawa mara moja kisha uoge vizuri kwa maji na sabuni.

Ikimeza: Usimtapishe wala kumlisha chohote ikiba mgonjwa amepoteza fahamu: Mwone daktari, katika hali hiyo.

Ikipumuliwa: Kiasi cha juu chawenza kuleta hali ya 'metallic fever' hali ambayo kwa kawaida huisya yenyewe. Pata ushauri wa daktari.

MARIFA JUU YA SUMU

Dalili Ya Sumu: Hakuna madhara ya liyoriopotiwa kwa binadamu. Hata hiyo, kuwashwa na macho / ngozi kuanweza kutekeza.

Makata: Hakuna makata ijulikanayo

Taarifa kwa daktari

Matibabu: Mtibu mgonjwa kulingana na dalili zinazonekana.

Wakati wa Kusumilia Piqa Simu Bila Malipo kwa Nambari:
0800730030 ama 0800720021(PELEKA MJERUHI KWA DAKTARI)

ILANI KWA MTUMIAJI

Dawa hii sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibitu kutumia au kuhifadhi dawa hii katika hali isiyu salama

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima akubali dawa hii katika hali hiyo

FILL IN		DIMENSIONS (WXH)	
Country	Kenya	Single label	x
Product SKU	11001596	Base for Booklet	x
Product SKU Description	FOXTROT 69EW_1L_KE_JUAN	Booklet	244 x 130 mm
Label SKU	22013986	Number of pages (Booklet)	2 pages
Label SKU Description	LBL_ML-F_1L_FOXROT 69EW_JUAN KE_1	Carton label	x
Label SKU (earlier version(s))	15144604	Preprinted Material	x