



Vantex® 60 CS Insecticide

A capsule suspension insecticide for the control of thrips, aphids and whiteflies on French beans, and thrips, whiteflies and caterpillars on roses. Kiaua dudu cha kuangamiza thrips, aphids, whiteflies kwa maharagwe na thrips, whiteflies na caterpillar skwenye maua ya waridi.

NET CONTENTS (KIASI): **100ml**



FMC

Manufacturer / Watengenezaji: CHEMINOVA A/S, P.O. Box 9, 7620 Lemvig, Denmark.
Phone: +45-96 90 96 90, Fax: +45-96 90 96 91, www.cheminova.com

PHYSICAL FORM: Liquid • **REGISTRATION NO.** PCPB (CR) 1019 GUARANTEE (DHAMANA): 60 g/L gamma - cyhalothrin
COMMERCIAL AND AGRICULTURE CLASS (SEHEMU YA KILIMO NA BIASHARA)

Shelflife: 2 years from date of manufacture, if stored in its original unopened container, in a cool dry place. **Muda wa kudumu:** Miaka 2 kutoka tarehe ya kutengenezwa ikiwa kwa mkoba uliofunikwa vizuri na kuhifadhiwa pasipo na joto jingi wala uyevu. **Warning / Ilani:** Harmful to aquatic life / Inadhuru viumbe wa majini.

® Trade mark of (alma ya biashara ya kampuni ya) Cheminova A/S, Denmark

Emergency: in case of poisoning call toll free number / wakati wa kusumika piga simu bila malip kwa **0800720021/0800730030 (24 hrs/masaa 24).**

Distributed by / (Wasambazaji): Elgon Kenya Limited Masai Road, Off Mombasa Road P.O. Box: 46826-00100, Nairobi, Kenya. Tel. +254-020-534410 / 534810/01/09 **Agent / Ajenti:**

FMC Kenya Branch
P.O. BOX 25459-00100, Nairobi, Kenya. Tel: +254 20 515 4241 / 2
www.fmc.com



MEMBER OF AGRO CHEMICAL
ASSOCIATION OF KENYA
REGISTRATION NO. 355

**READ LABEL BEFORE USING
(SOMA KIBANDIKO KABLA YA
KUTUMIA)**

**KEEP LOCKED OUT OF REACH
OF CHILDREN (FUNGIA MBALI
NA WATOTO) WHO CLASS III:
SLIGHTLY HAZARDOUS**

Batch No: See print on packaging (Nambari ya furushi)

Date of Manufacture: See print on packaging (Tarehe ya kutengenezwa)



11004324_XXXXXXXX_KENYA

P 293C P 032C P 7412C CYAN MAGENTA YELLOW BLACK



	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	11004324	Base for Booklet	x
Product SKU Description	VANTEX 60CS_100ML_KE_ELGO	Booklet	164 x 42 mm
Label SKU	XXXXXXXX	Number of pages (Booklet)	6 pages
Label SKU Description	LBL_ML-F_100ML_VANTEX 60CS_ELGO KE_1	Carton label	x
Label SKU (earlier version(s))	15133850 15143411	Preprinted Material	x

GENERAL INFORMATION: VANTEX® 60 CS is a broad spectrum new generation synthetic pyrethroid Insecticide, made of gamma cyhalothrin with contact, residual and stomach action with repellency properties. It is used for the control of thrips, aphids and whiteflies on French beans, and thrips, white flies and caterpillars on roses.

The technology of Capsule Suspension provides greater mammalian safety, reduced potential for skin sensitization, more rain fastness and greater consistency than EC formulations.

MIXING

- Half fill the spray tank with clean water and add the appropriate amount of accurately measured **VANTEX® 60 CS** then completely fill the tank with the remaining water.
- Ensure thorough agitation by mechanical or hydraulic action at all times during mixing and application.
- Use only clean water for diluting.

PHYTOTOXICITY: VANTEX® 60 CS is not phytotoxic at recommended label rates, however a small spray test should be carried out especially before full spray is applied on ornamentals and flowers.

APPLICATION

Application timing: **VANTEX® 60 CS** should be applied as soon as the first sign of insect pest attack. Repeat application as necessary. Apply using any type of hand sprayer, mist blower, tractor mounted sprayer or aerial sprayer.

RATES OF USE

CROP	PEST	APPLICATION RATE		SPRAY VOLUME Lts./HA
		Mls/Ha	Mls/20 Lts.	
French beans	Thrips, aphids and whiteflies	175 mls	3.5 mls	800-1600 Liters
Roses	Thrips, whiteflies and caterpillars	175 mls	3.5 mls	800-2000 Liters

BLACK



	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	11004324	Base for Booklet	x
Product SKU Description	VANTEX 60CS_100ML_KE_ELGO	Booklet	164 x 42 mm
Label SKU	XXXXXXXX	Number of pages (Booklet)	6 pages
Label SKU Description	LBL_ML-F_100ML_VANTEX 60CS_ELGO KE_1	Carton label	x
Label SKU (earlier version(s))	15133850 15143411	Preprinted Material	x

REENTRY INTERVAL: 4 hours.

HAZARD / PRECAUTIONS

1. The product is an allergic sensitizer to certain individuals.
2. Very toxic to aquatic life with long lasting effects.
3. Toxic to bees.
4. May cause damage to nervous system through prolonged or repeated exposure.

Handling:

- Wear protective clothing like rubber or PVC gloves, rubber boots and overalls.
 - Avoid contact with eyes. Wear protective goggles.
 - Do not eat, drink or smoke when handling.
 - Keep out of reach of children and animals.
 - Wash thoroughly with soap and clean water after handling.
- Wash protective clothing before re-using.

Disposal: DO NOT RE-USE THE EMPTY CONTAINER FOR ANY OTHER PURPOSE.

Destroy the empty container and dispose them by burning or burying in a deep pit in a safe and authorized place.

ENVIRONMENTAL HAZARDS

- Highly toxic to aquatic invertebrates.
- Do not contaminate water with the product or wash water remains during equipment cleaning.
- Toxic to bees: Do not spray when bees are actively foraging.

Storage:

- Store safely under lock and key away from children, food and drinks.
- Store in a tightly closed original container in a cool and dry place.

FIRST-AID MEASURES

If swallowed: Seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

For skin: On contact, gamma-cyhalothrin may cause feelings of burning, tingling or numbness (paraesthesia). The effect is enhanced by sweating, water and sunshine. In case of contact, first wipe off with

BLACK



	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	11004324	Base for Booklet	x
Product SKU Description	VANTEX 60CS_100ML_KE_ELGON	Booklet	164 x 42 mm
Label SKU	xxxxxxxx	Number of pages (Booklet)	6 pages
Label SKU Description	LBL_ML-F_100ML_VANTEX 60CS_ELGO KE_1	Carton label	x
Label SKU (earlier version(s))	15133850 15143411	Preprinted Material	x

dry cloth, wash with water and soap and then apply a fat based oil or cream.

For eyes: Flush with plenty of clean flowing water and consult a physician.

For inhalation: Remove from exposure. Get medical attention immediately. If breathing has stopped, immediately start artificial respiration until a physician arrives.

NOTE TO PHYSICIAN

Supportive care Treatment based on judgement of physician in response to symptoms of patient.

Symptoms: Gamma-cyhalothrin can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia).

Antidote: A specific antidote against this substance is not known. After decontamination, treatment is symptomatic and supportive as indicated.

In case of poisoning call toll free number: 0800720021 / 0800730030 (24 hrs)

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on this label.

It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

SELLER'S GUARANTEE: Seller's guarantee is limited to the terms set on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAELEZO KWA JUMLA

VANTEX 60 CS ni kua dudu cha kizazi kipa cha Synthetic pyrethroid cha aina ya gamma cyhalothrin, kinacho angamiza wadudu waharibifu wa mimea ya mboga na maua kwa kugusana nao, sumu ya tumboni na kufukuza kutoka kwa mimea aina mbali mbali. Imeundwa kisasa kama gamba lililotiwa dawa na kwa hivyo; kuwa salama kwa binadamu, haioshwi haraka na mvua kutoka kwa mmea, inapunguza mwasho ngozini na inafanya kazi ya kua dudu vizuri zaidi ya zile zilizoundwa vingine kama vile EC.

JINSI YA KUCHANGANYA

Mimina maji kipimo nusu kwa bomba halafu ujaze kipimo kamili cha dawa na kisha kipimo cha maji iliosalia. Hakikisha mchanganyiko huu umekorogeka vizuri na utaendelea kukorogwa unapotumiwa. Tumia maji safi.

164 x 42 - 11004324_XXXXXXXX_LBL_ML-F_100ML_VANTEX 60CS_ELGO KE_1_BOOKLET_6pages.indd 4

19/08/2022 13:49

BLACK



	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	11004324	Base for Booklet	x
Product SKU Description	VANTEX 60CS_100ML_KE_ELGO	Booklet	164 x 42 mm
Label SKU	xxxxxxxx	Number of pages (Booklet)	6 pages
Label SKU Description	LBL_ML-F_100ML_VANTEX 60CS_ELGO KE_1	Carton label	x
Label SKU (earlier version(s))	15133850 15143411	Preprinted Material	x

MAAGIZO VA KUTUMIA

MMEA	WADUDU	KIPIMO CHA MATUMIZI		KIPIMO CHA MAJI KWA Lts./HA
		Mls/Ha	Mls/20L MAJI	
French beans	Thrips, aphids, whiteflies	175 mls	3.5 mls	Lita 800-1600
Roses	Thrips, whiteflies, caterpillars.	175 mls	3.5 mls	Lita 1000-2000

KUDHURU MIMEA: VANTEX® 60 CS haidhuru miniea ikitumiwa vilivyopendekezwa, lakini jariblo kidogo kwa mimea kadha ya rnaua imependekezwa.

UNYUNYIZIAJI

Muda wa kunyunyizia.

Nyunyizia dawa hii wakati dalili za wadudu waharibifu zinapoanza kuonekana na urudie kunyunyizia ikihitajika tena baadaye.

MUDA SALAMA WA KUVUNA: Siku 3 baada ya nyunyizio la mwisho.

TAHADHARI**Ukitumia:**

- Ni sumu ikigusana na ngozi. Tumia mavazi ya kinga kama vile overall, glove na viatu.
- Zuia isiingie kwa macho. Tumia miwani ya kinga.
- Usile, unywe wala uvute sigara unapoitumia dawa hii.
- Hakikisha watoto na wanyama wako mbali na dawa unapoitumia.
- Osha mwili na mavazi ya kinga vizuri ukimaliza kutumia na kabla ya kuzitumia tena.

Uhifadhi

- Hifadhi salama kwa kufungia mbali na watoto, wanyama, vyakula na vinywaji.
- Hifadhi kwenye mkoba uliofunikwa vizuri pahala pakavu na pasipo na unyevu.

BLACK



	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	11004324	Base for Booklet	x
Product SKU Description	VANTEX 60CS_100ML_KE_ELGO	Booklet	164 x 42 mm
Label SKU	XXXXXXXX	Number of pages (Booklet)	6 pages
Label SKU Description	LBL_ML-F_100ML_VANTEX 60CS_ELGO KE_1	Carton label	x
Label SKU (earlier version(s))	15133850 15143411	Preprinted Material	x

Utupaji

USITUMIE TENA KWA NJIA YEYOTE MKOBA MTUPU WA DAWA HII.
Uharibu na kuuropa kwenye shimo ndefu au kuuchoma mahali salama palipo ruhuswa.

HADHARA KWA MAZINGARA

- Ni sumu kwa nyuki: usinyunyizie wakati nyuki wanapotafuta vyakula shambani.
- Ni sumu kwa wanyama wa majini: Usichafue mabwawa, mito na maji kwa dawa hii wala kwa mikoba yake mitupu.

HUDUMA YA KWANZA

Ikimezwa: Pata ushauri wa daktari. Usimlazimishe muhusika kutapika ila ukiamuriwa na daktari.
Ikigusana na ngozi: Dawa hii ya "gamma-cyhalothrin" yaweza sababisha mwili kuwashawasha na pia kukosa kuongea . Dalili huzidi kwa njia ya mwili kuanza kutoa jasho na pia kupitia kwa jua njingi na maji. Iwapo dawa imegusana na mwili, pangusa pahali pale na kitambaa kilichokauka na osha ngozi na maji masafi na sabuni na jipake mafuta ya kujipaka yenye kurimu.
Ikiingia kwenye macho: Osha na maji masafi yanayotiririka na muone daktari.

MATIBABU

Matibabu ni juu ya uamuzi wa daktari.

Katika kesi ya kusumika piga namba hii bila malipo :
0800720021 / 0800730030 (masaa 24)

ILANI KWA MTUMIAJI

Dawa hii sharti itumiwe kulingana na maangizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyo salama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambaye ni lazima yafuatwe kikamilifu. Mfunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.

BLACK



	FILL IN		DIMENSIONS (WXH)
Country	Kenya	Single label	x
Product SKU	11004324	Base for Booklet	x
Product SKU Description	VANTEX 60CS_100ML_KE_ELGON	Booklet	164 x 42 mm
Label SKU	xxxxxxx	Number of pages (Booklet)	6 pages
Label SKU Description	LBL_ML-F_100ML_VANTEX 60CS_ELGO KE_1	Carton label	x
Label SKU (earlier version(s))	15133850 15143411	Preprinted Material	x