

SAFETY DATA SHEET



Altacor® insecticide

Version 1.1 Revision Date: 11.01.2023 SDS Number: 50000012 Date of last issue: -
Date of first issue: 03.01.2018

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female
NOEL : 1188 - 1526 mg/kg
Application Route : Oral
Exposure time : 90 days
Method : OECD Test Guideline 408

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

Section 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 3.2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.029 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): > 5.0 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l
Exposure time: 21 d
Remarks: Information refers to the main component.

SAFETY DATA SHEET



Altacor® insecticide

Version 1.1 Revision Date: 11.01.2023 SDS Number: 50000012 Date of last issue: -
Date of first issue: 03.01.2018

- Toxicity to soil dwelling organisms : (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
- Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
Exposure time: 14 d
Method: US EPA Test Guideline OPPTS 850.2100
- LD50 (Apis mellifera (bees)): 340.5 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes
- LD50 (Apis mellifera (bees)): 285.7 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

Components:

Chlorantraniliprole:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0116 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l
Exposure time: 120 h
- EC50 (Lemna gibba (duckweed)): > 2 mg/l
Exposure time: 14 d
- NOEC (Lemna gibba (duckweed)): 2 mg/l
Exposure time: 14 d
- ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28 mg/l
Exposure time: 36 d
- NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l
Exposure time: 21 d

SAFETY DATA SHEET



Altacor® insecticide

Version 1.1 Revision Date: 11.01.2023 SDS Number: 50000012 Date of last issue: -
Date of first issue: 03.01.2018

ic toxicity)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water

LD50 (*Colinus virginianus* (Bobwhite quail)): > 2,250 mg/kg

LC50 (*Anas platyrhynchos* (Mallard duck)): > 5,620 ppm

LD50 (*Poephila guttata* (zebra finch)): > 2,250 mg/kg

kaolin:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

SAFETY DATA SHEET



Altacor® insecticide

Version 1.1 Revision Date: 11.01.2023 SDS Number: 50000012 Date of last issue: -
Date of first issue: 03.01.2018

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life (DT50): 10 d pH: 9

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 15
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

SAFETY DATA SHEET



Altacor® insecticide

Version 1.1 Revision Date: 11.01.2023 SDS Number: 50000012 Date of last issue: -
Date of first issue: 03.01.2018

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil

Other adverse effects

Product:

Results of PBT and vPvB assessment : This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Section 13: Disposal considerations

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Chlorantraniliprole)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077

SAFETY DATA SHEET



Altacor® insecticide

Version 1.1 Revision Date: 11.01.2023 SDS Number: 50000012 Date of last issue: -
Date of first issue: 03.01.2018

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code
UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET



Altacor® insecticide

Version 1.1 Revision Date: 11.01.2023 SDS Number: 50000012 Date of last issue: -
Date of first issue: 03.01.2018

HSNO Approval Number

HSR007968
ACVM Number : P7831

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

Section 16: Other information

Revision Date : 11.01.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

SAFETY DATA SHEET



Altacor® insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	11.01.2023	50000012	Date of first issue: 03.01.2018

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N