



HARMFUL KEEP OUT OF REACH OF CHILDREN

Active Ingredient:

462 g/kg prochloraz present as the manganese complex in the form of a wettable powder

NET CONTENTS:

1 kg



GROUP	3	FUNGICIDE
-------	----------	-----------

For the control of certain diseases in Ornamentals, Mushrooms and Stone fruit

Registered pursuant to the ACVM Act 1997, No P3055.

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR000579.

See www.epa.govt.nz for approval conditions

READ LABEL BEFORE MIXING AND APPLYING



HAZARD CLASSIFICATIONS: 6.1E, 6.4A, 6.9B, 9.1A, 9.3C

This product must be under control of an approved handler during use.

WARNING

May be harmful if swallowed. Harmful may cause eye irritation. Harmful – presumed may cause organ damage from repeated oral exposure at high doses. Toxic to fish with long-lasting effects – must not be applied directly onto or into water. Harmful to terrestrial vertebrates.

PRECAUTIONS

PERSONAL PROTECTION

DO NOT eat, drink or smoke while using. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with the eyes.

STORAGE

Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from foodstuffs. When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of this product if it is older than this.

SPILLS AND DISPOSAL

When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Sweep up spilled material, collect and store in properly labelled, sealed drums for safe disposal. Avoid creating dust. If spray mixture is spilled, contain and absorb in suitable inert absorbent material and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

DISPOSAL

Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

CONTAINER DISPOSAL

Ensure container is completely empty. Burn if circumstances, especially wind direction, permit. Otherwise bury in a suitable land fill.

FIRST AID

If swallowed **DO NOT** induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If splashed in eyes, wash out immediately with water, if irritation persists get medical advice. If inhaled move the victim to fresh air immediately.

GENERAL INFORMATION

Octave® is a DMI fungicide which may be applied as a spray treatment to Ornamentals and Stone fruit, as a dip treatment to Ornamentals and a drench treatment in Mushrooms.

RESISTANCE

Resistance to this and other DMI products could develop in some disease situations from repeated use. To minimise this risk use strictly in accordance with label instructions.

It is an offence to use this product on animals.

DIRECTIONS FOR USE

MIXING

Thoroughly premix the required amount with a little water to form a slurry. Add water whilst agitating. For spray treatments maintain agitation while mixing and applying. Also agitate thoroughly after a stoppage before recommencing spraying. Use immediately after mixing.

COMPATIBILITY

Octave® is compatible with most commonly used insecticides and fungicides. **DO NOT** mix with strongly alkaline materials such as Bordeaux mixture and lime sulphur.

RECOMMENDATIONS

The rates suggested for spray application are for high volume sprays to the point of run-off. For concentrate spraying adjust dilution rate accordingly.

Crop	Disease	Rate	Remarks
Mushrooms	Brown spot (<i>Verticillium</i> sp)	3 g/ square metre in 1 L of water as a drench treatment	Apply 7 - 9 days after casing. DO NOT apply within 10 days of picking.
Ornamentals	<i>Colletotrichum</i> sp Glomerella leaf spot, <i>Monochaetia</i> sp, <i>Pestalotia</i> sp, Powdery mildew	100 g/ 100 L in sufficient water to obtain thorough spray coverage. 100 g/ 100 L as a dip	Apply at first signs of infection and repeat at 14 day intervals. Immerse whole plants in dip treatment prior to shipping.
Stone fruit	Brown rot	25 g/ 100 L	Apply at pink and repeat at 7 - 10 day intervals until petal fall. Shorter intervals may be required in wet weather. Use in mixture with non-DMI fungicides and apply no more than three treatments per season.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS:

MUSHROOMS – 10 DAYS

STONE FRUIT – PETAL FALL

NOTICE TO BUYER

FMC warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use of application, all of which are beyond the control of FMC. To the extent permitted at law FMC shall not be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer.

TO THE EXTENT PERMITTED AT LAW, FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE

The FMC logo and Octave® are Trademarks or Registered trademarks of FMC or its affiliates.

Formulated for and distributed by:

FMC New Zealand Limited
6 Clayton Street
Newmarket
Auckland 1023
Freephone: 0800 65 80 80
www.fmccrop.nz

New Zealand Emergency Telephone
Transport Emergency: 0800 387 668
24 hr Emergency Medical Information: 0800 111 174

© Copyright FMC New Zealand Limited 2018, all rights reserved. All directions for use, recommendations, use rates, compatibilities and other technical information is proprietary to FMC.