



	PRODUCT INFORMATION					
	PRODUCT NAME	Attract [®]				
	Composition	22% Actagro Organic Acids (Humin, Humic Acids, Fulvic Acids, Carbohydrates)				
	USE	Soil Amendment / Conditioner				
	FPA Registration No.	1-1IF-5085				
Mary Commercial Services	CROP REGISTERED	Rice, Fruiting Vegetables, Leafy Vegetables				

Attract®

Attract® is a soil amendment product that contains 22% Actagro Organic Acids which serve as effective agent for increased efficiency of nitrogen, phosphate, potassium and other nutrients uptake. This product is recommended for rice, leafy vegetables and fruiting vegetables.



DIRECTIONS FOR USE: Attract® is a soil amendment product that contains 22% Actagro Organic Acids which serve as effective agent for increased efficiency of nitrogen, phosphate, potassium and other nutrients uptake. This product is recommended for rice, leafy vegetables and fruiting vegetables.

Crop	Use Rate per 16L water	Product Rate Per Hectare	Spray Interval	Application timing	Spray Volume
Rice	500ml/16L water (soil spray); 100ml/16L water (root dipping); 125-250m;/16L water (foliar spray)	5000ml per hectare for soil spray	15 days	Basal at 1 DBT; Dip the roots in solution before transplanting; 4x (15, 30, 45 & 60 DAT)	160L / ha
Fruiting vegetables	500ml/TL: (soil spray) 100ml / 16L Water (root dipping) 500ml/TL (foliar spray)	6250ml per hectare for soil spray	15 days	1 DBT; Dip the roots in solution for 10-15 min before transplanting: 3x (15,30 & 45 DAT)	200L / ha
Leafy vegetables	500ml/TL (soil spray)) 500ml/TL (foliar spray)	6250ml per hectare for soil spray	10 days	1 day before planting; 2x (14 & 25 DAS)	200L / ha

Recommended commercial fertilizer in half or full application rate supplemented with ATTRACT® improve the vegetative growth of crops leading to higher and better fruit. Attract® is best applied as Soil Conditioner thru soil spray, 1 day before planting

- Do not apply with calcium based fertilizers. Fertilizer solutions with a pH of 5 or less may not be compatible. Combining with liquid fertilizer solutions is more effective if done at blending plant.
- Foliar application of Attract® close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.