

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

This Safety Data Sheet adheres to the standards and regulatory requirements of Great Britain and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : DEBUT
 Synonyms : B10048183
 DPX-66037 50WG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

1.3. Details of the supplier of the safety data sheet

Company : FMC Agro Limited,
 Rectors Lane, Pentre, Deeside, Flintshire CH5 2DH, United Kingdom
 E-mail address : SDS.Ronland@fmc.com

1.4. Emergency telephone number

Medical emergencies:

Austria: +43 1 406 43 43

Belgium: +32 70 245 245

Bulgaria: +359 2 9154 409

Cyprus: 1401

Czech Republic: +420 224 919 293, +420 224 915 402

Denmark: +45 82 12 12 12

France: +33 (0) 1 45 42 59 59

Finland: +358 9 471 977

Greece: 30 210 77 93 777

Hungary: +36 80 20 11 99

Ireland (Republic): +353 1 837 9964

Italy: +39 02 6610 1029

Lithuania: +370 523 62052, +370 687 53378

Luxembourg: +352 8002 5500

For fire, leak, spill or other accident emergencies:

U.S.A.: +1 800 / 424 9300 (CHEMTREC)

All other countries: +1 703 / 527 3887 (CHEMTREC - Collect)

Netherlands: +31 30 274 88 88

Norway: +47 22 591300

Poland: +48 22 619 66 54, +48 22 619 08 97

Portugal: 808 250 143 (in Portugal only)

+351 21 330 3284

Romania: +40 21318 3606

Slovakia: +421 2 54 77 4 166

Slovenia: +386 41 650 500

Spain: +34 91 562 04 20

Sweden: +46 08-331231, 112

Switzerland: 145

United Kingdom: 111

U.S.A. & Canada: +1 800 / 331-3148 (ProPharma)

All other countries: +1 651 / 632-6793 (ProPharma - Collect)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute aquatic toxicity, H400: Very toxic to aquatic life.

Category 1

Chronic aquatic toxicity, H410: Very toxic to aquatic life with long lasting effects.

Category 1

Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements



Environment

Warning



DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

<p>H410</p> <p>Special labelling of certain substances and mixtures</p> <p>P391 P501</p> <p>SP 1</p>	<p>Very toxic to aquatic life with long lasting effects.</p> <p>EUH401: To avoid risks to human health and the environment, comply with the instructions for use.,</p> <p>Collect spillage. Dispose of contents/ container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.</p> <p>Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).</p>
--	---

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Registration number	Classification according to Directive 67/548/EEC	Classification according to Regulation (EU) 1272/2008 (CLP)	Concentration
---------------------	--	---	---------------

Triflusulfuron-methyl (CAS-No.126535-15-7)

	N;R50/53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	50 %
--	----------	--	------

The above products are REACH compliant; Registration number(s) may not be provided because substance(s) are exempted, not yet registered under REACH or are registered under another regulatory process (biocide uses, plant protection products), etc.

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

<p>General advice</p> <p>Inhalation</p> <p>Skin contact</p>	<p>: Never give anything by mouth to an unconscious person. For specialist advice physicians should contact the National Poisons Information Service: Tel. 111 for England and Wales and Tel. 08454 24 24 24 for Scotland.</p> <p>: Move to fresh air. Consult a physician after significant exposure. Artificial respiration and/or oxygen may be necessary.</p> <p>: Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use.</p>
--	--

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

- Eye contact : If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.
- Ingestion : Obtain medical attention. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is conscious: Rinse mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms : No cases of human intoxication are known and the symptoms of experimental intoxication are not known.

4.3. Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO₂)

- Extinguishing media which shall not be used for safety reasons : High volume water jet, (contamination risk)

5.2. Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

- Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- : (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Control access to area. Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid breathing dust. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.

6.2. Environmental precautions

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

Environmental precautions : Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal.
Clean-up methods - large spillage Avoid dust formation. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.

Other information : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

6.4. Reference to other sections

For personal protection see section 8., For disposal instructions see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear personal protective equipment. For personal protection see section 8. Prepare the working solution as given on the label(s) and/or the user instructions. Use prepared working solution as soon as possible - Do not store. Provide appropriate exhaust ventilation at places where dust is formed.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Avoid dust formation in confined areas. Under severe dusting conditions, this material may form explosive mixtures in air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in a cool, dry place. Keep out of the reach of children.

Advice on common storage : No special restrictions on storage with other products.

Other data : Stable under recommended storage conditions.

7.3. Specific end use(s)

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

If sub-section is empty then no values are applicable.

Components with workplace control parameters

Type Form of exposure	Control parameters	Update	Basis	Remarks
--------------------------	-----------------------	--------	-------	---------

Talc (Mg₃H₂(SiO₃)₄) (asbestos-free) (CAS-No. 14807-96-6)

TWA Respirable dust.	1 mg/m ³	2007	EH40 WEL	
-------------------------	---------------------	------	----------	--

Sucrose (CAS-No. 57-50-1)

TWA	10 mg/m ³	2007	EH40 WEL	
STEL	20 mg/m ³	2007	EH40 WEL	

8.2. Exposure controls

- Engineering measures : Ensure adequate ventilation, especially in confined areas. Provide for appropriate exhaust ventilation and dust collection at machinery. Use sufficient ventilation to keep employee exposure below recommended limits.
- Eye protection : Safety glasses with side-shields conforming to EN166
- Hand protection : Material: Nitrile rubber
Glove thickness: 0.3 mm
Glove length: Gauntlets of 35 cm long or longer.
Protection index: Class 6
Wearing time: > 480 min
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Gauntlets of 35 cm long or longer shall be worn over the combination sleeve. Before removing gloves clean them with soap and water.
- Skin and body protection : Manufacturing and processing work: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034)

Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Nitrile rubber boots (EN 13832-3 / EN ISO 20345).
Spray application - outdoor: Tractor / sprayer with hood: No personal body

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

protection normally required.

Tractor / sprayer without hood: Low application (horticulture, field crops): Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

When exceptional circumstances would require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 2 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).

To optimize the ergonomics it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier. Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use. The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.

- Protective measures** : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during application.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations. Wash hands before breaks and at the end of workday.
- Respiratory protection** : Manufacturing and processing work: Half mask with a particle filter FFP1 (EN149)
- Mixer and loaders must wear: Half mask with a particle filter FFP1 (EN149)
- Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required. Tractor / sprayer without hood: Low application (horticulture, field crops): Half mask with a particle filter P1 (EN 143).
- Backpack / knapsack sprayer: Low application (horticulture, field crops): Half mask with a particle filter P1 (EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form : solid, granules

Colour : brown



DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

Odour	: none
Odour Threshold	: not determined
pH	: 8.3 at 10 g/l (20 °C)
Flammability (solid, gas)	: Does not sustain combustion.
Oxidizing properties	: The product is not oxidizing.
Explosive properties	: Not explosive
Density	: 0.5 GJ
Bulk density	: 35 lb/ft ³ , loose
Water solubility	: dispersible
Partition coefficient: n-octanol/water	: not applicable
Viscosity, kinematic	: not applicable
Minimum ignition energy	: 2! 0 - 500 mJ

9.2. Other information

Phys.-chem./other information : No other data to be specially mentioned.

SECTION 10: Stability and reactivity

10.1. Reactivity	: No hazards to be specially mentioned.
10.2. Chemical stability	: The product is chemically stable under recommended conditions of storage, use and temperature.
10.3. Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use. Polymerization will not occur. No decomposition if stored and applied as directed.
10.4. Conditions to avoid	: Exposure to moisture. Decomposes slowly on exposure to water. To avoid thermal decomposition, do not overheat. Under severe dusting conditions, this material may form explosive mixtures in air.
10.5. Incompatible materials	: No materials to be especially mentioned.
10.6. Hazardous decomposition products	: Hydrogen fluoride Sulphur oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

LD50 / rat : > 5,000 mg/kg



DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

Method: OECD Test Guideline 401
(Data on the product itself) Information source: Internal study report

Acute inhalation toxicity

LC50 / 4 h rat : > 6.1 mg/l Method:
OECD Test Guideline 403
(Data on the product itself) Information source: Internal study report

Acute dermal toxicity

LD50 / rabbit : > 2,000 mg/kg
Method: OECD Test Guideline 402
(Data on the product itself) Information source: Internal study report

Skin irritation

rabbit
Result: No skin irritation
Method: OECD Test Guideline 404
(Data on the product itself) Information source: Internal study report

Eye irritation

rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
(Data on the product itself) Information source: Internal study report

Sensitisation

guinea pig Maximisation Test (GPMT)
Result: Animal test did not cause sensitization by skin contact.
Method: OECD Test Guideline 406
(Data on the product itself)

Repeated dose toxicity

- Triflusulfuron-methyl
The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Oral - feed multiple species
Reduced body weight gain, Liver effects, Abnormal decrease in number of red blood cells

Mutagenicity assessment

- Triflusulfuron-methyl
Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity assessment

- Triflusulfuron-methyl
Limited evidence of carcinogenicity in animal studies

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

The observed tumors do not appear to be relevant for men.

Toxicity to reproduction assessment

- Triflurosulfuron-methyl
No toxicity to reproduction

STOT - single exposure

II The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

II The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

II The mixture does not have properties associated with aspiration hazard potential.

SECTION 12: Ecological information**12.1. Toxicity**

Toxicity to fish

static test / LC50 / 96 h / *Oncorhynchus mykiss* (rainbow trout): 150 mg/l
Method: OECD Test Guideline 203
(Data on the product itself) Information source: Internal study report

Toxicity to aquatic plants

ErC50 / 72 h / *Pseudokirchneriella subcapitata* (green algae): 0.430 mg/l
Method: OECD Test Guideline 201
(Data on the product itself) Information source: Internal study report

EbC50 / 72 h / *Pseudokirchneriella subcapitata* (green algae): 0.062 mg/l
Method: OECD Test Guideline 201
(Data on the product itself) Information source: Internal study report

EbC50 / 336 h / *Lemna gibba* (duckweed): > 0.005 mg/l
Method: ASTM E 1415-91
(Data on the product itself) Information source: Internal study report

Toxicity to aquatic invertebrates

EC50 / 48 h / *Daphnia*: 1,200 mg/l
Method: OECD Test Guideline 202
(Data on the product itself) Information source: Internal study report

Toxicity to soil dwelling organisms

LC50 / 14 d / *Eisenia fetida* (earthworms): > 1,000 mg/kg
Method: OECD Test Guideline 207
(Data on the product itself) Information source: Internal study report

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832

Toxicity to other organisms

LD50 / 48 h / Apis mellifera (bees): > 100 µ/b

Method: OECD Test Guideline 213

Oral. Information source: Internal study report

LD50 / 48 h / Apis mellifera (bees): > 100 µ/b

Method: OECD Test Guideline 214

Contact. Information source: Internal study report

Chronic toxicity to fish

- Triflusulfuron-methyl

NOEC / 21 d / Oncorhynchus mykiss (rainbow trout): > 210 mg/l

Method: OECD Test Guideline 204

Chronic toxicity to aquatic Invertebrates

- Triflusulfuron-methyl

NOEC / 21 d / Daphnia magna (Water flea): 11 mg/l

12.2. Persistence and degradability

Biodegradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

12.3. Bioaccumulative potential

Bioaccumulation

Does not bioaccumulate. Estimation based on data obtained on active ingredient.

12.4. Mobility in soil

Mobility in soil

Potentially mobile, but the leaching potential is mitigated by rapid degradation.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). / This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects**Additional ecological information**

No other ecological effects to be specially mentioned

See product label for additional application instructions relating to environmental precautions.

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 13000000832

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Product : In accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Do not re-use empty containers.

SECTION 14: Transport information

ADR

- 14.1. UN number: 3077
- 14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron methyl)
- 14.3. Transport hazard class(es): 9
- 14.4. Packing group: III
- 14.5. Environmental hazards: Environmentally hazardous
- 14.6. Special precautions for user: Tunnel restriction code: (E)

IATA_C

- 14.1. UN number: 3077
- 14.2. UN proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Triflusulfuron methyl)
- 14.3. Transport hazard class(es): 9
- 14.4. Packing group: III
- 14.5. Environmental hazards : Environmentally hazardous
- 14.6. Special precautions for user: FMC internal recommendations and transport guidance: ICAO / IATA cargo aircraft only

IMDG

- 14.1. UN number: 3077
- 14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron methyl)
- 14.3. Transport hazard class(es): 9
- 14.4. Packing group: III
- 14.5. Environmental hazards : Marine pollutant
- 14.6. Special precautions for user: no data available

- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Other regulations : The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008. Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers. Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of Directive 96/82/EC on the control of major-accident hazards involving

DEBUT

Version 1.0

Revision Date 03.01.2018

Ref. 130000000832



dangerous substances. Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

15.2. Chemical Safety Assessment

A Chemical Safety Assessment is not required for this/these products
The mixture is registered as a plant protection product under Regulation (EC) No. 1107/2009.
Refer to the label for exposure assessment information.

SECTION 16: Other information

Text of R-phrases mentioned in Section 3

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under section 3.

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Other information professional use

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-No.	Chemical Abstracts Service number
CLP	Classification, Labelling and Packaging
EbC50	Concentration at which 50% reduction of biomass is observed
EC50	Median effective concentration
EN	European Norm
EPA	Environmental Protection Agency
ErC50	Concentration at which a 50% inhibition of growth rate is observed
EyC50	Concentration at which 50 % inhibition of yield is observed
IATA_C	International Air Transport Association (Cargo)
IBC	International Bulk Chemical Code
ICAO	International Civil Aviation Organization
ISO	International Standard Organization
IMDG	International Maritime Dangerous Goods
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest observable effect level
MARPOL	International Convention for the Prevention of Marine Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No observed adverse effect level
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
OPPTS	Office of Prevention, Pesticides and Toxic Substances
PBT	Persistent, Bioaccumulative and Toxic
STEL	Short term exposure limit

