

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** TRICE

#### Other means of identification

**Product code** 50001127

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : A fertilizer with micronutrients for use in agriculture and horti-  
culture

Recommended restrictions  
on use : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Agro Limited  
Rectors Lane, Pentre  
Flintshire  
CH5 2DH  
United Kingdom

Telephone: + 44 1244 537370  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

Short-term (acute) aquatic hazard, Category 1      H400: Very toxic to aquatic life.  
Long-term (chronic) aquatic hazard, Category 2      H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms : 

Signal word : Warning

Hazard statements : H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents and/or container in accordance with hazardous waste regulations.

### Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
zinc oxide	1314-13-2 215-222-5	Aquatic Acute 1; H400	>= 2.5 - < 10

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

	030-013-00-7	Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	
ethanediol	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	$\geq 1 - < 10$
sodium acrylate	7446-81-3 231-209-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 1 - < 2.5$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 <hr/> M-Factor (Acute aquatic toxicity): 10 <hr/> specific concentration limit Skin Sens. 1A; H317 $\geq 0.036 \%$	$\geq 0.0025 - < 0.025$
Substances with a workplace exposure limit :			
manganese carbonate	598-62-9 209-942-9	Aquatic Chronic 2; H411	$\geq 30 - < 50$
dicopper oxide	1317-39-1 215-270-7 029-002-00-X	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	$\geq 1 - < 10$

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- Protection of first-aiders : First Aid responders should pay attention to self-protection  
and use the recommended protective clothing  
Avoid inhalation, ingestion and contact with skin and eyes.  
If potential for exposure exists refer to Section 8 for specific  
personal protective equipment.
- If inhaled : Move to fresh air.  
If unconscious, place in recovery position and seek medical  
advice.  
If symptoms persist, call a physician.  
If experiencing any discomfort, immediately remove from ex-  
posure. Get medical attention if discomfort does not disap-  
pear.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Wash clothing before reuse.  
Get medical attention if irritation develops and persists.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-  
sue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty  
of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet  
Do not spread spilled material with high-pressure water streams.

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Ammonia

#### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
For disposal considerations see section 13.

#### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Fertilizers

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
------------	---------	-------------------------------	--------------------	-------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

manganese carbonate	598-62-9	TWA (Inhalable)	0.2 mg/m3 (Manganese)	GB EH40
		TWA (Respirable fraction)	0.05 mg/m3 (Manganese)	GB EH40
		TWA (inhalable fraction)	0.2 mg/m3 (Manganese)	2017/164/EU
Further information: Indicative				
		TWA (Respirable fraction)	0.05 mg/m3 (Manganese)	2017/164/EU
Further information: Indicative				
dicopper oxide	1317-39-1	TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40
		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
ethanediol	107-21-1	TWA (particles)	10 mg/m3	GB EH40
Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		TWA (Vapour)	20 ppm 52 mg/m3	GB EH40
Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		STEL (Vapour)	40 ppm 104 mg/m3	GB EH40
Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		TWA	20 ppm 52 mg/m3	2000/39/EC
Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		STEL	40 ppm 104 mg/m3	2000/39/EC
Further information: Identifies the possibility of significant uptake through the skin, Indicative				

### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l

### 8.2 Exposure controls

#### Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Protective measures : Wear suitable protective equipment.  
Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
When using do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : liquid
- Colour : red brown
- Odour : Faint odour
- Odour Threshold : No data available
- pH : 7.0 - 10.5  
Concentration: 100 %
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.72 - 1.75

Solubility(ies)  
Water solubility : dispersible

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : Non-oxidizing

### 9.2 Other information

Particle size : No data available

Particle Size Distribution : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Toxic fumes

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### zinc oxide:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
  
LD50 (Mouse, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Target Organs: Liver, Heart, spleen, Stomach, Pancreas  
Symptoms: Damage  
Remarks: mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.79 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: EPA OPP 81 - 3  
Remarks: no mortality

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

##### ethanediol:

Acute inhalation toxicity : LC0 (Rat, male and female): > 2.5 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

---

Exposure time: 6 h  
Test atmosphere: dust/mist  
Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **manganese carbonate:**

Acute oral toxicity : LD0 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Remarks: no mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 5.35 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: no mortality  
Based on data from similar materials

### **dicopper oxide:**

Acute oral toxicity : LD50 (Rat, male and female): 1,340 mg/kg  
Symptoms: Fatality, Gastrointestinal tract damage

Acute inhalation toxicity : LC50 (Rat, male and female): 3.34 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Symptoms: respiratory depression, Bruising and haemorrhage formation, Fatality, ataxia, lethargy

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: no mortality

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Assessment : Not classified as irritant  
Remarks : May cause mild irritation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

---

### Components:

#### **zinc oxide:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431  
Result : No skin irritation

#### **ethanediol:**

Species : Rabbit  
Result : No skin irritation

#### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Exposure time : 72 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **manganese carbonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **dicopper oxide:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### Product:

Assessment : Not classified as irritant  
Remarks : May cause mild irritation.

### Components:

#### **zinc oxide:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

#### **ethanediol:**

Species : Rabbit  
Result : No eye irritation

#### **1,2-benzisothiazol-3(2H)-one:**

Species : Bovine cornea

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Method : OECD Test Guideline 437  
Result : No eye irritation

Species : Rabbit  
Method : EPA OPP 81-4  
Result : Irreversible effects on the eye

### **manganese carbonate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### **dicopper oxide:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Product:**

Remarks : No data available

#### **Components:**

##### **zinc oxide:**

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Substance is not considered to be potential skin sensitiser.

##### **ethanediol:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Does not cause skin sensitisation.

##### **1,2-benzisothiazol-3(2H)-one:**

Test Type : Maximisation Test  
Species : Guinea pig

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.

Species : Guinea pig  
Method : FIFRA 81.06  
Result : May cause sensitisation by skin contact.

### **manganese carbonate:**

Test Type : Local lymph node test  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.  
Remarks : Based on data from similar materials

### **dicopper oxide:**

Test Type : Maximisation Test  
Exposure routes : Intradermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **zinc oxide:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: equivocal

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster fibroblasts  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Result: positive

Test Type: Micronucleus test  
Test system: Human epithelioid cells  
Method: OECD Test Guideline 487  
Result: negative

Test Type: Micronucleus test

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Test system: Human lymphocytes  
Result: positive

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male)  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

### **ethanediol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OPPTS 870.5100  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Rat  
Application Route: Oral  
Result: negative

### **1,2-benzisothiazol-3(2H)-one:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

### **manganese carbonate:**

- Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials
- Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials
- Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (female)  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials
- Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **dicopper oxide:**

- Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative
- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Application Route: Oral  
Result: negative
- Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Application Route: Oral  
Result: negative
- Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **zinc oxide:**

- Species : Mouse, male and female  
Application Route : Oral

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Exposure time : 1 year  
Dose : 4400, 22000 mg/l  
NOAEL : > 22,000 mg/l  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### ethanediol:

Species : Mouse  
Application Route : Oral  
Exposure time : 24 month(s)  
Result : negative

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### Components:

#### zinc oxide:

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 7.5, 15, 30mg/kg bw/day  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: LOAEL: 7.5 mg/kg body weight  
General Toxicity F1: LOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Test Type: one-generation reproductive toxicity  
Species: Rat, male  
Application Route: Oral  
Dose: 4,000 milligram per liter  
Frequency of Treatment: 32 daily  
General Toxicity - Parent: LOAEL: 4,000 mg/l  
General Toxicity F1: LOAEL: 4,000 mg/l  
Symptoms: Reduced fertility  
Target Organs: male reproductive organs  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development : Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Dose: .0003, 0.002, 0.008 milligram per liter  
Duration of Single Treatment: 14 d  
General Toxicity Maternal: LOAEC: 0.008 mg/L  
Developmental Toxicity: NOAEC: 0.008 mg/L  
Embryo-foetal toxicity: NOAEC Mating/Fertility: 0.008 mg/L  
Method: OECD Test Guideline 414

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Result: negative

### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **manganese carbonate:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: inhalation (dust/mist/fume)  
Dose: 0, .005, .01, .02 mg/L  
General Toxicity - Parent: NOEL: 0.02 mg/l  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Duration of Single Treatment: 15 d  
General Toxicity Maternal: NOAEL: 0.025 mg/L  
Developmental Toxicity: LOAEL: 0.025 mg/L  
Embryo-foetal toxicity: NOAEL: 0.025 mg/L  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **dicopper oxide:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 1.53, 7.7, 15.2, 23.6 mg/kg/bwd  
General Toxicity - Parent: LOAEL: 23.6 mg/kg bw/day  
General Toxicity F1: LOAEL: 23.6 mg/kg bw/day  
General Toxicity F2: LOAEL: 23.6 mg/kg bw/day  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Species: Rabbit, female  
Application Route: Oral

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Dose: 0, 6, 9, 18 mg Cu/mL  
Duration of Single Treatment: 28 d  
General Toxicity Maternal: LOAEL: 9 mg/kg bw/day  
Developmental Toxicity: LOAEL: 9 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Components:

##### **manganese carbonate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

##### **ethanediol:**

Exposure routes : Oral  
Target Organs : Kidney  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **1,2-benzisothiazol-3(2H)-one:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **dicopper oxide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **zinc oxide:**

Species : Rat, male and female  
NOAEL : 31.52 mg/kg  
LOAEL : 127.52 mg/kg  
Application Route : Oral  
Exposure time : 13 weeks  
Dose : 0, 31.52, 127.52 mg/kg  
Method : OECD Test Guideline 408  
Target Organs : Pancreas

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

---

Symptoms : Necrosis  
Remarks : Based on data from similar materials

Species : Mouse, male and female  
NOEL : 3000 ppm  
Application Route : Oral  
Exposure time : 13 weeks  
Dose : 0, 300, 3000, 30000 ppm  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

Species : Rat, male  
LOAEL : 0.0045 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 3 months  
Dose : 0.0003, 0.0015, 0.004mg/l  
Method : OECD Test Guideline 413  
Target Organs : Lungs  
Remarks : mortality

Species : Rat, male and female  
LOAEL : 75 mg/kg bw/day  
Application Route : Dermal  
Exposure time : 28d  
Dose : 0, 75, 180, 360 mg/kg bw/day  
Method : OECD Test Guideline 410

### **ethanediol:**

Species : Rat  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 12 Months

Species : Dog  
NOAEL : > 2,200 - < 4,400 mg/kg  
Application Route : Dermal  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 410

### **1,2-benzisothiazol-3(2H)-one:**

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Method : OECD Test Guideline 407  
Symptoms : Irritation

Species : Rat, male and female  
NOAEL : 69 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : Irritation, Reduced body weight

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

### **manganese carbonate:**

Species : Rabbit, male  
LOAEC : 0.0039 mg/l  
Application Route : Inhalation  
Test atmosphere : dust/mist  
Exposure time : 4 - 6 weeks  
Dose : 0, .001, .0039 mg/L  
Remarks : Based on data from similar materials

### **dicopper oxide:**

Species : Mouse, male and female  
NOAEL : 1000 ppm  
LOAEL : 2000 ppm  
Application Route : Oral  
Exposure time : 92d  
Dose : 0, 1000, 2000, 4000, 8000, 16000 ppm  
Method : Regulation (EC) No. 440/2008, Annex, B.26

Species : Rat, male and female  
NOAEL : 1000 ppm  
LOAEL : 2000 ppm  
Application Route : Oral  
Exposure time : 92d  
Dose : 0, 500, 1000, 2000, 4000, 8000 ppm  
Method : Regulation (EC) No. 440/2008, Annex, B.26

Species : Rat, male and female  
NOAEL : > 0.002 mg/l  
Application Route : inhalation (dust/mist/fume)  
Test atmosphere : dust/mist  
Exposure time : 28d  
Dose : 0.2, 0.4, 0.8, 2.0 mg/m<sup>3</sup>  
Method : OECD Test Guideline 412

### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

### **Experience with human exposure**

#### **Components:**

#### **zinc oxide:**

Inhalation : Symptoms: Fatigue, Sweating, bitter taste, chills, dry mouth, flu-like symptoms  
Ingestion : Symptoms: Gastrointestinal discomfort

### **Further information**

#### **Product:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.17 mg/l  
Exposure time: 96 h  
Remarks: Estimated value

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.634 mg/l  
Exposure time: 48 h  
Remarks: Estimated value

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 1.72 mg/l  
Exposure time: 72 h  
Remarks: Estimated value

#### Components:

##### **zinc oxide:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.55 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.76 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 : 0.37 mg/l  
Exposure time: 96 h  
Test Type: static test

EC50 : 0.14 mg/l  
Exposure time: 24 h  
Test Type: static test

EC50 : 0.072 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (algae)): 0.044 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 0.024 mg/l  
Exposure time: 3 d  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

IC50 (*Skeletonema costatum* (marine diatom)): 1.23 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

IC50 : 3.28 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (*Dunaliella tertiolecta* (marine algae)): 0.01 mg/l  
Exposure time: 4 d  
Test Type: static test

EC50 (*Dunaliella tertiolecta* (marine algae)): 0.65 mg/l  
Exposure time: 4 d  
Test Type: static test

(*Chlorella vulgaris* (Fresh water algae)): 1.16 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (*Anabaena flos-aquae* (cyanobacterium)): 0.3 mg/l  
Exposure time: 96 h  
Test Type: static test

EC50 : 0.69 mg/l  
Exposure time: 3 d  
Test Type: static test

EC50 (*Phaeodactylum tricornutum*): 1.12 mg/l  
Exposure time: 24 h  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

EC50 (*Tetrahymena pyriformis*): 7.1 mg/l  
Exposure time: 24 h  
Test Type: Growth inhibition

Toxicity to fish (Chronic toxicity) : NOEC: 0.440 mg/l  
Exposure time: 72 d  
Species: *Oncorhynchus mykiss* (rainbow trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

NOEC: 0.026 mg/l  
Exposure time: 30 d  
Species: *Jordanella floridae* (flagfish)  
Method: OECD Test Guideline 210

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version 1.4	Revision Date: 19.07.2024	SDS Number: 50001127	Date of last issue: 20.07.2018 Date of first issue: 20.07.2018
----------------	------------------------------	-------------------------	---

---

Remarks: Based on data from similar materials

NOEC: 0.530 mg/l  
Exposure time: 1,095 d  
Species: *Salvelinus fontinalis* (Brook trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

NOEC: 0.056 mg/l  
Exposure time: 116 d  
Species: *Salmo trutta* (brown trout)  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

NOEC: 0.025 mg/l  
Exposure time: 27 d  
Species: Fish  
Test Type: semi-static test  
Remarks: Based on data from similar materials

NOEC: 0.078 mg/l  
Exposure time: 248 d  
Species: *Pimephales promelas* (fathead minnow)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

NOEC: 0.050 mg/l  
Exposure time: 155 d  
Species: Fish  
Test Type: flow-through test  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC: 0.125 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : NOEC: 750 mg/kg  
Exposure time: 21 d  
Species: *Eisenia fetida* (earthworms)

### ethanediol:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): > 72,860 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

---

- Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 10,940 mg/l  
Exposure time: 96 h
- Toxicity to microorganisms : (activated sludge): > 1,995 mg/l  
Exposure time: 30 min  
Method: ISO 8192
- Toxicity to fish (Chronic toxicity) : 1,500 mg/l  
Exposure time: 28 d  
Species: Menidia peninsulae (tidewater silverside)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 33,911 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### sodium acrylate:

#### Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### 1,2-benzisothiazol-3(2H)-one:

- Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l  
Exposure time: 96 h  
Test Type: static test
- LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

### **manganese carbonate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.17 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3.6 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.69 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: 0.55 mg/l  
Exposure time: 65 d  
Species: Salvelinus fontinalis (Brook trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.3 mg/l  
Exposure time: 8 d  
Species: Ceriodaphnia dubia (water flea)  
Test Type: static test

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Remarks: Based on data from similar materials

### **dicopper oxide:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.0384 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.0098 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 0.032 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Phaeodactylum tricornutum): 0.0029 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : NOEC (activated sludge): 0.23 - 0.45 mg/l  
Exposure time: 30 d  
Test Type: Respiration inhibition

Toxicity to fish (Chronic toxicity) : NOEC: 0.0022 mg/l  
Exposure time: 60 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.004 mg/l  
Exposure time: 7 d  
Species: Ceriodaphnia dubia (water flea)  
Test Type: semi-static test  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to terrestrial organisms : LD50: 1,400 mg/kg  
Exposure time: 14 d  
Species: Colinus virginianus (Bobwhite quail)

### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

### 12.2 Persistence and degradability

#### Components:

##### **ethanediol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Components:

##### **zinc oxide:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Exposure time: 14 d  
Bioconcentration factor (BCF): 2,060

##### **ethanediol:**

Partition coefficient: n-octanol/water : log Pow: -1.36

##### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6.62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)  
pH: 7

log Pow: 0.99 (20 °C)  
pH: 5

##### **dicopper oxide:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### 12.4 Mobility in soil

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Distribution among environ- : Koc: 9.33 ml/g, log Koc: 0.97

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

mental compartments                      Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment                                      : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

**Product:**

Endocrine disrupting potential                                      : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information                                      : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product    : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging                                      : Dispose of as unused product.  
Empty and rinse the container.  
Do not re-use empty containers.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN    : UN 3082  
ADR    : UN 3082  
RID    : UN 3082  
IMDG     : UN 3082

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version 1.4      Revision Date: 19.07.2024      SDS Number: 50001127      Date of last issue: 20.07.2018  
Date of first issue: 20.07.2018

---

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Zinc oxide, Dicopper oxide)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Zinc oxide, Dicopper oxide)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Zinc oxide, Dicopper oxide)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Zinc oxide, Dicopper oxide)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(Zinc oxide, Dicopper oxide)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high	: Not applicable

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) E1 ENVIRONMENTAL HAZARDS

### The components of this product are reported in the following inventories:

- TCSI : Not in compliance with the inventory
- TSCA : Product contains substance(s) not listed on TSCA inventory.
- AIRC : Not in compliance with the inventory
- DSL : This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
- ENCS : Not in compliance with the inventory
- ISHL : Not in compliance with the inventory
- KECI : Not in compliance with the inventory
- PICCS : Not in compliance with the inventory
- IECSC : Not in compliance with the inventory
- NZIoC : Not in compliance with the inventory
- TECI : Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

---

## SECTION 16: Other information

### Full text of H-Statements

H302 : Harmful if swallowed.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H332 : Harmful if inhaled.  
H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure  
2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values  
2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
2000/39/EC / TWA : Limit Value - eight hours  
2000/39/EC / STEL : Short term exposure limit  
2017/164/EU / TWA : Limit Value - eight hours  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)  
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TRICE

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2018
1.4	19.07.2024	50001127	Date of first issue: 20.07.2018

---

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 2	H411

#### Classification procedure:

Calculation method
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

GB / 6N