

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** CHIMERA® SX®

#### Other means of identification

**Product code** 50000050

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide  
stance/Mixture

Recommended restrictions : Use as recommended by the label.  
on use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier Address

FMC Agro Limited  
Rectors Lane, Pentre  
Flintshire  
CH5 2DH  
United Kingdom

Telephone: + 44 1244 537370  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

gory 1

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms

:



Signal word

: Warning

Hazard statements

: H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P273 Avoid release to the environment.

**Response:**

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

### Additional Labelling

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version 1.2      Revision Date: 17.03.2025      SDS Number: 50000050      Date of last issue: 03.01.2018  
Date of first issue: 03.01.2018

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
thifensulfuron-methyl (ISO)	79277-27-3  016-096-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 10 - < 20
metsulfuron-methyl (ISO)	74223-64-6  613-139-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 1,000	>= 1 - < 2.5

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

Wash off with soap and plenty of water.  
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Possibly irritation  
To our knowledge, adverse effects in humans have not been reported.  
The product is not expected to cause severe adverse effects to health, but adverse health effects cannot be excluded in case of massive exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
Immediate medical attention is required in case of ingestion.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Carbon oxides  
Hydrogen cyanide

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Do not touch or walk through the spilled material.  
If it can be safely done, stop the leak.  
Ensure adequate ventilation.  
Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Do not breathe vapours/dust.  
Avoid formation of respirable particles.
- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Hygiene measures : Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Further information on storage stability : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

- Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

##### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
----------------	---------	-----------------	--------------------------	-------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

### 8.2 Exposure controls

#### Personal protective equipment

- |                          |   |   |
|--------------------------|---|---|
| Eye/face protection      | : | Eye wash bottle with pure water<br>Tightly fitting safety goggles   |
| Hand protection          | : |   |
| Material                 | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.   |
| Remarks                  | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves.   |
| Skin and body protection | : | Dust impervious protective suit<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.   |
| Respiratory protection   | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.<br>Equipment should conform to EN 143   |
| Filter type              | : | Particulates type (P)   |
| Protective measures      | : | Plan first aid action before beginning work with this product.<br>Always have on hand a first-aid kit, together with proper instructions.<br>Ensure that eye flushing systems and safety showers are located close to the working place.<br>Wear suitable protective equipment.<br>When using do not eat, drink or smoke.<br><br>In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |                              |   |   |
|------------------------------|---|---|
| Physical state               | : | solid   |
| Form                         | : | granular  |
| Colour                       | : | light brown   |
| Odour                        | : | slight  |
| pH                           | : | 9.2 (25 °C)<br>Concentration: 10 g/l 1 %<br>Method: CIPAC MT 75.3 |
| Melting point/freezing point | : | No data available   |
| Boiling point/boiling range  | : |   |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

Flash point	:	No data available
Flammability (solid, gas)	:	No data available
	:	Not highly flammable, may be ignitable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	Not applicable
Relative density	:	
Density	:	No data available
Bulk density	:	ca. 690 kg/m <sup>3</sup> packed
Solubility(ies)	:	
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	
	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.

### 9.2 Other information

Particle size	:	No data available
---------------	---	-------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

Conditions to avoid	:	Avoid extreme temperatures Protect from frost, heat and sunlight. Heating of the mixture may evolve harmful and irritant vapours.
---------------------	---	---



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from a similar product.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from a similar product.

#### Components:

##### **thifensulfuron-methyl (ISO):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.03 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

##### **sodium carbonate:**

Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2.3 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Target Organs: Skin  
Symptoms: Erythema

##### **metsulfuron-methyl (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

Method: US EPA Test Guideline OPP 81-1

Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral toxicity

Remarks: no mortality

Acute inhalation toxicity

: LC50 (Rat, male and female): > 5.11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Symptoms: Breathing difficulties

GLP: yes

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: no mortality

Acute dermal toxicity

: LD50 (Rabbit, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Symptoms: Irritation

GLP: yes

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: no mortality

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from a similar product.

#### Components:

##### **thifensulfuron-methyl (ISO):**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Minimal effects that do not meet the threshold for classification.

##### **sodium carbonate:**

Species : Rabbit

Exposure time : 4 h

Method : OECD Test Guideline 404

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

Result : No skin irritation

### **metsulfuron-methyl (ISO):**

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: US EPA Test Guideline OPP 81-5
Result	: No skin irritation

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

#### **Product:**

Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Based on data from a similar product.

#### **Components:**

### **thifensulfuron-methyl (ISO):**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

### **sodium carbonate:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

### **metsulfuron-methyl (ISO):**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Product:**

Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from a similar product.

#### **Components:**

### **thifensulfuron-methyl (ISO):**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

### **met sulfuron-methyl (ISO):**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: US EPA Test Guideline OPPTS 870.2600
Result	: Not a skin sensitizer.

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **thi fensulfuron-methyl (ISO):**

Genotoxicity in vitro	: Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative Remarks: In vitro tests did not show mutagenic effects
-----------------------	---

Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	--

#### **sodium carbonate:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative Remarks: Based on data from similar materials
-----------------------	--

Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	--

#### **met sulfuron-methyl (ISO):**

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	--

	: Test Type: Chromosome aberration test in vitro Metabolic activation: Metabolic activation Result: positive GLP: yes
--	--

Genotoxicity in vivo	: Test Type: Micronucleus test
----------------------	--------------------------------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

Species: Mouse

Result: negative

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

##### **thifensulfuron-methyl (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

##### **metsulfuron-methyl (ISO):**

Species : Rat, male and female

Exposure time : 104 weeks

NOAEL : 500 ppm

Result : negative

Species : Mouse, male and female

Exposure time : 18 month(s)

NOAEL : 5,000 ppm

Result : negative

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### **thifensulfuron-methyl (ISO):**

Reproductive toxicity - Assessment : Did not show teratogenic effects in animal experiments.

##### **sodium carbonate:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram  
Duration of Single Treatment: 6 - 15 d  
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight  
Teratogenicity: NOAEL: > 245 mg/kg body weight  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **metsulfuron-methyl (ISO):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rabbit, female
	Application Route: Ingestion
	Symptoms: Maternal effects
	Result: negative
	Test Type: Embryo-foetal development
	Species: Rat, female
	Application Route: Ingestion
	Symptoms: Maternal effects
	Result: negative

### STOT - single exposure

Based on available data, the classification criteria are not met.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

### Components:

#### **sodium carbonate:**

Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	--

### Repeated dose toxicity

### Components:

#### **thifensulfuron-methyl (ISO):**

Species	: Rat
LOAEL	: ca. 200 mg/kg
Exposure time	: 90 d
Target Organs	: No specific target organs noted
Symptoms	: Reduced body weight

#### **sodium carbonate:**

Species	: Rat, male and female
NOAEL	: > 0.01 mg/kg
Application Route	: inhalation (dust/mist/fume)
Test atmosphere	: dust/mist

#### **metsulfuron-methyl (ISO):**

Species	: Rat, male and female
NOEL	: 1000 ppm
Application Route	: Oral - feed
Exposure time	: 90 days
Symptoms	: Reduced body weight

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Neurological effects

#### Components:

#### **metsulfuron-methyl (ISO):**

No neurotoxicity observed in animal studies

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **thifensulfuron-methyl (ISO):**

Toxicity to fish	: LC50 (Salmo gairdneri): 100 mg/l Exposure time: 96 h  LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (green algae): 0.0159 mg/l Exposure time: 72 h  ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.4 mg/l Exposure time: 72 h  EC50 (Lemna minor (duckweed)): 1.3 µg/l
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to fish (Chronic toxicity)	: NOEC: 250 mg/l Exposure time: 28 d Species: Salmo gairdneri

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

NOEC: 10.6 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 100 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 2,000 mg/kg  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2,510 mg/kg  
Species: Anas platyrhynchos (Mallard duck)

LD50: > 5,620 ppm  
Species: Anas platyrhynchos (Mallard duck)  
Remarks: Dietary

LD50: > 5,620 ppm  
Species: Colinus virginianus (Bobwhite quail)

LD50: > 7.1 µg/bee  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: > 100 µg/bee  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): 200 mg/l  
Exposure time: 48 h  
Test Type: semi-static test

### metsulfuron-methyl (ISO):

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l  
Exposure time: 96 h



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 43.1 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 65.7 µg/l  
Exposure time: 96 h  
Method: OPPTS 850.5400  
GLP: yes

NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l  
Exposure time: 96 h  
Method: OPPTS 850.5400  
GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l  
Exposure time: 72 h  
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l  
Exposure time: 72 h  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC: 68 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 10 mg/l  
End point: reproduction  
Exposure time: 21 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 229  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 3.13 mg/l  
End point: reproduction  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211

NOEC: 0.5 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 1,000

Toxicity to soil dwelling organisms : NOEC: 6 mg/kg  
Exposure time: 56 d  
Species: *Eisenia fetida* (earthworms)

NOEC: 5.6 mg/kg  
End point: reproduction  
Species: *Eisenia fetida* (earthworms)  
Method: OECD Test Guideline 222  
GLP:yes

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on nitrogen mineralization.

Toxicity to terrestrial organisms : LD50: > 50 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)  
Method: OEPP/EPPO Test Guideline 170

LD50: > 50 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)  
Method: OEPP/EPPO Test Guideline 170

LD50: > 2,510 mg/kg  
Species: *Anas platyrhynchos* (Mallard duck)

NOEC: 1,000 mg/kg  
End point: Reproduction Test  
Species: *Colinus virginianus*

NOEC: 1,000 ppm  
End point: Reproduction Test  
Species: *Anas platyrhynchos* (Mallard duck)  
Method: OECD Test Guideline 206

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Estimation based on data obtained on active ingredient.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

### Components:

#### **thifensulfuron-methyl (ISO):**

Biodegradability : Remarks: Not readily biodegradable.  
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.

#### **sodium carbonate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

#### **metsulfuron-methyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

### Components:

#### **thifensulfuron-methyl (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 1  
Remarks: Does not bioaccumulate.

#### **sodium carbonate:**

Bioaccumulation : Remarks: Does not bioaccumulate.

#### **metsulfuron-methyl (ISO):**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Exposure time: 28 d  
Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Pow: 0.018 (25 °C)  
log Pow: -1.7 (25 °C)  
pH: 7

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

### 12.4 Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: Under normal conditions, the active ingredients are mobile in soil. The risk of leaching to ground water is very low for the parent substances, but for some degradation products the risk can be high in vulnerable groundwater situations.

#### Components:

##### **thifensulfuron-methyl (ISO):**

Distribution among environmental compartments : Koc: 28.3, log Koc: 1.45  
Remarks: Highly mobile in soils

Stability in soil :

##### **metsulfuron-methyl (ISO):**

Distribution among environmental compartments : Remarks: Under normal conditions the substance/mixture is mobile in soil.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemi-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

cal or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as  
the unused product.  
Empty containers should be taken to an approved waste han-  
dling site for recycling or disposal.

### SECTION 14: Transport information

#### 14.1 UN number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

#### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Metsulfuron-methyl)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Metsulfuron-methyl)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Metsulfuron-methyl)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Metsulfuron-methyl)
IATA	: Environmentally hazardous substance, solid, n.o.s. (Thifensulfuron-methyl, Metsulfuron-methyl)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

---

**IATA** : 9

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### ADR

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3 Alcohols, C10-16 (Number on list 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

E1

Control of Major Accident Hazards Regulations 2015 (COMAH)	E1	ENVIRONMENTAL HAZARDS
--	----	-----------------------

### The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.  thifensulfuron-methyl (ISO) metsulfuron-methyl (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H319	: Causes serious eye irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CHIMERA® SX®

Version	Revision Date:	SDS Number:	Date of last issue: 03.01.2018
1.2	17.03.2025	50000050	Date of first issue: 03.01.2018

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Calculation method
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N