

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name FOXTROT®

Other means of identification

Product code 50000610

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide
stance/Mixture

Recommended restrictions : Use as recommended by the label.
on use

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Limited
Rectors Lane, Pentre
Flintshire
CH5 2DH
United Kingdom

Telephone: + 44 1244 537370
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:
England and Wales: 111
Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Long-term (chronic) aquatic hazard, Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word :

Warning

Hazard statements :

H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

fenoxaprop-P-ethyl (ISO)
Cloquintocet-mexyl
1,2-benzisothiazol-3(2H)-one

Additional Labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304	>= 30 - < 50
Alcohols, C9-11, ethoxylated	68439-46-3	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 1 - < 10
fenoxaprop-P-ethyl (ISO)	71283-80-2 607-707-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 2.5 - < 10
Cloquintocet-mexyl	99607-70-2 01-0000012013-89-0000	Acute Tox. 4; H302 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 2.5 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0.0025 - <

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version 1.1	Revision Date: 06.03.2025	SDS Number: 50000610	Date of last issue: - Date of first issue: 01.10.2018
----------------	------------------------------	-------------------------	--

	220-120-9 613-088-00-6	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10 specific concentra- tion limit Skin Sens. 1A; H317 >= 0.036 %	0.025
Substances with a workplace exposure limit :			
glycerol	56-81-5 200-289-5		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : First Aid responders should pay attention to self-protection
and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific
personal protective equipment.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical
advice.
If experiencing any discomfort, immediately remove from ex-
posure. Light cases: Keep person under surveillance. Get
medical attention immediately if symptoms develop. Serious
cases: Get medical attention immediately or call for an ambu-
lance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Primarily irritation.

Risks : The product contains petroleum distillates, which may pose an aspiration pneumonia hazard.

May cause an allergic skin reaction.
Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO_x)
Hydrogen chloride
Chlorine compounds

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

5.3 Advice for firefighters

- Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect against strong heat from sunshine or other source, e.g. fire. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
------------	---------	-------------------------------	--------------------	-------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version 1.1 Revision Date: 06.03.2025 SDS Number: 50000610 Date of last issue: -
Date of first issue: 01.10.2018

glycerol	56-81-5	TWA (Mist)	10 mg/m3	GB EH40
----------	---------	------------	----------	---------

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Cloquintocet-mexyl	Workers	Inhalation	Long-term systemic effects	0.303 mg/m3
	Workers	Dermal	Long-term systemic effects	3.33 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	0.075 mg/m3
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Cloquintocet-mexyl	Fresh water	0.002 mg/l
	Fresh water sediment	0.934 mg/kg dry weight (d.w.)
	Soil	0.312 mg/kg dry weight (d.w.)
	Marine water	0 mg/l
	Sewage treatment plant	100 mg/kg
	Marine sediment	0.093 mg/kg dry weight (d.w.)
Alcohols, C9-11, ethoxylated	Fresh water	0.104 mg/l
	Marine water	0.104 mg/l
	Fresh water sediment	13.7 mg/kg dry weight (d.w.)
	Marine sediment	13.7 mg/kg dry weight (d.w.)
	Soil	1 mg/kg dry weight (d.w.)
	Intermittent use (freshwater)	0.014 mg/l
	Sewage treatment plant	1.4 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/l
	Marine sediment	0.00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Tightly fitting safety goggles

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: white
Odour	: Aromatic hydrocarbon
pH	: 6.3 (25 °C) Concentration: 1 %
Melting point/freezing point	: < 0 °C
Boiling point/boiling range	: ca. 100 °C
Flash point	: > 100 °C Method: Pensky-Martens closed cup
Evaporation rate	: Not available for this mixture.
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapour pressure	: Not available for this mixture.
Relative vapour density	: Not available for this mixture.
Density	: 1.03 g/cm ³

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Solubility(ies)

Water solubility	:	No data available
Solubility in other solvents	:	No data available

Partition coefficient: n-octanol/water	:	log Pow: 4.28 Fenoxaprop-P-ethyl
--	---	-------------------------------------

Decomposition temperature	:	not determined
---------------------------	---	----------------

Viscosity

Viscosity, dynamic	:	140 - 2,200 mPa,s (20 °C)
--------------------	---	---------------------------

Viscosity, kinematic	:	136 - 2136 mm ² /s (20 °C)
----------------------	---	---------------------------------------

Explosive properties	:	Not explosive Method: Regulation (EC) No. 440/2008, Annex, A.14
----------------------	---	---

Oxidizing properties	:	Non-oxidizing Method: Regulation (EC) No. 440/2008, Annex, A.21
----------------------	---	--

9.2 Other information

Flammability (liquids)	:	may be ignitable
Particle size	:	Not applicable
Self-ignition	:	> 400 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Protect from frost, heat and sunlight. Heating of the product will produce harmful and irritant vapours.
---------------------	---	---

10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	--

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

- | | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : LC50 (Rat): > 4.96 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity |

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials |
| Acute inhalation toxicity | : LC50 (Rat): > 4.688 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity |

Alcohols, C9-11, ethoxylated:

- | | |
|---------------------------|------------------------------|
| Acute oral toxicity | : LD50 (Rat): 1,192 mg/kg |
| Acute inhalation toxicity | : Remarks: No data available |

fenoxaprop-P-ethyl (ISO):

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Acute oral toxicity : LD50 (Rat): 3,150 - 4,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1.224 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: EPA OPP 81-2
Assessment: The substance or mixture has no acute dermal toxicity

Cloquintocet-mexyl:

Acute oral toxicity : LD50 (Rat): 1,098 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5.05 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Product:

Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Remarks	:	May cause mild irritation. Minimal effects that do not meet the threshold for classification.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Assessment	:	Repeated exposure may cause skin dryness or cracking.
Result	:	No skin irritation
Remarks	:	Minimal effects that do not meet the threshold for classification. Based on data from similar materials

Alcohols, C9-11, ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

fenoxaprop-P-ethyl (ISO):

Assessment	:	No skin irritation
Method	:	EPA OPP 81-5
Remarks	:	Minimal effects that do not meet the threshold for classification.

Cloquintocet-mexyl:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Remarks	:	Minimal effects that do not meet the threshold for classification.

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

glycerol:

Species	:	Rabbit
Result	:	No skin irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
Remarks	:	May cause mild irritation. Minimal effects that do not meet the threshold for classification.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification. Based on data from similar materials

Alcohols, C9-11, ethoxylated:

Species	:	Bovine cornea
Result	:	Eye irritation
Remarks	:	Based on data from similar materials

fenoxaprop-P-ethyl (ISO):

Assessment	:	No eye irritation
Method	:	EPA OPP 81-4
Remarks	:	Minimal effects that do not meet the threshold for classification.

Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.
---------	---	--

Cloquintocet-mexyl:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Result : Irreversible effects on the eye

glycerol:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type : Maximisation Test
Species : Guinea pig
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

Alcohols, C9-11, ethoxylated:

Test Type : Maximisation Test
Species : Guinea pig
Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

fenoxaprop-P-ethyl (ISO):

Method : EPA OPP 81-6
Result : May cause sensitisation by skin contact.

Cloquintocet-mexyl:

Species : Guinea pig
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1B.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Species : Guinea pig

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.
Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity- Assessment : Contains no ingredient listed as a mutagen

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Bone marrow chromosome aberration Species: Rat Application Route: inhalation (vapour) Result: negative

Alcohols, C9-11, ethoxylated:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

Cloquintocet-mexyl:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
-----------------------	---	--

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Test Type: gene mutation test
Test system: Chinese hamster lung cells
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Chinese hamster (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

glycerol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
Application Route : inhalation (vapour)
Exposure time : 12 month(s)
NOAEC : 1.8 mg/l
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Cloquintocet-mexyl:

Species : Mouse, male
Application Route : Oral
Exposure time : 18 month(s)
Dose : 1.1, 11, 111, 583 mg/kg
NOAEL : 111 mg/kg body weight
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

glycerol:

Species : Rat
Application Route : Oral
Exposure time : 2 years Years
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Components:

Alcohols, C9-11, ethoxylated:

- Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Dermal
Dose: 0, 10, 100, 250 mg/kg bw
General Toxicity - Parent: NOAEL: \geq 250 mg/kg bw/day
Result: negative
- Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Dermal
Dose: 0, 10, 100, 250 mg/kg bw
General Toxicity Maternal: NOAEL: \geq 250 mg/kg bw/day
Developmental Toxicity: NOAEL: \geq 250 mg/kg bw/day
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Cloquintocet-mexyl:

- Effects on fertility : General Toxicity F1: NOAEL: 420 mg/kg body weight
Fertility: NOAEL: 830 mg/kg body weight
Method: OECD Test Guideline 416
Result: No effects on fertility and early embryonic development were detected.
- Effects on foetal development : Species: Rabbit
Application Route: Oral
Dose: 0, 10, 60, 300 mg/kg bw/d
General Toxicity Maternal: NOAEL: 60 mg/kg body weight
Teratogenicity: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 60 mg/kg body weight
Method: OECD Test Guideline 414
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

1,2-benzisothiazol-3(2H)-one:

- Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

glycerol:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No significant adverse effects were reported

Components:

Alcohols, C9-11, ethoxylated:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Cloquintocet-mexyl:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

fenoxaprop-P-ethyl (ISO):

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

NOAEC : 0.9 - 1.8 mg/l
Application Route : inhalation (vapour)
Exposure time : 12 Months

Alcohols, C9-11, ethoxylated:

Species : Rat, male and female
NOAEL : ≥ 500 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 d
Dose : 0, 15, 50, 150, 500 mg/kg bw/d
Remarks : Based on data from similar materials

fenoxaprop-P-ethyl (ISO):

Species : Rat
NOAEL : 0.7 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Symptoms : Increased kidneys weight, increased liver weight

Cloquintocet-mexyl:

Species : Rat, male
NOAEL : 3.77 mg/kg
Application Route : Oral
Exposure time : 2 y
Dose : 0.37, 3.8, 38, 75 mg/kg
Method : OECD Test Guideline 451

Species : Rat, male and female
NOAEL : 9.66 - 10.2 mg/kg
Application Route : Oral
Exposure time : 90 d
Dose : 2.0, 9.7, 64, 384 mg/kg
Target Organs : Bladder

Species : Rat, male and female
NOAEL : 1,000 mg/kg
Application Route : Skin contact
Exposure time : 28 d
Dose : 0, 50, 200 and 1000 mg/kg
Method : OECD Test Guideline 410

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 28 d
Method : OECD Test Guideline 407
Symptoms : Irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

glycerol:

Species	: Rat
LOAEL	: 1 mg/kg
Application Route	: Inhalation
Exposure time	: 14 d
Dose	: 0, 1, 1.93, 3.91 mg/L
Symptoms	: respiratory tract irritation, Fatality

Species	: Rat
NOAEL	: 0.165 mg/l
LOAEL	: 0.662 mg/l
Application Route	: Inhalation
Exposure time	: 13 w
Dose	: 0, 0.033, 0.165, 0.662 mg/L
Symptoms	: respiratory tract irritation

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

Cloquintocet-mexyl:

No aspiration toxicity classification

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact	: Symptoms: Repeated exposure may cause skin dryness or cracking.
--------------	---

Further information

Product:

Remarks	: Irritation and allergic reactions.
---------	--------------------------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

fenoxaprop-P-ethyl (ISO):

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.83 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 3.1 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 1.85 mg/l
plants Exposure time: 72 h

NOEC (Lemna gibba (duckweed)): 0.98 mg/l
Exposure time: 7 d

LC50 (Lemna gibba (duckweed)): 4.3 mg/l
Exposure time: 7 d

Toxicity to soil dwelling or- : LC50: 356.6 mg/kg
ganisms Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ- : LD50: 599 µg/bee
isms Exposure time: 72 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)

LD50: 356 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Species: Apis mellifera (bees)

LD50: > 2,250 mg/kg

Species: Colinus virginianus (Bobwhite quail)

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 1.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l Exposure time: 24 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	LL50 (Tetrahymena pyriformis): 677.9 mg/l Exposure time: 72 h Test Type: Growth inhibition
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EL50: 0.89 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Alcohols, C9-11, ethoxylated:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available

fenoxaprop-P-ethyl (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.31 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.97 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): 0.51 mg/l Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0.039 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.076 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.16 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 24.8 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2,000 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LD50: > 2,000 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: > 100 µg/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

Cloquintocet-mexyl:

Toxicity to fish : LC50 (Salmo gairdneri): > 76 mg/l
Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 14 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.63 mg/l
Exposure time: 96 h
Test Type: static test

NOEC (Desmodesmus subspicatus (green algae)): 0.09 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 32 mg/l
End point: reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 1,000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: > 2,000 mg/kg
Species: Colinus virginianus (Bobwhite quail)

NOEC: 500 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LD50: > 2,000 mg/kg
Species: Anas platyrhynchos (Mallard duck)

NOEC: 500 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: >100 ug/bee
Exposure time: 48 d
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: >100 ug/bee
Exposure time: 48 d
End point: Acute contact toxicity
Species: Apis mellifera (bees)

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

glycerol:

Toxicity to fish : LC50 (Fish): 885 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 2,900 mg/l
Exposure time: 192 h

Toxicity to microorganisms : EC10 (Pseudomonas putida): 10,000 mg/l
Exposure time: 16 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

degradable components, which may not be degradable in
waste water treatment plants.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Alcohols, C9-11, ethoxylated:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Remarks: Based on data from similar materials

fenoxaprop-P-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Cloquintocet-mexyl:

Biodegradability : Result: Not readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

glycerol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 24 h

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Bioconcentration factor (BCF): 1,200 - 3,200
Method: QSAR
Remarks: Information refers to the main component.

Remarks: No data is available on the product itself.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.72
Method: QSAR

Alcohols, C9-11, ethoxylated:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
Bioconcentration factor (BCF): 237
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.74 (25 °C)
Method: QSAR

fenoxaprop-P-ethyl (ISO):

Partition coefficient: n-octanol/water : log Pow: 4.28

Cloquintocet-mexyl:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 1,000
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 5.03 (25 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6.62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)
pH: 7

log Pow: 0.99 (20 °C)
pH: 5

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.75 (25 °C)
pH: 7.4

12.4 Mobility in soil

Product:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

Cloquintocet-mexyl:

Distribution among environmental compartments : Remarks: immobile

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Components:

fenoxaprop-P-ethyl (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | |
|------------------------|---|
| Product | : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

SECTION 14: Transport information

14.1 UN number

- | | |
|------|-----------|
| ADN | : UN 3082 |
| ADR | : UN 3082 |
| RID | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

14.2 UN proper shipping name

- | | |
|------|---|
| ADN | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fenoxaprop-P-ethyl, Cloquintocet-mexyl) |
| ADR | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fenoxaprop-P-ethyl, Cloquintocet-mexyl) |
| RID | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fenoxaprop-P-ethyl, Cloquintocet-mexyl) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fenoxaprop-P-ethyl, Cloquintocet-mexyl) |
| IATA | : Environmentally hazardous substance, liquid, n.o.s.
(Fenoxaprop-P-ethyl, Cloquintocet-mexyl) |

14.3 Transport hazard class(es)

Class	Subsidiary risks
-------	------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9

ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)

RID	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9

IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

IATA (Passenger)	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards

ADN	
Environmentally hazardous	: yes

ADR	
Environmentally hazardous	: yes

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the following entries should be considered: Number on list 3
--	---

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified
(Number on list 3)
Alcohols, C9-11, ethoxylated
(Number on list 3)

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
---	------------------

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
---	------------------

Regulation (EC) on substances that deplete the ozone layer	: Not applicable
--	------------------

UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
--	------------------

Control of Major Accident Hazards Regulations 2015 (COMAH)	E2 ENVIRONMENTAL HAZARDS
--	--------------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

- 34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

The components of this product are reported in the following inventories:

TCSI	:	
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
AICS	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. Cloquintocet-mexyl fenoxaprop-P-ethyl (ISO)
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



FOXTROT®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	06.03.2025	50000610	Date of first issue: 01.10.2018

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information :

Classification of the mixture:

Skin Sens. 1	H317
Aquatic Chronic 2	H411

Classification procedure:

Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N