

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** TRATON® SX®

#### Other means of identification

**Product code** 50003056

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide  
stance/Mixture

Recommended restrictions : Use as recommended by the label.  
on use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier Address

FMC Agro Limited  
Rectors Lane, Pentre  
Flintshire  
CH5 2DH  
United Kingdom

Telephone: + 44 1244 537370  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758





## TRATON® SX®

Version 1.1	Revision Date: 10.02.2025	SDS Number: 50003056	Date of last issue: - Date of first issue: 09.01.2019
----------------	------------------------------	-------------------------	--

exposure, Category 2	longed or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :  

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P260 Do not breathe dust or spray.  
P273 Avoid release to the environment.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:  
tribenuron-methyl (ISO)

#### Additional Labelling

EUH208	Contains tribenuron-methyl (ISO). May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version 1.1      Revision Date: 10.02.2025      SDS Number: 50003056      Date of last issue: -  
Date of first issue: 09.01.2019

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 20 - < 25
metsulfuron-methyl (ISO)	74223-64-6  613-139-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 1,000	>= 10 - < 20
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 1 - < 10
Phosphoric acid, trisodium salt, do- decahydrate	10101-89-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory sys- tem)	>= 1 - < 10
Substances with a workplace exposure limit :			
sucrose	57-50-1 200-334-9		>= 1 - < 10

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

For explanation of abbreviations see section 16.

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                            |   |
|----------------------------|---|
| General advice             | : Remove victim from exposure and then have him lie down in the recovery position.<br>Call a physician immediately.<br>Show this safety data sheet to the doctor in attendance.<br>Keep at rest.<br>Keep warm and in a quiet place.<br>Do not leave the victim unattended.  |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes.   |
| If inhaled                 | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact    | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact     | : Rinse immediately with plenty of water for at least 15 minutes.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.  |
| If swallowed               | : Do not induce vomiting without medical advice.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.   |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |       |  |
|-------|--|
| Risks | : May cause damage to organs through prolonged or repeated exposure. |
|-------|--|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Carbon oxides  
Oxides of phosphorus

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Do not touch or walk through the spilled material.  
If it can be safely done, stop the leak.  
Ensure adequate ventilation.  
Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.  
  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist.

When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
sucrose	57-50-1	TWA	10 mg/m3	GB EH40
		STEL	20 mg/m3	GB EH40

#### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Phosphoric acid, trisodium salt, dodecahydrate	Workers	Inhalation	Long-term systemic effects	4.07 mg/m3

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version 1.1      Revision Date: 10.02.2025      SDS Number: 50003056      Date of last issue: -  
Date of first issue: 09.01.2019

	Consumers	Inhalation	Long-term systemic effects	3.04 mg/m3
--	-----------	------------	----------------------------	------------

### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Phosphoric acid, trisodium salt, dodecahydrate	Sewage treatment plant	50 mg/l

## 8.2 Exposure controls

### Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate,  
butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed  
with the producers of the protective gloves.
- Skin and body protection : Protective suit
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an  
approved filter.
- Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : solid
- Form : extruded granules
- Colour : brown
- Odour : slightly sour
- pH : 9.7
- Concentration: 10 g/l 1 %  
(as aqueous solution)
- Melting point/freezing point : not determined



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

Boiling point/boiling range	:	Decomposition
Flash point	:	not determined
Flammability (solid, gas)	:	The product may be combustible., Based on available information, the classification criteria for flammability hazard are not met.
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Relative vapour density	:	not determined
Density	:	No data available
Bulk density	:	0.690 g/m3 packed
Solubility(ies)	:	
Water solubility	:	Miscible
Auto-ignition temperature	:	387 °C
Viscosity	:	
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.

### 9.2 Other information

Particle size	:	No data available
Self-ignition	:	387 °C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Dust may form explosive mixture in air.
---------------------	---	---

No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
---------------------	---	---

### 10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	--

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: Fixed Dose Method  
Remarks: (Data on the product itself)  
Information source: Internal study report

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

#### Components:

##### **tribenuron-methyl (ISO):**

Acute oral toxicity : LD50: > 5,000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5.14 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402

##### **metsulfuron-methyl (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: US EPA Test Guideline OPP 81-1  
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Symptoms: Breathing difficulties  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Symptoms: Irritation  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

### **sodium carbonate:**

Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2.3 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Target Organs: Skin  
Symptoms: Erythema

### **Phosphoric acid, trisodium salt, dodecahydrate:**

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.83 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials  
no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

no mortality

### **sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : (Data on the product itself)  
Information source: Internal study report

### **Components:**

#### **tribenuron-methyl (ISO):**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404  
Remarks : May cause mild irritation.  
Based on available data, the classification criteria are not met.

#### **metsulfuron-methyl (ISO):**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : US EPA Test Guideline OPP 81-5  
Result : No skin irritation

#### **sodium carbonate:**

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Phosphoric acid, trisodium salt, dodecahydrate:**

Species : Rabbit  
Result : Skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

Remarks : (Data on the product itself)  
Information source: Internal study report

### Components:

#### **tribenuron-methyl (ISO):**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : May cause mild irritation.  
Based on available data, the classification criteria are not met.

#### **metsulfuron-methyl (ISO):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

#### **sodium carbonate:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### **Phosphoric acid, trisodium salt, dodecahydrate:**

Species : Rabbit  
Method : EPA OTS 798.4500  
Result : Irritation to eyes, reversing within 21 days

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.  
Remarks : (Data on the product itself)  
Information source: Internal study report

### Components:

#### **tribenuron-methyl (ISO):**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : May cause sensitisation by skin contact.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

Method : OECD Test Guideline 406  
Result : Causes skin sensitization.

### **metsulfuron-methyl (ISO):**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : US EPA Test Guideline OPPTS 870.2600  
Result : Not a skin sensitizer.

### **Phosphoric acid, trisodium salt, dodecahydrate:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.  
Remarks : Based on data from similar materials

### **Germ cell mutagenicity**

Not classified based on available information.

### **Product:**

Genotoxicity in vitro : Remarks: The product contains no ingredients known to be mutagenic.

### **Components:**

#### **tribenuron-methyl (ISO):**

Germ cell mutagenicity- Assessment : Did not show mutagenic effects in animal experiments.

#### **metsulfuron-methyl (ISO):**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Metabolic activation: Metabolic activation  
Result: positive  
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

#### **sodium carbonate:**

Genotoxicity in vitro : Test Type: reverse mutation assay

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Phosphoric acid, trisodium salt, dodecahydrate:**

Genotoxicity in vitro : Test Type: gene mutation test  
Method: OECD Test Guideline 490  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Micronucleus test  
Method: OECD Test Guideline 487  
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

### **Carcinogenicity**

Not classified based on available information.

#### **Product:**

Remarks : The product contains no ingredients known to be carcinogenic.

#### **Components:**

##### **tribenuron-methyl (ISO):**

Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

##### **metsulfuron-methyl (ISO):**

Species : Rat, male and female  
Exposure time : 104 weeks  
NOAEL : 500 ppm  
Result : negative

Species : Mouse, male and female  
Exposure time : 18 month(s)  
NOAEL : 5,000 ppm  
Result : negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

### Reproductive toxicity

Not classified based on available information.

#### Product:

Effects on fertility : Remarks: The product contains no ingredients found to have adverse effects on reproduction.

#### Components:

##### **tribenuron-methyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction  
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

##### **metsulfuron-methyl (ISO):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit, female  
Application Route: Ingestion  
Symptoms: Maternal effects  
Result: negative

Test Type: Embryo-foetal development  
Species: Rat, female  
Application Route: Ingestion  
Symptoms: Maternal effects  
Result: negative

##### **sodium carbonate:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram  
Duration of Single Treatment: 6 - 15 d  
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight  
Teratogenicity: NOAEL: > 245 mg/kg body weight  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **Phosphoric acid, trisodium salt, dodecahydrate:**

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Dose: 1000 mg/kg bw/day  
General Toxicity - Parent: NOAEL: 1,000 mg/kg bw/day



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

General Toxicity F1: NOAEL: 1,000 mg/kg bw/day  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Dose: 4.1, 19, 88.3, 410 mg/kg bw/day  
Duration of Single Treatment: 20 d  
General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day  
Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

##### **tribenuron-methyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **Phosphoric acid, trisodium salt, dodecahydrate:**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### Components:

##### **tribenuron-methyl (ISO):**

Target Organs : Thyroid, Nervous system  
Assessment : May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

### sodium carbonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

#### tribenuron-methyl (ISO):

Species : Rabbit  
LOAEL : 80 mg/kg  
Target Organs : Thyroid, Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.  
Remarks : Increased mortality or reduced survival

#### metsulfuron-methyl (ISO):

Species : Rat, male and female  
NOEL : 1000 ppm  
Application Route : Oral - feed  
Exposure time : 90 days  
Symptoms : Reduced body weight

### sodium carbonate:

Species : Rat, male and female  
NOAEL : > 0.01 mg/kg  
Application Route : inhalation (dust/mist/fume)  
Test atmosphere : dust/mist

### Phosphoric acid, trisodium salt, dodecahydrate:

Species : Dog, female  
NOAEL : 492.77 mg/kg bw/day  
LOAEL : 1433.56 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 90 d  
Dose : 129.31, 492.77, 1433.56 mg/kg bw/day  
Target Organs : Kidney  
Remarks : Based on data from similar materials

Species : Dog, male  
NOAEL : 322.88 mg/kg bw/day  
LOAEL : 1107.12 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 90 d  
Dose : 94.23, 322.88, 1107.12 mg/kg bw/day  
Target Organs : Kidney  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

### Aspiration toxicity

Not classified based on available information.

#### Product:

The mixture does not have properties associated with aspiration hazard potential.

#### Components:

##### **tribenuron-methyl (ISO):**

The substance does not have properties associated with aspiration hazard potential.

### Neurological effects

#### Components:

##### **metsulfuron-methyl (ISO):**

No neurotoxicity observed in animal studies

### Further information

#### Product:

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: (Data on the product itself) Information source: Internal study report
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes Remarks: (Data on the product itself) Information source: Internal study report
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (microalgae)): 0.0213 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

Remarks: (Data on the product itself)  
Information source: Internal study report

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
GLP:yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

Toxicity to terrestrial organisms : LD50: > 0.110 mg/kg  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP:yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

LD50: > 0.100 mg/kg  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 214  
GLP:yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

### Components:

#### **tribenuron-methyl (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): > 320 mg/l  
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.068 mg/l  
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0.0047 mg/l  
Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0.001 mg/l  
Exposure time: 7 d

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 114 mg/l  
Exposure time: 21 d  
Species: *Cyprinodon variegatus* (sheepshead minnow)  
Method: OECD Test Guideline 211

NOEC: 560 mg/l  
Exposure time: 21 d  
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 41 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : NOEC: 3.2 mg/kg  
Exposure time: 56 d  
Species: *Eisenia fetida* (earthworms)

Toxicity to terrestrial organisms : LD50: > 2,250 mg/kg  
Species: *Colinus virginianus* (Bobwhite quail)

LD50: > 5,620 ppm  
Species: *Colinus virginianus* (Bobwhite quail)  
Remarks: Dietary

LD50: > 5,620 ppm  
Species: *Anas platyrhynchos* (Mallard duck)  
Remarks: Dietary

LD50: > 98.4 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)

LD50: > 9.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**metsulfuron-methyl (ISO):**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202  EC50 (Daphnia magna (Water flea)): 43.1 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	ErC50 (Anabaena flos-aquae (cyanobacterium)): 65.7 µg/l Exposure time: 96 h Method: OPPTS 850.5400 GLP: yes  NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l Exposure time: 96 h Method: OPPTS 850.5400 GLP: yes  ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l Exposure time: 72 h GLP: yes  NOEC (Selenastrum capricornutum (green algae)): 50 µg/l Exposure time: 72 h GLP: yes
M-Factor (Acute aquatic toxicity)	:	1,000
Toxicity to fish (Chronic toxicity)	:	NOEC: 68 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)  NOEC: 10 mg/l End point: reproduction Exposure time: 21 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 229 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 3.13 mg/l End point: reproduction Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

Method: OECD Test Guideline 211

NOEC: 0.5 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1,000

Toxicity to soil dwelling organisms : NOEC: 6 mg/kg  
Exposure time: 56 d  
Species: Eisenia fetida (earthworms)

NOEC: 5.6 mg/kg

End point: reproduction

Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 222

GLP:yes

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on nitrogen mineralization.

Toxicity to terrestrial organisms : LD50: > 50 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OEPP/EPPO Test Guideline 170

LD50: > 50 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Species: Apis mellifera (bees)

Method: OEPP/EPPO Test Guideline 170

LD50: > 2,510 mg/kg

Species: Anas platyrhynchos (Mallard duck)

NOEC: 1,000 mg/kg

End point: Reproduction Test

Species: Colinus virginianus

NOEC: 1,000 ppm

End point: Reproduction Test

Species: Anas platyrhynchos (Mallard duck)

Method: OECD Test Guideline 206

### sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): 200 mg/l  
Exposure time: 48 h  
Test Type: semi-static test

### Phosphoric acid, trisodium salt, dodecahydrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: EU Method C3  
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: EU Method C3  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

NOEC (activated sludge): 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: > 3,500 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
Remarks: Based on data from similar materials

### sucrose:

Toxicity to fish : Remarks: No data available

## 12.2 Persistence and degradability

### Product:

Biodegradability : Result: Not readily biodegradable.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version 1.1	Revision Date: 10.02.2025	SDS Number: 50003056	Date of last issue: - Date of first issue: 09.01.2019
----------------	------------------------------	-------------------------	--

---

Remarks: Estimation based on data obtained on active ingredient.

Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

### Components:

#### **tribenuron-methyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Remarks: The product/substance is not persistent in the environment.  
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.  
Metabolites are considered as persistent.  
According to the results of tests of biodegradability this product is not readily biodegradable.

#### **metsulfuron-methyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

#### **sodium carbonate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

#### **sucrose:**

Biodegradability : Remarks: No data available

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

### Components:

#### **tribenuron-methyl (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0.38

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

### **metsulfuron-methyl (ISO):**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Exposure time: 28 d  
Bioconcentration factor (BCF): < 1  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Pow: 0.018 (25 °C)  
log Pow: -1.7 (25 °C)  
pH: 7

### **sodium carbonate:**

Bioaccumulation : Remarks: Does not bioaccumulate.

## 12.4 Mobility in soil

### Components:

#### **tribenuron-methyl (ISO):**

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

### SECTION 14: Transport information

#### 14.1 UN number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

#### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl, Metsulfuron-methyl)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl, Metsulfuron-methyl)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl, Metsulfuron-methyl)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl, Metsulfuron-methyl)
IATA	: Environmentally hazardous substance, solid, n.o.s. (Tribenuron-methyl, Metsulfuron-methyl)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

**IATA** : 9

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### ADR

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

Regulation (EC) on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

### The components of this product are reported in the following inventories:

TCSI : Not applicable

TSCA : Not applicable

AIIC : Not applicable

DSL : Not applicable

ENCS : Not applicable

ISHL : Not applicable

KECI : Not applicable

PICCS : Not applicable

IECSC : Not applicable

NZIoC : Not applicable

TECI : Not applicable

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TRATON® SX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10.02.2025	50003056	Date of first issue: 09.01.2019

---

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information :

#### Classification of the mixture:

STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N