According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name VENZAR® 500 SC

Other means of identification

Product code 50000071

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agro Limited

Rectors Lane, Pentre

Flintshire CH5 2DH United Kingdom

Telephone: + 44 1244 537370 E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency: England and Wales: 111 Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :





Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been

read and understood.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in

accordance with local regulations.

Hazardous components which must be listed on the label:

lenacil (ISO)

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
lenacil (ISO)	2164-08-1 218-499-0 613-320-00-6	Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
ethanediol	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 1 - < 10
Tristyrylphenol ethoxylates	99734-09-5	Aquatic Chronic 3; H412	>= 1 - < 2.5
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10 specific concentration limit Skin Sens. 1A; H317 >= 0.036 %	>= 0.0025 - < 0.025

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Consult a physician.

Never give anything by mouth to an unconscious person.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : Take off contaminated clothing and shoes immediately.

If on skin, rinse well with water.

Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and

persists.

Wash contaminated clothing before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.

If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Obtain medical attention.

Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Suspected of causing cancer.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx)

Carbon oxides

Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak. Use personal protective equipment.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not let product enter drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labelled containers. Never return spills in original containers for re-use.

Clean contaminated surface thoroughly. Clean up promptly by sweeping or vacuum.

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Use only according to our recommendations.

All processes must be supervised by specialists or authorised

personnel.

Plan first aid action before beginning work with this product. Use only in area provided with appropriate exhaust ventilation.

Handle with extreme care.

Wear personal protective equipment.

Never return unused material to storage receptacle.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection. Keep product and empty container away from heat and sources of ignition.

Take measures to prevent the build up of electrostatic charge.

Vapours may form explosive mixtures with air.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. This product should be used only by all personnel thoroughly trained to handle it. Avoid contact with skin, eyes and clothing. Remove contaminated clothing and protective equipment before entering eating areas. When using do not eat, drink or smoke. Wash hands before breaks and at the

end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed in a cool, well-ventilated place.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

areas and containers

Store in a place accessible by authorized persons only. Ob-

serve label precautions. Electrical installations / working materials must comply with the technological safety standards.

halo must comply with the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
ethanediol	107-21-1	TWA (particles)	10 mg/m3	GB EH40	
	Further information: Can be absorbed through the skin. The assigned sub-				
	stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		TWA (Vapour)	20 ppm 52 mg/m3	GB EH40	
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		STEL (Vapour)	40 ppm 104 mg/m3	GB EH40	
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		TWA	20 ppm 52 mg/m3	2000/39/EC	
	Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		STEL	40 ppm 104 mg/m3	2000/39/EC	
	Further information: Identifies the possibility of significant uptake through the skin, Indicative				

Derived No Effect Level (DNEL)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
ethanediol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Sewage treatment plant	199.5 mg/l
	Fresh water sediment	37 mg/kg dry weight (d.w.)
	Marine sediment	3.7 mg/kg dry weight (d.w.)
	Soil	1.53 mg/kg dry weight (d.w.)
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/l
	Marine sediment	0.00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Ensure that eyewash stations and safety showers are close to

the workstation location.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Wear appropriate chemical resistant clothing to prevent skin

contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discard-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

ed after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be re-

quired.

Remove and wash contaminated clothing before re-use.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : white
Odour : odourless
pH : 5.9 - 6.2 (20 °C)

Concentration: 10 g/l 1 %

Boiling point/boiling range : 98 °C Flash point : > 98 °C

Vapour pressure : Not available for this mixture.

Relative vapour density : not determined
Relative density : 1.13 (20 °C)
Density : No data available
Bulk density : No data available

Solubility(ies)

Water solubility : No data available Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: Not available for this mixture.

Auto-ignition temperature

Viscosity

No data available

Viscosity, kinematic : not determined Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

9.2 Other information

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Flammability (liquids) : Not highly flammable, may be ignitable, Based on available

information, the classification criteria for flammability hazard

are not met.

Particle size : Not applicable

Self-ignition : 530 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

The product is chemically stable.

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Protect from frost, heat and sunlight.

Heating of the mixture may evolve harmful and irritant va-

pours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : Remarks: No data is available on the product itself.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

10/29

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Method: OECD Test Guideline 402

GLP: ves

Remarks: (Data on the product itself)
Information source: Internal study report

Components:

lenacil (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 423

Remarks: Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 5.12 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Information source: Internal study report

ethanediol:

Acute inhalation toxicity : LC0 (Rat, male and female): > 2.5 mg/l

Exposure time: 6 h

Test atmosphere: dust/mist Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

Tristyrylphenol ethoxylates:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

Components:

lenacil (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Information source: Internal study report

ethanediol:

Species : Rabbit

Result : No skin irritation

Tristyrylphenol ethoxylates:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Components:

lenacil (ISO):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Information source: Internal study report

ethanediol:

Species : Rabbit

Result : No eye irritation

Tristyrylphenol ethoxylates:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Species : Rabbit

Method : EPA OPP 81-4

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type : Maximisation Test Species : Guinea pig

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 406

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

Remarks : (Data on the product itself)

Information source: Internal study report

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Components:

lenacil (ISO):

Exposure routes : Skin contact Species : Guinea pig

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.
Remarks : Information source: Internal study report

ethanediol:

Test Type : Maximisation Test

Species : Guinea pig

Result : Does not cause skin sensitisation.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

lenacil (ISO):

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects., Animal testing did not show any mutagenic

effects.

ethanediol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OPPTS 870.5100

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Rat

Application Route: Oral

Result: negative

Tristyrylphenol ethoxylates:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Result: negative

Genotoxicity in vivo : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male)
Cell type: Liver cells

Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Suspected of causing cancer.

Components:

lenacil (ISO):

Species : Rat

Method : OECD Test Guideline 453

Symptoms : mammary tumors

Species : Mouse

Method : OECD Test Guideline 451

Symptoms : Lung alveolar tumour, Hepatocellular adenoma

Carcinogenicity - Assess- : Limited evidence of carcinogenicity in animal studies

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

ment

ethanediol:

Species : Mouse
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

lenacil (ISO):

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

Animal testing did not show any effects on foetal develop-

ment.

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight

General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters

Method: OPPTS 870.3800

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

ethanediol:

Exposure routes : Oral Target Organs : Kidney

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Repeated dose toxicity

Components:

lenacil (ISO):

Species : Rat Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 408

Symptoms : Liver effects

Species : Mouse Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 408
Symptoms : increased liver weight

Species : Dog Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 408
Symptoms : Liver effects, Bladder effects

ethanediol:

Species : Rat
NOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 12 Months

Species : Dog

NOAEL : > 2,200 - < 4,400 mg/kg

Application Route : Dermal Exposure time : 4 Weeks

Method : OECD Test Guideline 410

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

lenacil (ISO):

The substance does not have properties associated with aspiration hazard potential.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)):

0.00918 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

ErC50 (Lemna gibba (duckweed)): 0.0200 mg/l

Exposure time: 7 d
Test Type: semi-static test

Method: OECD Test Guideline 221

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Toxicity to terrestrial organ-

isms

LD50: > 110 μg/bee

Exposure time: 48 h

End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214
Remarks: (Data on the product itself)
Information source: Internal study report

LD50: > 100 μg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213 Remarks: (Data on the product itself) Information source: Internal study report

Components:

lenacil (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 2 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version **Revision Date:** SDS Number: Date of last issue: -

04.04.2025 50000071 Date of first issue: 04.04.2025 1.0

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 8.4 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Remarks: Information source: Internal study report

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.016

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: Information source: Internal study report

ErC50 (Navicula pelliculosa (Diatom)): 0.096 mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (gibbous duckweed)): 0.029 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

Remarks: Information source: Internal study report

NOEC (Lemna gibba (duckweed)): 0.0088 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.16 mg/l

Exposure time: 90 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

Remarks: Information source: Internal study report

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.48 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Information source: Internal study report

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50: > 1,000 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Remarks: Information source: Internal study report

Toxicity to terrestrial organ-LD50: 25 µg/bee

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

isms Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

Method: US EPA Test Guideline OPP 141-1 Remarks: Information source: Internal study report

LD50: > 2,000 mg/kg

Species: Anas platyrhynchos (Mallard duck) Method: US EPA Test Guideline OPP 71-1

Remarks: Information source: Internal study report

LC50: > 5,000 mg/kg Exposure time: 5 d

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-2 Remarks: Information source: Internal study report

ethanediol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72,860 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

IC50 (Pseudokirchneriella subcapitata (green algae)): 10,940

mg/l

Exposure time: 96 h

Toxicity to microorganisms : (activated sludge): > 1,995 mg/l

Exposure time: 30 min Method: ISO 8192

Toxicity to fish (Chronic tox-

icity)

1,500 mg/l

Exposure time: 28 d

Species: Menidia peninsulae (tidewater silverside)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

33,911 mg/l

Exposure time: 21 d

ic toxicity)

Species: Daphnia magna (Water flea)

Tristyrylphenol ethoxylates:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 21 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to microorganisms

Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7

mg/l

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.9 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

1

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

lenacil (ISO):

Biodegradability : Result: Not readily biodegradable.

21 / 29

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Remarks: Substance/product is moderately persistent in the

environment.

ethanediol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 90 - 100 %

Exposure time: 10 d

Method: OECD Test Guideline 301A

Tristyrylphenol ethoxylates:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 8 % Exposure time: 28 d

Method: OECD Test Guideline 301

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

lenacil (ISO):

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-

octanol/water

log Pow: 1.70 (25 °C)

ethanediol:

Partition coefficient: n-

octanol/water

log Pow: -1.36

Tristyrylphenol ethoxylates:

Partition coefficient: n-

octanol/water

Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 56 d

Bioconcentration factor (BCF): 6.62 Method: OECD Test Guideline 305

Remarks: Substance is not persistent, bioaccumulative, and

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version **Revision Date:** SDS Number: Date of last issue: -

04.04.2025 50000071 Date of first issue: 04.04.2025 1.0

toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 0.7 (20 °C)

pH: 7

log Pow: 0.99 (20 °C)

pH: 5

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: No data is available on the product itself.

Components:

lenacil (ISO):

Distribution among environ-

mental compartments

Remarks: Moderately mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environ-

mental compartments

Koc: 9.33 ml/g, log Koc: 0.97 Method: OECD Test Guideline 121 Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

Additional ecological infor-

mation

Very toxic to aquatic life with long lasting effects.

See product label for additional application instructions relat-

ing to environmental precautions.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Lenacil)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Lenacil)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Lenacil)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Lenacil)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Lenacil)

14.3 Transport hazard class(es)

Class Subsidiary risks

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

ethanediol (Number on list 3) Alcohols, C12-15, ethoxylated

(Number on list 3)

(benzyloxy)methanol (Number on list

3)

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Not applicable

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

Control of Major Accident Hazards Regulations E1 ENVIRONMENTAL HAZARDS

2015 (COMAH)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and

livestock rearing emissions (integrated pollution prevention

and control)
Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Ethanol, 2,2',2"-nitrilotris-, compd. with .alpha.-[2,4,6-tris(1-phenylethyl)phenyl]-.omega.-hydroxypoly(oxy-1,2-ethanediyl)

phosphate lenacil (ISO)

KORASILON DEFOAMER GD (OBERMEIER)

MONOETHYLENE GLYCOL (CVM)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H351 : Suspected of causing cancer.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
 H411 : Toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



VENZAR® 500 SC

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.04.2025 50000071 Date of first issue: 04.04.2025

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZloC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Carc. 2 H351 Calculation method

Aquatic Acute 1 H400 Based on product data or assessment

Aquatic Chronic 1 H410 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N