

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALL CLEAR EXTRA

Other means of identification

Product code 50000459

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cleaner for spraying equipment
stance/Mixture

Recommended restrictions : Use as recommended by the label.
on use

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Limited
Rectors Lane, Pentre
Flintshire
CH5 2DH
United Kingdom

Telephone: + 44 1244 537370
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:
England and Wales: 111
Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Skin irritation, Category 2

H315: Causes skin irritation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Eye irritation, Category 2

H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms



Signal word

: Warning

Hazard statements

: H315 Causes skin irritation.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P362 + P364 Take off contaminated clothing and wash it before reuse.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Disposal:
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version 1.1 Revision Date: 13.06.2025 SDS Number: 50000459 Date of last issue: 09.03.2022
Date of first issue: 09.03.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	85480-55-3 287-335-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 10 - < 20
tetrasodium (1-hydroxyethylidene)bisphosphonate	3794-83-0 223-267-7	Eye Irrit. 2; H319	>= 3 - < 5
Alcohols, C12-15, ethoxylated	68131-39-5 500-195-7	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 3
Substances with a workplace exposure limit :			
(2-methoxymethylethoxy)propanol	34590-94-8 252-104-2		>= 1 - < 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

- | | |
|-------------------------|---|
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|---|
| Risks | : Causes skin irritation.
Causes serious eye irritation. |
|-------|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : ABC powder
Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams.
High volume water jet |

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|---|
| Specific hazards during fire-fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides |

5.3 Advice for firefighters

- | | |
|---|--|
| Special protective equipment for firefighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |
|---|--|
-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Storage period : 24 Months

Recommended storage temperature : > 2 - < 40 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaner for spraying equipment

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	50 ppm 308 mg/m ³	2000/39/EC
Further information: Identifies the possibility of significant uptake through the skin, Indicative				

Derived No Effect Level (DNEL)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version 1.1 Revision Date: 13.06.2025 SDS Number: 50000459 Date of last issue: 09.03.2022
Date of first issue: 09.03.2022

Substance name	End Use	Exposure routes	Potential health effects	Value
----------------	---------	-----------------	--------------------------	-------

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	Fresh water	0.268 mg/l
	Marine water	0.027 mg/l
	Fresh water sediment	8.1 mg/kg
	Marine sediment	8.1 mg/kg
	Soil	35 mg/kg
tetrasodium (1-hydroxyethylidene)bisphosphonate	Fresh water	0.096 mg/l
	Marine water	0.01 mg/l
	Fresh water sediment	193 mg/kg dry weight (d.w.)
	Marine sediment	19.3 mg/kg dry weight (d.w.)
	Soil	14 mg/kg dry weight (d.w.)
Alcohols, C12-15, ethoxylated	Oral	5.3 mg/kg dry weight (d.w.)
	Sewage treatment plant	58 mg/l
	Fresh water	0.051 mg/l
	Intermittent use/release	0.001 mg/l
	Marine water	0.005 mg/l
	Intermittent use/release	0 mg/l
	Sewage treatment plant	10 g/l
	Fresh water sediment	81.64 mg/kg dry weight (d.w.)
	Marine sediment	8.16 mg/kg dry weight (d.w.)
	Soil	1 mg/kg dry weight (d.w.)
(2-methoxymethylethoxy)propanol	Fresh water	19 mg/l
	Marine water	1.9 mg/l
	Fresh water sediment	70.2 mg/kg dry weight (d.w.)
	Marine sediment	7.02 mg/kg dry weight (d.w.)
	Soil	2.74 mg/kg dry weight (d.w.)
	Intermittent use (freshwater)	190 mg/l
	Sewage treatment plant	4168 mg/l

8.2 Exposure controls

Personal protective equipment

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Eye/face protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Hand protection	:	
Material	:	Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Protective measures	:	Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	not determined
pH	:	10.75 - 11.5 Concentration: 1 %
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 60 °C Non-flammable
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Relative vapour density	:	No data available
Relative density	:	ca. 1.03 - 1.05 (20 °C)
Density	:	1,030 - 1,050 kg/m ³ (20 °C)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Solubility(ies)

Water solubility	:	No data available
Solubility in other solvents	:	No data available

Partition coefficient: n-octanol/water : Not available for this mixture.

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties :

No data available

Oxidizing properties : No data available

9.2 Other information

Flammability (liquids) : Not classified as a flammability hazard

Particle size : Not applicable

Self-ignition : Not available for this mixture.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Product:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: Calculation method Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Acute oral toxicity	: LD50 (Rat, male and female): 1,570 mg/kg
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Acute oral toxicity	: LD50 (Rat, male and female): 2,850 mg/kg
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 5,000 mg/kg

Alcohols, C12-15, ethoxylated:

Acute oral toxicity	: Acute toxicity estimate: 500 mg/kg Method: Expert judgement
Acute inhalation toxicity	: LC50 (Rat, male and female): > 1.6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Acute oral toxicity	: LD50 Oral (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: no mortality
Acute inhalation toxicity	: LC0 (Rat, male and female): > 275 ppm Exposure time: 7 h Test atmosphere: vapour Remarks: no mortality

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Acute dermal toxicity : LD50 Dermal (Rabbit, male): 10 ml/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Assessment	: Irritating to skin.
Result	: Inflammation

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: irritating

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Alcohols, C12-15, ethoxylated:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Species	: Human
Result	: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	: Bovine cornea
Assessment	: Irritating to eyes.
Result	: Eye irritation
Remarks	: (Data on the product itself) Study conducted in February 2013 by Harlan Laboratories, study number 41300559. Product does not meet the classification criteria as "Eye Damage Category 1" (H318). Product classified as "Eye Irritant Category 2" (H319) based on study results.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days

Alcohols, C12-15, ethoxylated:

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

(2-methoxymethylethoxy)propanol:

Species	:	Human
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Assessment	:	Not a skin sensitizer.
Remarks	:	Based on available data, the classification criteria are not met.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.
Remarks	:	Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Test Type	:	Maximisation Test
Exposure routes	:	Intradermal

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Species	:	Humans
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: Regulation (EC) No. 440/2008, Annex, B.13/14 (Ames test) Result: negative
Genotoxicity in vivo	:	Test Type: chromosome aberration assay Species: Mouse (male) Application Route: Ingestion Result: negative

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Genotoxicity in vitro	:	Test Type: Micronucleus test Method: OECD Test Guideline 487 Result: negative Remarks: Based on data from similar materials Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials Test Type: reverse mutation assay Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Rodent Dominant Lethal Assay Species: Mouse (male) Application Route: Oral Result: negative Remarks: Based on data from similar materials
Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Alcohols, C12-15, ethoxylated:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Test Type: Bone marrow chromosome aberration
Species: Rat (male and female)
Method: OECD Test Guideline 475
Result: negative
Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Test Type: in vitro assay
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Species	: Rat, male
Application Route	: Oral

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Dose : 19, 78, 384 mg/kg bw/day
NOAEL : \geq 384 mg/kg bw/day
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

(2-methoxymethylethoxy)propanol:

Species : Rat, male and female
Application Route : inhalation (vapour)
Exposure time : 2 years
Dose : 300, 1000, 3000ppm
: 300 ppm
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: positive

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Effects on fertility : Test Type: Two-generation study
Species: Rat, female
Application Route: Oral
Dose: 0, 112, 447 mg/kg bw/d
General Toxicity - Parent: LOAEL: 447 mg/kg bw/day
General Toxicity F1: LOAEL: 447 mg/kg bw/day
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Two-generation study
Species: Rat
Application Route: Oral

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Dose: 0, 112, 447 mg/kg bw/d
General Toxicity Maternal: LOAEL: 447 mg/kg bw/day
Embryo-foetal toxicity: NOAEL: 447 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Dermal
General Toxicity - Parent: NOAEL: 250 mg/kg body weight
Fertility: NOAEC Mating/Fertility: 250 mg/kg body weight
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Dermal
General Toxicity Maternal: NOEL: 100 mg/kg body weight
Embryo-foetal toxicity: NOAEL: > 250 mg/kg body weight
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Inhalation
Dose: 300, 1000, 3000ppm
General Toxicity - Parent: NOAEL: 300
General Toxicity F1: NOAEL: 1,000
General Toxicity F2: NOAEL: 1,000
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Developmental Toxicity Screening Test
Species: Rat
Application Route: Inhalation
Dose: 0, 50, 150, 300 parts per million
General Toxicity Maternal: LOAEL: >= 300 part per million
Teratogenicity: LOAEL: >= 300 part per million
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Components:

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

(2-methoxymethylethoxy)propanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Species : Rat, male and female
NOAEL : 300 mg/kg
Application Route : Oral - feed
Exposure time : >75 d

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Species : Rat, male and female
NOAEL : 41 mg/kg bw/day
LOAEL : 169 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 d
Dose : 41, 169, 817 mg/kg bw/day
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Species : Rat, male and female
NOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 90d
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Species : Rat, male and female
NOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 4 weeks
Dose : 40, 200, 1000mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Species	: Rat, male and female
NOAEL	: 200 ppm
Application Route	: inhalation (vapour)
Exposure time	: 13 weeks
Dose	: 15, 50, 200 ppm

Species	: Rabbit, male
NOAEL	: 2850 mg/kg bw/day
Application Route	: Dermal
Exposure time	: 90d
Dose	: 1, 3, 5, 10 ml/kg
Remarks	: mortality

Aspiration toxicity

Based on available data, the classification criteria are not met.

Experience with human exposure

Product:

Inhalation	: Target Organs: Respiratory system Symptoms: Irritation
------------	---

Ingestion	: Target Organs: Gastrointestinal tract Symptoms: Irritation, Nausea
-----------	---

Further information

Product:

Remarks	: No data available
---------	---------------------

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: Remarks: No data is available on the product itself.
------------------	--

Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data is available on the product itself.
---	--

Toxicity to algae/aquatic plants	: Remarks: No data is available on the product itself.
----------------------------------	--

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.67 mg/l Exposure time: 96 h
------------------	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.63 mg/l
Exposure time: 196 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50: 1.7 mg/l
Exposure time: 24 d
Species: Hyalella azteca (Amphipod)
Method: OECD Test Guideline 211

Toxicity to soil dwelling organisms : NOEC: 250 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 195 mg/l
Exposure time: 96 h
Test Type: flow-through test
Remarks: Based on data from similar materials

LC50 (Cyprinodon variegatus (sheepshead minnow)): 2,180 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 527 mg/l
Exposure time: 48 h
Test Type: static test
Remarks: Based on data from similar materials

LC50 (Palaeomonetes vulgaris (Grass shrimp)): 1,770 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (activated sludge): 200 mg/l
Exposure time: 11 d
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6.75 mg/l
Exposure time: 28 d
Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : NOEC: 500 mg/kg
Exposure time: 28 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222

EC50: > 1,000 mg/kg
Exposure time: 28 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222

Plant toxicity : NOEC: >= 960 mg/kg
Exposure time: 14 d
Species: Avena sativa (oats)
Method: OECD Test Guideline 208

Toxicity to terrestrial organisms : LC0: > 284 mg/kg
Exposure time: 14 d
Species: Anas platyrhynchos (Mallard duck)
Remarks: Information given is based on data obtained from similar substances.

LC50: > 284 mg/kg
Exposure time: 14 d
Species: Colinus virginianus (Bobwhite quail)
Remarks: Information given is based on data obtained from similar substances.

Alcohols, C12-15, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 2 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 2 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10 g/l
Exposure time: 16.9 h
Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox- : NOEC: 0.11 - 0.28 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 85 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Alcohols, C12-15, ethoxylated:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301B
Remarks: Based on data from similar materials

(2-methoxymethylethoxy)propanol:

Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Method: OECD Test Guideline 301F

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
Bioconcentration factor (BCF): 2
Method: OECD Test Guideline 305E

Partition coefficient: n-octanol/water : log Pow: 1.51 (25 °C)

tetrasodium (1-hydroxyethylidene)bisphosphonate:

Bioaccumulation : Species: Cyprinus carpio (Carp)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Bioconcentration factor (BCF): 71
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: -3 (23 °C)
pH: 11.4

Alcohols, C12-15, ethoxylated:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
Exposure time: 24 d
Bioconcentration factor (BCF): 237
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4.91 - 6.78 (40 °C)

(2-methoxymethylethoxy)propanol:

Partition coefficient: n-octanol/water : log Pow: 0.004 (25 °C)

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : This product has no known ecotoxicological effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | |
|------------------------|---|
| Product | : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

SECTION 14: Transport information

14.1 UN number

- | | |
|------|-------------------------------------|
| ADN | : Not regulated as a dangerous good |
| ADR | : Not regulated as a dangerous good |
| RID | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

14.2 UN proper shipping name

- | | |
|------|-------------------------------------|
| ADN | : Not regulated as a dangerous good |
| ADR | : Not regulated as a dangerous good |
| RID | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

14.3 Transport hazard class(es)

- | | |
|------|-------------------------------------|
| ADN | : Not regulated as a dangerous good |
| ADR | : Not regulated as a dangerous good |
| RID | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

14.4 Packing group

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3 Alcohols, C12-15, ethoxylated (Number on list 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	:	Not applicable
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 15 %

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: On the inventory, or in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2000/39/EC / TWA	: Limit Value - eight hours

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information :

Classification of the mixture:

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Aquatic Chronic 3	H412

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Disclaimer

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ALL CLEAR EXTRA

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2022
1.1	13.06.2025	50000459	Date of first issue: 09.03.2022

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N