

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version Revision Date: SDS Number: Date of last issue: -
1.0 28.11.2024 50000937 Date of first issue: 28.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALLY® MAX SX®

Other means of identification

Product code 50000937

Unique Formula Identifier : FGH0-936A-JN4Y-13WN
(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label. For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harboøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Ireland: 353-19014670 (CHEMTREC)

Medical emergency:
Ireland (Republic): +352 1 809 2166

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Specific target organ toxicity - repeated exposure, Category 2 H373: May cause damage to organs through prolonged or repeated exposure.

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

Additional Labelling

EUH208 Contains tribenuron-methyl (ISO). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
metsulfuron-methyl (ISO)	74223-64-6 613-139-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 1,000	>= 10 - < 20
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 10 - < 20
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 1 - < 10
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 1 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

		Acute toxicity estimate Acute inhalation toxicity (dust/mist): 0.830083 mg/l	
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.
Show this safety data sheet to the doctor in attendance.
Move out of dangerous area.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Keep eye wide open while rinsing.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.
Do not give milk or alcoholic beverages.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Sulphur oxides
Carbon oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
If it can be safely done, stop the leak.
Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Do not breathe vapours/dust. Avoid formation of respirable particles.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage tem- : < 35 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

perature

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
sucrose	57-50-1	OELV - 8 hrs (TWA)	10 mg/m3	IE OEL
		OELV - 15 min (STEL)	20 mg/m3	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Acute local effects	10 mg/m3
Phosphoric acid, trisodium salt, dodecahydrate	Workers	Inhalation	Long-term systemic effects	4.07 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3.04 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phosphoric acid, trisodium salt, dodecahydrate	Sewage treatment plant	50 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles
Eye wash bottle with pure water

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Dust impervious protective suit

Respiratory protection : Equipment should conform to EN 143
Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid
Form : granular
Colour : brown, light brown
Odour : mild, lignin like
Odour Threshold : not determined
Melting point/freezing point : not determined
Boiling point/boiling range : Decomposition
Flammability : Not highly flammable, may be ignitable
Upper explosion limit / Upper flammability limit : not determined
Lower explosion limit / Lower flammability limit : not determined
Flash point : not determined
Decomposition temperature : Not available for this mixture.
pH : 9.2 (20 °C)
Concentration: 10 g/l 1 %
(as aqueous solution)
Viscosity
Viscosity, kinematic : Not applicable
Solubility(ies)
Water solubility : soluble
Partition coefficient: n-octanol/water : Not available for this mixture.
Vapour pressure : Not available for this mixture.
Relative density : Not available for this mixture.
Bulk density : 688 kg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Relative vapour density	packed
Particle characteristics	: not determined
Particle size	: not determined

9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: The product is not oxidizing.
Self-ignition	: not determined
Evaporation rate	: Not available for this mixture.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
Dust may form explosive mixture in air.	

10.4 Conditions to avoid

Conditions to avoid	: Heat, flames and sparks. Heating of the mixture may evolve harmful and irritant vapours.
---------------------	-----------------------------------------------------------------------------------------------

10.5 Incompatible materials

Materials to avoid	: Avoid strong acids, bases, and oxidizers
--------------------	--------------------------------------------

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: Fixed Dose Method GLP: yes Remarks: The toxicological data has been taken from prod-
---------------------	-----------------------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

ucts of similar composition.
Information source: Internal study report

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: The toxicological data has been taken from products of similar composition.
Information source: Internal study report

Components:

metsulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: US EPA Test Guideline OPP 81-1
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Breathing difficulties
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

tribenuron-methyl (ISO):

Acute oral toxicity : LD50: > 5,000 mg/kg
Method: OECD Test Guideline 425

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Acute inhalation toxicity : LC50 (Rat): > 5.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2.3 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Target Organs: Skin
Symptoms: Erythema

Phosphoric acid, trisodium salt, dodecahydrate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 420
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.83 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials no mortality

Acute toxicity estimate: 0.830083 mg/l
Test atmosphere: dust/mist
Method: Calculation method
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials no mortality

Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Remarks	:	The toxicological data has been taken from products of similar composition. Information source: Internal study report

Components:

metsulfuron-methyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	No skin irritation

tribenuron-methyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

sodium carbonate:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Phosphoric acid, trisodium salt, dodecahydrate:

Species	:	Rabbit
Result	:	Skin irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result	:	No skin irritation
--------	---	--------------------

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes
Remarks	:	The toxicological data has been taken from products of similar composition. Information source: Internal study report

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Components:

metsulfuron-methyl (ISO):

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

tribenuron-methyl (ISO):

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

sodium carbonate:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Phosphoric acid, trisodium salt, dodecahydrate:

Species	:	Rabbit
Method	:	EPA OTS 798.4500
Result	:	Irritation to eyes, reversing within 21 days

Lignosulfonic acid, sodium salt, sulfomethylated:

Result	:	Eye irritation
--------	---	----------------

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type	:	Local lymph node test
Species	:	Mouse
Assessment	:	Did not cause sensitisation on laboratory animals.
Method	:	OECD Test Guideline 429
Result	:	Animal test did not cause sensitization by skin contact.
Remarks	:	Information source: Internal study report (Data on the product itself)

Components:

metsulfuron-methyl (ISO):

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Method : US EPA Test Guideline OPPTS 870.2600
Result : Not a skin sensitizer.

tribenuron-methyl (ISO):

Test Type : Maximisation Test
Species : Guinea pig
Assessment : May cause sensitisation by skin contact.
Method : OECD Test Guideline 406
Result : Causes skin sensitization.

Phosphoric acid, trisodium salt, dodecahydrate:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

Lignosulfonic acid, sodium salt, sulfomethylated:

Species : Guinea pig
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

metsulfuron-methyl (ISO):

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Metabolic activation: Metabolic activation
Result: positive
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

tribenuron-methyl (ISO):

Germ cell mutagenicity- Assessment : Did not show mutagenic effects in animal experiments.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mu-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

tation assay)
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Phosphoric acid, trisodium salt, dodecahydrate:

Genotoxicity in vitro : Test Type: gene mutation test
Method: OECD Test Guideline 490
Result: negative
Remarks: Based on data from similar materials

Test Type: Micronucleus test
Method: OECD Test Guideline 487
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

Lignosulfonic acid, sodium salt, sulfomethylated:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Components:

metsulfuron-methyl (ISO):

Species : Rat, male and female
Exposure time : 104 weeks
NOAEL : 500 ppm
Result : negative

Species : Mouse, male and female
Exposure time : 18 month(s)
NOAEL : 5,000 ppm
Result : negative

tribenuron-methyl (ISO):

Remarks : No significant adverse effects were reported
Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

Lignosulfonic acid, sodium salt, sulfomethylated:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Remarks : No data available

Reproductive toxicity

Not classified based on available information.

Components:

metsulfuron-methyl (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit, female
Application Route: Ingestion
Symptoms: Maternal effects
Result: negative

Test Type: Embryo-foetal development
Species: Rat, female
Application Route: Ingestion
Symptoms: Maternal effects
Result: negative

tribenuron-methyl (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

sodium carbonate:

Effects on foetal development : Species: Rat
Application Route: Oral
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram
Duration of Single Treatment: 6 - 15 d
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight
Teratogenicity: NOAEL: > 245 mg/kg body weight
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Phosphoric acid, trisodium salt, dodecahydrate:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kg bw/day
General Toxicity - Parent: NOAEL: 1,000 mg/kg bw/day
General Toxicity F1: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 422
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 4.1, 19, 88.3, 410 mg/kg bw/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day
Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

tribenuron-methyl (ISO):

Target Organs : Thyroid, Nervous system
Assessment : May cause damage to organs through prolonged or repeated exposure.

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Repeated dose toxicity

Components:

metsulfuron-methyl (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral - feed
Exposure time : 90 days
Symptoms : Reduced body weight

tribenuron-methyl (ISO):

Species : Rabbit
LOAEL : 80 mg/kg
Target Organs : Thyroid, Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks : Increased mortality or reduced survival

sodium carbonate:

Species : Rat, male and female
NOAEL : > 0.01 mg/kg
Application Route : inhalation (dust/mist/fume)
Test atmosphere : dust/mist

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Dog, female
NOAEL : 492.77 mg/kg bw/day
LOAEL : 1433.56 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 d
Dose : 129.31, 492.77, 1433.56 mg/kg bw/day
Target Organs : Kidney
Remarks : Based on data from similar materials

Species : Dog, male
NOAEL : 322.88 mg/kg bw/day
LOAEL : 1107.12 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 d
Dose : 94.23, 322.88, 1107.12 mg/kg bw/day
Target Organs : Kidney
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Neurological effects

Components:

metsulfuron-methyl (ISO):

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: The toxicological data has been taken from products of similar composition.
Information source: Internal study report

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
Remarks: The toxicological data has been taken from products of similar composition.
Information source: Internal study report

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): > 0.082 mg/l

Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

ErC50 (Lemna gibba (duckweed)): > 0.036 mg/l

End point: Frond
Exposure time: 7 d
Method: OECD Test Guideline 221
GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Components:

metsulfuron-methyl (ISO):

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 43.1 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 65.7 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l
Exposure time: 72 h
GLP: yes

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC: 68 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 10 mg/l
End point: reproduction
Exposure time: 21 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 229
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 3.13 mg/l
End point: reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

NOEC: 0.5 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1,000

Toxicity to soil dwelling organisms : NOEC: 6 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)

NOEC: 5.6 mg/kg
End point: reproduction
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on nitrogen mineralization.

Toxicity to terrestrial organisms : LD50: > 50 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Method: OEPP/EPPO Test Guideline 170

LD50: > 50 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Method: OEPP/EPPO Test Guideline 170

LD50: > 2,510 mg/kg
Species: *Anas platyrhynchos* (Mallard duck)

NOEC: 1,000 mg/kg
End point: Reproduction Test
Species: *Colinus virginianus*

NOEC: 1,000 ppm
End point: Reproduction Test
Species: *Anas platyrhynchos* (Mallard duck)
Method: OECD Test Guideline 206

tribenuron-methyl (ISO):

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 738 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): > 320 mg/l
Exposure time: 48 h
EC50 (*Daphnia magna* (Water flea)): > 894 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 0.068 mg/l
Exposure time: 72 h
ErC50 (*Lemna gibba* (duckweed)): 0.0047 mg/l
Exposure time: 7 d
NOEC (*Lemna gibba* (duckweed)): 0.001 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 114 mg/l
Exposure time: 21 d
Species: *Cyprinodon variegatus* (sheepshead minnow)
Method: OECD Test Guideline 211
NOEC: 560 mg/l
Exposure time: 21 d
Species: *Oncorhynchus mykiss* (rainbow trout)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 41 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to soil dwelling organisms	: NOEC: 3.2 mg/kg Exposure time: 56 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2,250 mg/kg Species: Colinus virginianus (Bobwhite quail) LD50: > 5,620 ppm Species: Colinus virginianus (Bobwhite quail) Remarks: Dietary LD50: > 5,620 ppm Species: Anas platyrhynchos (Mallard duck) Remarks: Dietary LD50: > 98.4 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees) LD50: > 9.1 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

sodium carbonate:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia (water flea)): 200 mg/l Exposure time: 48 h Test Type: semi-static test

Phosphoric acid, trisodium salt, dodecahydrate:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: EU Method C3 Remarks: Based on data from similar materials
	NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: EU Method C3 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50 (activated sludge): 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
	NOEC (activated sludge): 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Toxicity to soil dwelling organisms	: LC50: > 3,500 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207 Remarks: Based on data from similar materials

Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 615 mg/l Exposure time: 96 h
------------------	--------------------------------------------------------------------------------

12.2 Persistence and degradability

Product:

Biodegradability	: Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants. No data is available on the product itself.
------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Components:

metsulfuron-methyl (ISO):

Biodegradability	: Result: Not readily biodegradable. Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.
------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

tribenuron-methyl (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: The product/substance is not persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.
Metabolites are considered as persistent.
According to the results of tests of biodegradability this product is not readily biodegradable.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Lignosulfonic acid, sodium salt, sulfomethylated:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

metsulfuron-methyl (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 d
Bioconcentration factor (BCF): < 1
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Pow: 0.018 (25 °C)
log Pow: -1.7 (25 °C)
pH: 7

tribenuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): < 1
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0.38

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

Lignosulfonic acid, sodium salt, sulfomethylated:

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: -3.45

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

See product label for additional application instructions relating to environmental precautions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl, Metsulfuron-methyl)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl, Metsulfuron-methyl)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl, Metsulfuron-methyl)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl, Metsulfuron-methyl)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Tribenuron-methyl, Metsulfuron-methyl)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
ADR		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
Tunnel restriction code	:	(-)
RID		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
IMDG		
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
IATA (Cargo)		
Packing instruction (cargo aircraft)	:	956
Packing instruction (LQ)	:	Y956
Packing group	:	III
Labels	:	Miscellaneous
IATA (Passenger)		
Packing instruction (passenger aircraft)	:	956
Packing instruction (LQ)	:	Y956
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

ADN		
Environmentally hazardous	:	yes
ADR		
Environmentally hazardous	:	yes
RID		
Environmentally hazardous	:	yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. MEM 20 SG TBM 500 SG
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version 1.0	Revision Date: 28.11.2024	SDS Number: 50000937	Date of last issue: - Date of first issue: 28.11.2024
----------------	------------------------------	-------------------------	----------------------------------------------------------

STOT SE IE OEL	: Specific target organ toxicity - single exposure : Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	: Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Based on product data or assessment
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALLY® MAX SX®

Version
1.0

Revision Date:
28.11.2024

SDS Number:
50000937

Date of last issue: -
Date of first issue: 28.11.2024

particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

IE / 6N