

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version 1.0 Revision Date: 27.01.2026 SDS Number: 50000102 Date of last issue: -
Date of first issue: 27.01.2026

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
fluroxypyr-meptyl (ISO)	81406-37-3 279-752-9 607-272-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 20 - < 25
methyl decanoate	110-42-9 203-766-6	Aquatic Chronic 2; H411	>= 10 - < 20
12-Hydroxystearic acid, oligomers, reaction products with stearic acid	58128-22-6 500-140-7	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
thifensulfuron-methyl (ISO)	79277-27-3 016-096-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 2.5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire- : Do not allow run-off from fire fighting to enter drains or water
-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

fighting

courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Fluorinated compounds
Nitrogen oxides (NOx)
Carbon oxides
Sulphur oxides
Hydrogen cyanide

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	5000102	Date of first issue: 27.01.2026

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

- | | | |
|--------------------------|---|---|
| Eye/face protection | : | Eye wash bottle with pure water
Tightly fitting safety goggles |
| Hand protection | : | |
| Material | : | Wear chemical resistant gloves, such as barrier laminate,
butyl rubber or nitrile rubber. |
| Remarks | : | The suitability for a specific workplace should be discussed
with the producers of the protective gloves. |
| Skin and body protection | : | Impervious clothing
Choose body protection according to the amount and concen-
tration of the dangerous substance at the work place. |
| Respiratory protection | : | In case of mist, spray or aerosol exposure wear suitable per-
sonal respiratory protection and protective suit. |
| Protective measures | : | Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper in-
structions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recom-
mended, the end user must refer to the label and the instruc-
tions for use. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | | |
|-----------------------------------|---|---------------------------------|
| Physical state | : | liquid |
| Colour | : | light grey |
| Odour | : | solvent-like |
| Odour Threshold | : | No data available |
| pH | : | 4.0 - 5.0
Concentration: 1 % |
| Melting point/freezing point | : | not determined |
| Initial boiling point and boiling | : | |
-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	5000102	Date of first issue: 27.01.2026

range	:	not determined
Flash point	:	96 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	Not available for this mixture.
Relative vapour density	:	not determined
Density	:	0.89 - 1.09 g/cm ³
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Auto-ignition temperature	:	No data available
Decomposition temperature	:	not determined
Viscosity	:	
Viscosity, dynamic	:	505.2 mPa.s (20 °C)
Viscosity, kinematic	:	463 - 567 mm ² /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.

9.2 Other information

Flammability (liquids)	:	ignitable
Particle size	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Heating of the mixture may evolve harmful and irritant vapours.
---------------------	---	---

10.5 Incompatible materials

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 425
Remarks: Information source: Internal study report
Based on data from a similar product.

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Information source: Internal study report
Based on data from a similar product.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Information source: Internal study report
Based on data from a similar product.

Components:

fluroxypyr-meptyl (ISO):

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

methyl decanoate:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral tox-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version 1.0 Revision Date: 27.01.2026 SDS Number: 50000102 Date of last issue: -
Date of first issue: 27.01.2026

icity
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Remarks: Based on data from similar materials
no mortality

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

thifensulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.03 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Information source: Internal study report
Based on data from a similar product.

Components:

fluroxypyr-meptyl (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Result : No skin irritation

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Species : Rabbit
Result : Skin irritation

thifensulfuron-methyl (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	5000102	Date of first issue: 27.01.2026

Remarks : Minimal effects that do not meet the threshold for classification.

Serious eye damage/eye irritation

Product:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Information source: Internal study report
Based on data from a similar product.

Components:

fluroxypyr-meptyl (ISO):

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Remarks : Minimal effects that do not meet the threshold for classification.

methyl decanoate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Species : Rabbit
Method : Draize Test
Result : Mild eye irritation

thifensulfuron-methyl (ISO):

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node test
Species : mice
Assessment : The product is a skin sensitiser, sub-category 1B.
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.
Remarks : Information source: Internal study report
Based on data from a similar product.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

Components:

fluroxypyr-meptyl (ISO):

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

methyl decanoate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Test Type : Maximisation Test
Species : Guinea pig
Result : Does not cause skin sensitisation.

thifensulfuron-methyl (ISO):

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Germ cell mutagenicity- Assessment : Contains no ingredient listed as a mutagen

Components:

methyl decanoate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Species: Chinese hamster (male and female)
Application Route: Oral
Result: negative

thifensulfuron-methyl (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version 1.0 Revision Date: 27.01.2026 SDS Number: 50000102 Date of last issue: -
Date of first issue: 27.01.2026

Result: negative
Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

Components:

fluroxypyr-meptyl (ISO):

Species : Rat
Method : OECD Test Guideline 451
Result : negative

Species : Mouse
Method : OECD Test Guideline 453
Result : negative

thifensulfuron-methyl (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

fluroxypyr-meptyl (ISO):

Effects on fertility : Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Method: OECD Test Guideline 414
Result: negative

methyl decanoate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 422
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version 1.0 Revision Date: 27.01.2026 SDS Number: 50000102 Date of last issue: -
Date of first issue: 27.01.2026

Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

thifensulfuron-methyl (ISO):

Reproductive toxicity - Assessment : Did not show teratogenic effects in animal experiments.

STOT - single exposure

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for more information on target organs if applicable.

STOT - repeated exposure

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for more information on target organs if applicable.

Repeated dose toxicity

Components:

fluroxypyr-meptyl (ISO):

Species : Rat
NOAEL : 80 mg/kg
Exposure time : 90 d
Method : OECD Test Guideline 408
Target Organs : Kidney

methyl decanoate:

Species : Rat, male and female
NOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : 14 - 45 d
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

thifensulfuron-methyl (ISO):

Species : Rat
LOAEL : ca. 200 mg/kg
Exposure time : 90 d

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

Target Organs : No specific target organs noted
Symptoms : Reduced body weight

Aspiration toxicity

Product:

No aspiration toxicity classification

Components:

methyl decanoate:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.2 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
Remarks: Information source: Internal study report

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.2 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Information source: Internal study report

Toxicity to algae/aquatic plants : ErC50 (Lemna gibba G3 (gibbous duckweed)): 0.046 mg/l
End point: Frond
Exposure time: 7 d
Method: OECD Test Guideline 221
Remarks: Information source: Internal study report

NOEC (Lemna gibba G3 (gibbous duckweed)): 0.025 mg/l
End point: Biomass
Exposure time: 21 d
Method: OECD Test Guideline 221
Remarks: Information source: Internal study report

Toxicity to terrestrial organ- : LD50: > 216 µg/bee

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	5000102	Date of first issue: 27.01.2026

isms

Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213
Remarks: Information source: Internal study report

LD50: > 200 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214
Remarks: Information source: Internal study report

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

fluroxypyr-meptyl (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 0.63 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 0.183 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.41
plants mg/l
Exposure time: 72 h

LC50 (Scenedesmus subspicatus): > 0.5 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic tox- : 1
icity)

Toxicity to fish (Chronic tox- : NOEC: 0.2 mg/l
icity) Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : NOEC: 0.06 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 1
toxicity)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2,000 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: > 2,000 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LD50: > 100 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)

methyl decanoate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 170 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.055 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : NOEC (activated sludge): >= 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 1,614 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
Exposure time: 72 h

thifensulfuron-methyl (ISO):

Toxicity to fish : LC50 (Salmo gairdneri): 100 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version 1.0 Revision Date: 27.01.2026 SDS Number: 50000102 Date of last issue: -
Date of first issue: 27.01.2026

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (green algae): 0.0159 mg/l
Exposure time: 72 h

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.4 mg/l
Exposure time: 72 h

EC50 (Lemna minor (duckweed)): 1.3 µg/l

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 250 mg/l
Exposure time: 28 d
Species: Salmo gairdneri

NOEC: 10.6 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 100 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 2,000 mg/kg
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2,510 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: > 5,620 ppm
Species: Anas platyrhynchos (Mallard duck)
Remarks: Dietary

LD50: > 5,620 ppm
Species: Colinus virginianus (Bobwhite quail)

LD50: > 7.1 µg/bee
End point: Acute oral toxicity
Species: Apis mellifera (bees)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

LD50: > 100 µg/bee
End point: Acute contact toxicity
Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Remarks: Estimation based on data obtained on active ingredient.

Components:

fluroxypyr-meptyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.

methyl decanoate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 78 %
Exposure time: 28 d

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 57 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.

12.3 Bioaccumulative potential

Components:

fluroxypyr-meptyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 26
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : log Pow: 4.5 (25 °C)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

octanol/water

methyl decanoate:

Partition coefficient: n-octanol/water : log Pow: 4.42

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1
Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Components:

fluroxypyr-meptyl (ISO):

Distribution among environmental compartments : Koc: 6200 - 43000
Remarks: The product is not expected to be mobile in soils.

thifensulfuron-methyl (ISO):

Distribution among environmental compartments : Koc: 28.3, log Koc: 1.45
Remarks: Highly mobile in soils

Stability in soil :

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

- Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

- ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

- ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Thifensulfuron-methyl)
- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Thifensulfuron-methyl)
- RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Thifensulfuron-methyl)
- IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Thifensulfuron-methyl)
- IATA : Environmentally hazardous substance, liquid, n.o.s.
(Fluroxypyr-meptyl, Thifensulfuron-methyl)

14.3 Transport hazard class(es)

- | | Class | Subsidiary risks |
|-----|-------|------------------|
| ADN | : 9 | |
| ADR | : 9 | |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:
Number on list 3
methyl decanoate (Number on list 3)
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine (Number on list 3)
methanol (Number on list 69, 3)

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: Not applicable
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	5000102	Date of first issue: 27.01.2026

Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SENTRALLAS® LQM®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.01.2026	50000102	Date of first issue: 27.01.2026

Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

GB / 6N