

# Mustang® Maxx Insecticide



## CORN AND SOYBEANS

### Better yields and more dollars per acre with Mustang® Maxx insecticide

Mustang® Maxx insecticide brings the pyrethroid difference to your corn and soybean crops, fighting yield-robbing infestations of cutworms, beetles, grasshoppers, aphids, stinkbugs and others before they take hold. It is especially useful for late-season seed corn protection.

The enhanced pyrethroid chemistry of Mustang Maxx insecticide works on contact and ingestion, and has strong residual control of many pests. It also makes a great tank-mix partner with other products.

For healthier crops and better dollar-per-acre return on your investment, choose Mustang Maxx insecticide.

#### Quick Facts

- Enhanced pyrethroid chemistry works on contact with residual control of many pests.
- For at-plant, pre- or post-emergence application.
- Proven, broad-spectrum insecticide for higher yields.
- Controls more than 45 pests in corn and soybeans.
- Controls widest range of insects; few insecticides can make same claim.
- May be applied by ground, air and chemigation.
- Can be tank mixed with other labeled products such as fungicides, herbicides or spray adjuvants.



## Product Information:

**Active Ingredient:** Zeta-cypermethrin

**Chemistry Class:** Pyrethroid, IRAC Group 3A

**Formulation:** 0.8 lb. AI/gal.

**Signal Word:** WARNING

## Pests Controlled:

CORN (FIELD)	CORN (SWEET)	SOYBEANS	
Adult Japanese Beetle	Adult Corn Rootworm	Alfalfa Caterpillar	Mexican Bean Beetle
Adult Sap Beetle	Adult Japanese Beetle	Bean Leaf Beetle	Painted Lady Caterpillar
Aphid	Adult Sap Beetle	Beet Armyworm	Pea Leaf Weevil
Armyworm	Aphid	Blister Beetle	Plant Bug
Bean Leaf Beetle	Armyworm	Colorado Potato Beetle	Saltmarsh Caterpillar
Corn Borer (European, Southwestern)	Chinch Bug	Corn Earworm	Seedcorn Maggot
Cereal Leaf Beetle	Corn Borer	Cowpea Curculio	Silver-Spotted Skipper
Chinch Bug	Corn Earworm	Cucumber Beetle	Southern Armyworm
Corn Earworm	Corn Silkworm	Cutworm	Soybean Aphid
Corn Rootworm Beetle	Cutworm	European Corn Borer	Spittlebug
Cutworm	Flea Beetle	Flea Beetle	Stink Bug
Flea Beetle	Grasshopper	Fall Armyworm	Three-Cornered Alfalfa Hopper
Grasshoppers	Leafhopper	Flea Beetle	Thrip
Green Cloverworm	Tarnished Plant Bug	Green Cloverworm	Tobacco Budworm
Hop Vine Borer		Grasshopper	True Armyworm
Hornworms		Hornworm	Velvetbean Caterpillar
Meadow Spittlebug		Imported Cabbageworm	Webworm
Southern Corn Leaf Beetle		Japanese Beetle	Whitefly
Stalk Borer		Kudzu Bug	Woolly Bear Caterpillar
Stink Bug spp		Leafhopper	Yellow Striped Armyworm
Tobacco Budworm		Leaf Miner	
Webworm		Leaf Skeletonizer	
Western Bean Cutworm		Lesser Cornstalk Borer	
		Looper	


## Guidelines for Use:

	PRODUCT RATE (FL. OZ./A)	PHI (DAYS)	REI (HOURS)
Corn (Field)*	1.28-4.0	7	12
Corn (Sweet)**	2.24-4.0	3	12
Soybeans***	1.2-4.0	21	12

\*Do not apply more than 16 oz. (0.10 lb./A) per acre per season including at-plant applications.

\*\*Apply at three to five day intervals. Do not apply more than 24 oz. (0.15 lb.) per acre per season. Use a minimum of 20 GPA by ground and 2 GPA by air.

\*\*\*Do not make applications <7 days apart. Do not apply more than 24 oz. (0.15 lb.) per acre per season.



**For more information about Mustang Maxx insecticide, contact your FMC retailer or visit [FMCcrop.com](http://FMCcrop.com).**

**Mustang Maxx insecticide is a Restricted Use Pesticide.** Always read and follow label directions and precautions for use. Some products may not be registered for sale or use in all states. FMC, Mustang and Preemptor are trademarks of FMC Corporation or an affiliate. ©2018 FMC Corporation. All rights reserved. 18-FMC-0103 06/18

**MUSTANG**  
MAXX  
INSECTICIDE

**FMC**