




TANK-MIX OPTIONS TO INCREASE POSTEMERGENCE WEED CONTROL WITH LIBERTY® HERBICIDE.

		WEEDS AT 4" OR LESS									
Application Guidance		Palmer Amaranth ¹	Waterhemp ¹	Lambsquarters	Velvetleaf	Cocklebur	Giant Ragweed	Common Ragweed	Morningglory	Residual Control - Broadleaves	Residual Control - Grasses
 Rate: 2.0 - 4.0 fl. oz./A	<ul style="list-style-type: none"> Emergence up through V3 soybeans For residual control, apply prior to weed germination and emergence 	+	+	+	+	+	+	+	+	+	+
 Rate: 7.25 fl. oz./A*	<ul style="list-style-type: none"> Emergence up to full flower (R3) soybeans Residual activity on pigweed species 	+	+	+	+	+	+	+	+	+	+
 Rate: 0.6 - 0.9 fl. oz./A	<ul style="list-style-type: none"> V1 up to full flower (R3) soybeans 	+	+	+	+	+	+	+	+	+	+

* Please see Marvel™ herbicide label for full application and rotational crop restrictions before use. +++ Strong Control, ++ Moderate Control, + Low Control

¹Anthem® MAXX herbicide's performance rating is for residual control on Palmer amaranth and waterhemp.

LEARN MORE ABOUT HOW YOU CAN UPGRADE YOUR LIBERTY HERBICIDE TANK MIX AT FMCCROP.COM.

Always read and follow all label directions, restrictions and precautions for use. Some products may not be registered for sale or use in all states. FMC, the FMC Logo, Anthem, Cadet and Marvel are trademarks of FMC Corporation or an affiliate. Liberty and LibertyLink are registered trademarks of Bayer CropScience. ©2019 FMC Corporation. All rights reserved 19-FMC-1044 05/19

FMC | An Agricultural Sciences Company