TECHNICAL BULLETIN | **USE GUIDELINES**

Group 3 Fungicide

CROP	DISEASES	RATE (FL. OZ./A)	MAX AMOUNT PER YEAR (FL. OZ./A)	PHI (DAYS)
Almonds and Walnuts	Brown rot blossom blight, alternaria leaf and fruit spot, shot hole, anthracnose, scab, leaf rust	7	28	14
Brassica Leafy Vegetables Crop Group 5	Black spot, cercospora leaf spot, powdery mildew	5 - 7	28	7
Celery	Alternaria leaf spot, anthracnose, cercospora leaf spot, early blight, late blight, powdery mildew, septoria leaf spot	5 - 7	28	7
Hops (Not for use in California)	Powdery mildew	5 - 7	28	7
Leafy Vegetables Crop Group 4	Alternaria leaf spot, anthracnose, cercospora leaf spot, early blight, late blight, powdery mildew, septoria leaf spot	5 - 7	28	7
Grapes (fresh, table, wine, raisin)	Powdery mildew, black rot	4 - 5	30	14
Cucurbit Vegetables Crop Group 9	Powdery mildew, gummy stem blight, target spot, charcoal rot	5 - 7	28	0
Peanuts (Not for use in California)	Early leaf spot, late leaf spot, peanut rust, leaf scorch/pepper spot, web blotch, white mold/Southern stem rot*	3.5 - 7	28	7
Pecans	Pecan scab, powdery mildew, alternaria leaf and fruit spot, anthracnose, shot hole, Eastern filbert blight, leaf rust, downy spot, zonate leaf spot	3.5 - 7	28	14
Pome Fruits	Powdery mildew, quince rust, cedar apple rust, apple scab, pear scab	4 - 6.5	26	14
Fruiting Vegetables Groups 8 - 10	Powdery mildew, anthracnose, cercospora leaf spot, charcoal rot	7	28	0
Stone Fruits (excluding cherries)	Powdery mildew, brown rot blossom blight, fruit brown rot, shot hole, cherry leaf spot	7	28	7
Strawberries	Powdery mildew, charcoal rot	5 - 7	28	0
Tomatoes	Powdery mildew, anthracnose, target spot, black mold, early blight, charcoal rot	3.5 -7	28	0

^{*}Suppression only.

Note: See label for full listings of crops, diseases and use rates.



