HELPS CONTROL COSTLY, YIELD-ROBBING WORMS



COTTON THREAT ALERT

Prevathon® insect control powered by Rynaxypyr® active is here for you.

It doesn't take long for insects to do costly damage to your cotton season. By leveraging a breakthrough mode of action, Prevathon insect control helps break the resistance cycle by stopping insect feeding within minutes and delivering long-lasting residual control for up to 21 days.***

That's especially important right now with recent reports of local pressure from costly pests. Prevathon insect control is labelled to control these four key insect threats in your area.

- COTTON BOLLWORM* 14 - 27 fl. oz./A
 - CABBAGE LOOPER 20 - 29 fl. oz./A
- TOBACCO BUDWORM*
 14 27 fl. oz./A
- SOYBEAN LOOPER** 20 - 29 fl. oz./A

Optimize yield quality and quantity.

Prevathon insect control enhances yields by controlling higher worm pressures and reducing plant damage.

- Flexibility in program integration, bringing in the right rate for effective worm control at the right time.
- Gives growers more freedom to select cotton varieties that are best suited for their land and to secure optimum lint potential.
- Long-lasting residual from foliar application on the worm complex of up to 21 days.***
- Will not flare mites or secondary pests.

Active Ingredient:	Rynaxypyr (Chlorantraniliprole)
Chemistry Class:	IRAC Group 28
Formulation:	0.43 lbs. ai/gal.
REI:	Four hours
PHI:	21 days

^{*}For heliothine control (cotton bollworm and/or tobacco budworm), make the first application at rates of 0.067 - 0.09 lb. ai/A (20.0 - 27.0 oz. product). Subsequent applications can be at rates of 0.047 - 0.09 lb. ai/A (14.0 - 27.0 oz. product) depending on pest pressure.

Visit your FMC retailer or Ag.FMC.com to learn more.



^{**}Suppression only.

^{***}Foliar application will not protect new growth.