Anthem[®] Flex Herbicide

Protect Your Soybean Yields With Anthem[®] Flex Herbicide

PRODUCT INFORMATION:

Anthem[®] Flex herbicide from FMC provides residual control of grasses and broadleaf weeds in soybeans. This low-use-rate herbicide provides the resistance management power you need with the flexibility you want. It has a wide application window and comes in an easy-to-mix formulation.

Anthem Flex herbicide delivers long residual control and suppression of tough grasses and small-seeded broadleaf weeds including waterhemp and Palmer amaranth in soybeans. For additional weed control, use preplant/preemergence tank mixes or sequential applications of Authority® brand herbicides.

With Anthem Flex herbicide, you have a powerful resistance management tool. It is effective at controlling weeds with known resistance to glyphosate and ALS herbicides.

SOYBEANS

QUICK FACTS:

- Labeled for use in soybeans.
- Applied in all tillage systems, including no-till.
- Early preplant, preplant incorporated and preemergence applications.
- Low use rate: 2.75 6.4 fl. oz./A.
- Control of key annual grasses and broadleaf weeds.
- No known resistance.



Annual Broadleaves Controlled - Preplant/Preemergence

Amaranth, Palmer	Purslane, common	
Amaranth, Powell	Pusley, Florida	
Carpetweed	Sida, prickly (Teaweed)	
Pigweed, redroot	Waterhemp, common	
Pigweed, smooth	Waterhemp, tall	
Pigweed, tumble		

Annual Broadleaves Suppressed - Preplant/Preemergence

Buckwheat, wild	Mayweed, chamomile	
Chickweed, common	Morningglory, entireleaf	
Fleabane, hairy	Morningglory, ivyleaf	
Groundsel, common	Morningglory, pitted	
Henbit	Nightshade, black	
Horseweed (marestail) Emerging	Nightshade, hairy	
from seed. Not overwintering plants.	Nightshade, Eastern black	
Kochia (including triazine and ALS resistant)	Ragweed, common	
	Spreading orach	
Lambsquarters, common	Velvetleaf	
Jimsonweed		

Application Timing

Early preplant, preplant incorporated and preemergence applications.

Product Use Rate:

2.25 - 6.4 fl. oz./A

ANTHEM FLEX HERBICIDE EARLY PREPLANT				
EARLY PREPLANT	COARSE	MEDIUM	FINE	
15-45 days prior to planting	2.75 - 3.8 fl. oz./A	4.0 – 5.0 fl. oz./A	5.0 – 6.4 fl. oz./A	

Restrictions:

Do not apply more than 0.186 lb. ai/A of pyroxasulfone and 0.023 lb. ai/A of carfentrazone-ethyl in a year including preplant burndown.

Please see the label for a complete list of restrictions.

Label:

Active Ingredient: Pyroxasulfone (Group 15); carfentrazone-ethyl (Group 14)

Mode of Action: Pyroxasulfone inhibits very-long-chain fatty acid synthesis as a Group 15 herbicide. It is a root and shoot growth inhibitor that controls susceptible germinating seedlings before or soon after they emerge from the soil.



ANTHEM FLEX HERBICIDE PREPLANT, PREPLANT INCORPORATED AND PREEMERGENCE APPLICATION RATES				
ORGANIC MATTER	COARSE	MEDIUM	FINE	
Less than 1%	2.25 – 2.75 fl. oz./A	2.75 – 4.0 fl. oz./A	4.0 – 5.50 fl. oz./A	
1 to 3%	2.25 – 3.8 fl. oz./A	2.75 – 5 5 fl. oz./A	4.5 – 6.4 fl. oz./A	
Greater than 3%	3.8 fl. oz./A	4.0 – 5.5 fl. oz./A	4.5 – 6.4 fl. oz./A	

To learn more about Anthem Flex herbicide, contact your FMC retailer or visit AG.FMC.COM.

Always read and follow all label directions, precautions and restrictions for use. Some products may not be registered for sale or use in all states. FMC, the FMC logo, Anthem and Authority are trademarks of FMC Corporation or an affiliate. ©2021 FMC Corporation. All rights reserved. 21-FMC-1094 04/21

