

Aim® EC Herbicide

Up Your Burndown Game in Your Corn and Soybean Fields

CORN AND SOYBEAN

PRODUCT INFORMATION:

Up your crop protection game with Aim® EC herbicide from FMC. Labeled for corn and soybeans, Aim EC postemergence herbicide delivers powerful control of the toughest broadleaf weeds. Aim EC herbicide also delivers superior no-till burndown when tank mixed with a suitable burndown partner.

Aim EC herbicide is formulated for a low use rate and is easily tank mixed with other herbicides and insecticides. With preplant, postemergence and harvest aid options, it provides the flexibility you need to control tough broadleaves like kochia, waterhemp, lambsquarters, Russian thistle and others.

Choose Aim EC herbicide to protect your corn and soybean fields from the toughest weeds.

QUICK FACTS:

- Labeled for both corn and soybeans
- Preplant, preemergence, postemergence and harvest aid application options for corn
- Preplant, postemergence and harvest aid application options for soybeans
- Low use rate:
 - Corn:** Up to 2.0 fl. oz./A
 - Soybeans:** Up to 1.5 fl. oz./A
- Controls and suppresses key broadleaf weeds
- Superior no-till burndown



Target Weeds:

Cocklebur
Hemp sesbania
Kochia
Lambsquarters
Morningglory
Nightshade
Palmer amaranth
Pigweed
Russian thistle
Velvetleaf
Waterhemp
Wild buckwheat

Application Timing:

Corn: Apply to corn in all tillage systems from prior to planting up to 14-leaf collar growth stage. Broadcast applications may be applied through V8 stage corn.

Soybeans: Apply to soybeans in all tillage systems from preplant to preemergence. Directed spray and hooded sprayer applications may be applied between V3 and V10 stage soybeans.

Pre-harvest Intervals:

Corn: 3 days

Soybeans: 3 days

Product Use Rate:

Corn: Up to 2.0 fl. oz./A

Soybeans: Up to 1.5 fl. oz./A

Restrictions:

Corn: Do not apply more than 2.0 fl. oz., 0.031 pound of active ingredient, per acre per season including all preplant, in-crop and harvest aid applications.

Soybeans: Do not apply more than 1.5 fl. oz., 0.023 pound of active ingredient, per acre per season.

Please see product label for a complete list of restrictions.

Label:

Active Ingredient: Carfentrazone-ethyl (Group 14), Group E Herbicide

Mode of Action: The disruption of membranes by inhibiting the action of protoporphyrinogen oxidase, causing cell death.

To learn more about Aim EC herbicide, contact your FMC Star Retailer or visit FMCcrop.com.

Always read and follow all label directions, restrictions and precautions for use. Aim EC and Authority First DF herbicides are not registered for use in California. FMC, Aim and Authority are trademarks of FMC Corporation or an affiliate. Clarity is a registered trademark of BASF. ©2018 FMC Corporation. All rights reserved. 18-FMC-0204 03/18

Treatment: Aim® EC herbicide

1.0 oz. + 2, 4-D LV4 0.5 pt. 14 - DAT




Treatment: 2, 4-D LV4 0.5 pt. 14 DAT



Treatment: Untreated



Burndown Tank Mixture for Glyphosate Resistant Marestalk
Southern Illinois University - 2015



■ Authority® First DF Herbicide 4 oz./A + 2, 4-D LV416 oz./A + MSO 1% v/v
■ Aim® EC Herbicide 1 oz./A + Authority® First DF Herbicide 4 oz./A + 2, 4-D LV4 16 oz./A + MSO 1% v/v
■ Authority® First DF Herbicide 4 oz./A + Clarity® Herbicide 8 oz./A + MSO 1% v/v
■ Aim® EC Herbicide 1 oz./A + Authority® First DF Herbicide 4 oz./A + Clarity® Herbicide 8 oz./A + MSO 1% v/v

