

XYWAY™ 3D FUNGICIDE

SOIL-APPLIED DISEASE PROTECTION FROM DAY ONE

TECHNICAL BULLETIN | **CORN**

Group 3 Fungicide

QUICK FACTS

- Season-long, inside-out disease protection for outstanding yields, stalk health and standability.
- Available for application exclusively with the revolutionary 3RIVE 3D® application system.
- Foliar disease protection from gray leaf spot and Northern corn leaf blight.

ACTIVE INGREDIENT: FLUTRIAFOL

- Long residual activity, providing disease protection throughout the season.
- Systemic movement to provide disease control throughout the plant.
- Unmatched residual activity and translocation abilities.

APPLICATION GUIDELINES

- Application rate: 11.8 fl. oz./A at plant based on 30" row spacing.

3RIVE 3D APPLICATION SYSTEM

The 3RIVE 3D application system from FMC is a revolutionary way to deliver in-furrow protection for seedling defense and yield enhancement. Xyway™ 3D fungicide is available for application exclusively through the 3RIVE 3D application system.

- Allows growers to maximize their efficiency. One tank protects up to 480 acres while using 90% less water than traditional liquid systems and carrying 50% less weight than granular systems.
- Fewer refills and less weight translates to consistent high-speed coverage.
- Designed with convenience in mind, this system combines the right amount of product and water, minimizing measuring and eliminating the need for mixing and tank agitation.

HEAVY PRESSURE GRAY LEAF SPOT

Kansas State University, Topeka, KS | 2019



Xyway 3D fungicide fb Lucento® fungicide



Untreated Check



Xyway 3D fungicide 11.8 fl. oz./A at plant



XYWAY™ 3D FUNGICIDE

SOIL-APPLIED DISEASE PROTECTION FROM DAY ONE

TECHNICAL BULLETIN | **CORN**



Group 3 Fungicide

STALK HEALTH COMPARISON

Milan, TN | September, 2019


Untreated Check

Xyway™ 3D fungicide 11.8 fl. oz./A



CORN YIELD COMPARISON

Mid-South | 2019



Across Trial Comparison
Tukey Means Comparison; $\alpha = 0.05$
FMC, Reveal V3.1

NORTHERN CORN LEAF BLIGHT

Kansas State University | 2019




Xyway 3D fungicide 11.8 fl. oz./A



Trivapro® fungicide 13.7 fl. oz./A @ R1

LATE-SEASON DISEASE SEVERITY

Northern Corn Leaf Blight | 2019



Across Trial Comparison
Tukey Means Comparison; $\alpha = 0.05$
FMC, Reveal V3.1
FMC foliar consisted of Topguard® EQ fungicide or Lucento® fungicide.
Competitive foliar consisted of Trivapro® fungicide or Headline® AMP fungicide

Always read and follow all label directions, precautions and restrictions for use. Some products may not be registered for sale or use in all states. Xyway™ 3D fungicide may not be registered for sale or use in all states. Contact your local FMC retailer or representative for details and availability in your state. FMC, the FMC logo, 3RIVE 3D, Lucento, Topguard and Xyway are trademarks of FMC Corporation or an affiliate. Trivapro is a trademark of Syngenta Crop Protection. Headline is a trademark of BASF Corporation. ©2020 FMC Corporation. All rights reserved. 20-FMC-0088 07/20

