

Anthem[®] MAXX Herbicide



CORN

Product Information:

Anthem[®] MAXX herbicide gives corn growers superior control of tough broadleaf weeds and grasses with a dramatically lower use rate and longer residual than many competitors. It offers dual modes of action and maximum flexibility with the option to apply preemergence or postemergence.


Anthem MAXX herbicide is highly concentrated and compatible with glyphosate, triazines, ALS-inhibiting products and liquid fertilizers, making it an easy choice for tank mixing. Anthem MAXX herbicide controls a wide spectrum of broadleaf weeds, including those resistant to glyphosate and triazine herbicides like waterhemp, Palmer amaranth and others. Tough grasses like foxtails, crabgrass and fall panicum are also controlled.

Quick Facts:

- Superior, lasting control of a wide spectrum of broadleaf weeds and grasses.
- Concentrated formulation with a low use rate, making it a perfect choice when tank mixing.
- Dual modes of action.
- Flexible application window with the option to apply preplant, preemergence and early postemergence.
- Compatible with glyphosate, triazines, ALS-inhibiting products and liquid fertilizers and more.



ANTHEM® MAXX HERBICIDE PRE/EPOST CORN SOUTHERN ILLINOIS UNIVERSITY – BELLEVILLE, IL 2019 | RATING 27 DAYS AFTER EPOST



Anthem MAXX herbicide tank mixtures strengthen grass and small-seeded broadleaf activity and provide similar activity on large-seeded broadleaf weeds when compared to industry standards regardless of application timing.

Target Weeds:

Crabgrass
 Fall panicum
 Foxtail
 Palmer amaranth
 Waterhemp

Application Guidelines:

Preharvest Intervals:

Field, seed, silage and popcorn: 30 days forage; 70 days grain/stover

Sweet corn: 40 days forage, ears

Product Use Rates:

Corn: 2.0 – 6.5 fl. oz./A

Application Timing:

Postemergence through V4 corn stage; early post provides best control of small weeds plus residual.

Restrictions:

Do not apply more than 0.0089 lb. ai/A of fluthiacet-methyl or 0.266 lb. ai/A of pyroxasulfone per acre in a 12-month cropping year including preplant burndown.

Please see product label for a complete list of restrictions.

Label:

Active Ingredient: Pyroxasulfone (Group 15), Fluthiacet-methyl (Group 14)

To learn more about Anthem MAXX herbicide, contact your FMC Retailer or visit ANTHEMMAXX.AG.FMC.COM.

Corvus and Acuron herbicides and atrazine are Restricted Use Pesticides. Always read and follow all label directions, precautions and restrictions for use. Some products may not be registered for sale or use in all states. FMC, the FMC logo and Anthem are trademarks of FMC Corporation or an affiliate. Corvus and Roundup PowerMAX are trademarks of Bayer Crop Science or an affiliate. Acuron and Callisto are trademarks of Syngenta Group Company. Status is a trademark of BASF. Resicore is a trademark of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners. ©2021 FMC Corporation. All rights reserved. 21-FMC-1995 01/21

