

Thyborønvej 78 DK-7673 Harboøre

Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 1 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019
Safety data sheet according to EU Reg. 1907/2006 as amended		Supersedes June 2018

SAFETY DATA SHEET RUGBY® 10 ME (EW)

Revision: Sections containing a revision or new information are marked with a .

♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	Topolion in the property of the popular comments of the contract of the popular comments of the popula
--	--

Rugby® 10 ME (EW) 1.1. Product identifier **Contains cadusafos** 1.2. Relevant identified uses of the substance or mixture and uses advised against Can be used as insecticide only. 1.3. Details of the supplier of the safety **CHEMINOVA A/S**, a subsidiary of FMC Corporation data sheet Thyborønvej 78 DK-7673 Harboøre Denmark SDS.Ronland@fmc.com FMC Chemicals (Pty) Ltd Local contact (South Africa) -Pegasus Building 1, Floor 2 210 Amarand Ave Menlyn Pretoria, 0181 South Africa 1.4. Emergency telephone number..... For any emergency or poisoning contact: Griffon Poison Information Centre (24 hrs) +27-(0)-82-446-8946

For fire, leak, spill or other accident emergencies

+1 703 / 527 3887 (CHEMTREC - Collect)

♣ SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute oral toxicity: Category 4 (H302) Acute dermal toxicity: Category 3 (H311) Inhalation toxicity: Category 4 (H332) Skin irritation: Category 2 (H315) Eye irritation: Category 2 (H319)

Hazards to the aquatic environment, acute: Category 1 (H400)

WHO classification Class II: Moderately hazardous



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 2 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

Health hazards The product is toxic by skin contact and harmful by inhalation and by

ingestion. It may be mildly to moderately irritating to skin and eyes.

The active ingredient **cadusafos** is a poison (cholinesterase inhibitor). It rapidly enters the body on contact with all skin surfaces and eyes.

Repeated exposures to cholinesterase inhibitors such as **cadusafos** may, without warning, cause increased susceptibility to doses of any

cholinesterase inhibitor.

Environmental hazards The product is very toxic to aquatic organisms.

2.2. Label elements

According to EU Reg. 1272/2008 as amended

Comains cadu

Hazard pictograms (GHS05, GHS09)





Signal word		Danger
-------------	--	--------

Hazard statements	
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

H400 Very toxic to aquatic life.

Supplementary hazard statement

Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves, protective clothing and eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P361+P364 Take off immediately all contaminated clothing and wash it before

reuse.

P501 Dispose of contents/container as hazardous waste.

or vPvB.

♣ SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



Thyborønvej 78 DK-7673 Harboøre

Denmark +45 9690 9690 www.fmc.com

		CVR No. DK 12 76 00 43
Material group	6244-NFP	Page 3 of 14

Material group	6244-NFP	Page 3 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

3.1. **Substances** The product is a mixture, not a substance.

Active ingredient

Cadusafos Content: < 11% by weight

Classification of the ingredient Acute oral toxicity: Category 2 (H300)

Acute dermal toxicity: Category 1 (H310) Acute inhalation toxicity: Category 1 (H330)

Hazards to the aquatic environment, acute: Category 1 (H400)

Reportable ingredient CAS no. EC no. Classification

(% w/w) (EINECS no.)

Poly(oxy-1,2-ethanediyl), α-[tris(1-phenyl-ethyl)phenyl]-ω-hydroxy-

1 - 3 99734-09-5 None Aquatic Chronic 3 (H412)

♣ SECTION 4: FIRST AID MEASURES

4.1.	Description of first aid measures	If exposure has occurred, do not wait for symptoms to develop, but
		immediately start the procedures described below.

immediately if symptoms develop. Serious cases: Get medical

attention immediately or call for an ambulance.

If breathing has stopped, immediately start artificial respiration and maintain until a physician takes charge of the exposed person.

Skin contact Immediately remove contaminated clothing and footwear. Flush skin

with much water. Wash with water and soap. See physician

immediately if symptoms develop.

> occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. See

physician immediately.

person rinse mouth and then drink 1 or 2 glasses of water or milk.

Induce vomiting only if:

1. a significant amount (more than a mouthful) has been ingested

2. patient is fully conscious



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 4 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

3. medical aid is not readily available

4. time since ingestion is less than one hour.

Let the patient induce vomiting by touching the back of the throat with a finger. If vomiting occurs, take care that vomit does not enter airways. Let the exposed person rinse mouth and drink fluids again.

4.2. Most important symptoms and effects, both acute and delayed

On contact, the first symptoms to appear may be irritation. Symptoms of cholinesterase inhibition: nausea, headache, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, laboured breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

4.3. Indication of any immediate medical attention and special treatment needed

If any of the signs of cholinesterase inhibition occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to **cadusafos**, an organophosphorus insecticide. Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present.

In an industrial setting the antidote atropine sulphate should be available at the workplace.

It may be helpful to show this safety data sheet to physician.

Notes to physician

Cadusafos is a cholinesterase inhibitor affecting the central and peripheral nervous systems producing respiratory depression.

Cholinesterase inhibition - treatment

Much information on (acetyl)cholinesterase inhibition by organophosphate insecticides and its treatment can be found on the internet.

Decontamination procedures such as whole body washing, gastric lavage and administration of activated charcoal are often required.

Antidote: If symptoms (see subsection 4.2.) are present, administer atropine sulphate, which often is a lifesaving antidote, in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as possible. Repeat at 5 to 10 minute intervals until signs of atropinisation appear and maintain full atropinisation until all organophosphate is metabolised.

Obidoxime chloride (Toxogonin), alternatively pralidoxime chloride (2-PAM), may be administered as an adjunct to, but not a substitute for atropine sulphate. Treatment with oxime should be maintained as long as atropine sulphate is administered.

At first sign of pulmonary oedema the patient should be given supplementary oxygen and treated symptomatically.

Relapse can occur after initial improvement.
VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 5 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

FOR AT LEAST 48 HOURS, DEPENDING ON THE SEVERITY OF POISONING.

♣ SECTION 5: FIRE-FIGHTING MEASURES

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are volatile, malodorous, toxic, irritant and inflammable compounds such as hydrogen sulphide, dialkyl sulphides, alkyl mercaptans, sulphur dioxide, carbon monoxide, carbon dioxide, nitrogen oxides and phosphorus pentoxide.

5.3. Advice for firefighters

Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

♣ SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

It is recommended to have a predetermined plan for the handling of spills. Empty, sealable vessels for the collection of spills should be available.

In case of large spill (involving 1 tonne of the product or more):

- 1. use personal protection equipment; see section 8
- 2. call emergency telephone no.; see section 1
- 3. alert authorities.

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and boots.

Stop the source of the spill immediately if safe to do so. Keep unprotected persons away from the spill area. Remove sources of ignition. Avoid and reduce mist formation as much as possible.

6.2. Environmental precautions

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and materials for containment and cleaning up

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).

If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should be absorbed onto an absorptive material such as universal binder, hydrated lime, Fuller's



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 6 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

earth or other absorbent clays. Collect the contaminated absorbent in suitable containers. Clean area with soda lye and much water. Absorb wash liquid with absorbent and transfer to suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

6.4. Reference to other sections

See subsection 8.2. for personal protection. See section 13 for disposal.

♣ SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

In an industrial environment it is important to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Keep all unprotected persons and children away from working area.

Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after each use.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

7.2. Conditions for safe storage, including any incompatibilities

The product is stable under normal conditions of warehouse storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be



Thyborønvej 78 DK-7673 Harboøre Denmark

+45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 7 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

available.

7.3. **Specific end use(s)**

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

♣ SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Personal exposure limits

Year

Cadosafos ACGIH (USA) TLV

OSHA (USA) PEL EU, 2000/39/EC as amended 2015 Not established; BEI2015 Not established2009 Not established

Germany, MAK 2014 Not established; BAT HSE (UK) WEL 2011 Not established

However, personal exposure limits defined by local regulations may exist and must be observed.

Monitoring methods

Persons working with this product for a longer period should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal.

Cadusafos

8.2. Exposure controls

When used in a closed system, personal protection equipment will not be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-hazardous before opening.

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be recommended for spraying as well.

In cases of incidental high exposure, maximal personal protection may be necessary, such as respirator, face mask, chemical resistant coveralls.

Respiratory protection

In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 8 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019



Protective gloves

Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. The breakthrough times of these materials for the product are unknown. Generally, however, the use of protective gloves will give only partial protection against dermal exposure. Small tears in the gloves and cross-contamination can easily occur. It is recommended to shift the gloves frequently and to limit the work to be done manually.



Eye protection

Wear safety glasses. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for eye contact.



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

♣ SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on physical and chemical properties

Appearance Slightly green liquid Chemical smell Odour Not determined Odour threshold 2.61 pH Melting point/freezing point Not determined Initial boiling point and boiling range Not determined Flash point > 79°C (closed cup) Not determined Evaporation rate Flammability (solid/gas) Not applicable (liquid)

Upper/lower flammability or

explosive limits Not determined

Density: 1.022 g/ml at 20°C Solubility(ies) Solubility of **cadusafos** at 25°C in:

 $\begin{array}{ll} \text{methanol} & > 250 \text{ g/kg} \\ \text{heptane} & 125 \text{ g/kg} \\ \text{water} & 245 \text{ mg/l} \end{array}$

Partition coefficient n-octanol/water Cadusafos : $log K_{ow} = 3.85$ at 20°C and pH 5.5 Autoignition temperature Cadusafos : 270°C



Thyborønvej 78 DK-7673 Harboøre Denmark

+45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 9 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

9.2. Other information

Miscibility The product is emulsifiable in water.

SECTION 10: STABILITY AND REACTIVITY

10.2. **Chemical stability** The product (**cadusafos**) may decompose rapidly when heated, which

can result in explosion. It is recommended not to heat the product.

Direct local heating such as electric heating or by steam must be

avoided.

The decomposition is to a considerable extent dependent on time as well as temperature due to self-accelerating exothermic and autocatalytic reactions. The reactions involve rearrangements and polymerisation releasing volatile malodorous and inflammable compounds such as dialkyl sulphides and alkyl mercaptans.

10.3. **Possibility of hazardous reactions** None known.

10.4. **Conditions to avoid** Heating of the product will produce harmful and irritant vapours.

10.5. **Incompatible materials** Strong alkalis and strong oxidising compounds. The product can

corrode metals (but does not meet the criteria for classification).

10.6. **Hazardous decomposition products** See subsection 5.2.

♣ SECTION 11: TOXICOLOGICAL INFORMATION

11.1. **Information on toxicological effects** * = Based on available data, the classification criteria are not met.

<u>Product</u>

Acute toxicity The product is toxic by skin contact and harmful by ingestion and

inhalation. The acute toxicity is measured as:

 $Route(s) \ of \ entry \qquad \ -ingestion \qquad LD_{50}, \ oral, \ rat: \ 371 \ mg/kg$

- skin LD₅₀, dermal, rat: 761 mg/kg

- inhalation LC₅₀, inhalation, rat: 2.02 mg/l/4 h

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation Irritating to eyes.

Respiratory or skin sensitisation ... Not expected to cause skin sensitisation. *

Carcinogenicity The product contains no ingredient found to be carcinogenic. *



Thyborønvej 78 DK-7673 Harboøre

Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 10 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

The product contains no ingredient found to have adverse effects on Reproductive toxicity reproduction. * STOT – single exposure To our knowledge, no specific effects have been observed after single exposure. * STOT – repeated exposure The following is found for the active ingredient cadusafos: Target organ: nervous system (cholinesterase inhibition) NOAEL: 0.067 mg/kg bw/day in a 90-day rat study, based on decreased cholinesterase activity in red blood cells at higher levels. The product does not present an aspiration pneumonia hazard. * Aspiration hazard Symptoms and effects, acute and On contact, the first symptoms to appear may be irritation. Symptoms delayed of cholinesterase inhibition: nausea, headache, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, laboured breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma. **Cadusafos** Toxicokinetics, metabolism and Cadusafos is rapidly absorbed and excreted following oral distribution administration. It is widely distributed in the body and extensively metabolised. Excretion is rapid as well. There is no evidence for accumulation. Acute toxicity The substance is very toxic. The acute toxicity is measured as: Route(s) of entry - ingestion LD₅₀, oral, rat (female): 30.1 mg/kg - skin LD₅₀, dermal, rat (female): 10.7 mg/kg - inhalation LC₅₀, inhalation, rat (female): 0.026 mg/l/4 h Skin corrosion/irritation Not irritating to skin. * Serious eye damage/irritation Not irritating to eyes. * Respiratory or skin sensitisation ... Not sensitising. * Poly(oxy-1,2-ethanediyl), α -[tris(1-phenylethyl)phenyl]- ω -hydroxy-Acute toxicity The substance is not considered as harmful by skin contact, ingestion and inhalation. * The acute toxicity is estimated (based on analogy to similar product) as: Route(s) of entry - ingestion LD_{50} , oral, rat: > 5000 mg/kg - skin LD₅₀, dermal, rat: not available

LC₅₀, inhalation, rat: not available

Not irritating to rabbit skin. *

Not irritating to rabbit eyes. *

- inhalation

Skin corrosion/irritation

Serious eye damage/irritation



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 11 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

Respiratory or skin sensitisation ... No information available. *

Germ cell mutagenicity Ames test negative. *

SECTION 12: ECOLOGICAL INFORMATION

The following has been measured on the active ingredient **cadusafos**:

95-day NOEC: 5.2 μg/l

21-day NOEC: 0.231 µg/l

- Birds Bobwhite quail LD₅₀: 16.1 mg/kg

- Bees Honeybee (Apis mellifera)LC50, contact: 1.80 µg/bee

LC₅₀, oral: 2.07 μg/bee

12.2. **Persistence and degradability** The active ingredient **cadusafos** is not readily biodegradable. It

undergoes slow degradation in the environment and in waste water treatment plants. Primary degradation half-lives in soil vary with

circumstances from a few weeks to two months.

The product contains minor amounts of not readily biodegradable

components, which may not be degradable in waste water treatment

plants.

12.3. **Bioaccumulative potential** See section 9 for octanol-water partition coefficients.

The active ingredient cabusafos is not to bioaccumulate; it is rapidly

metabolised and excreted. Bioconcentration Factor (BCF) was

measured to 220 for whole fish.

12.5. Results of PBT and vPvB

12.6. Other adverse effects Other relevant hazardous effects in the environment are not known.

♣ SECTION 13: DISPOSAL CONSIDERATIONS

13.1. **Waste treatment methods** Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.

Disposal of waste and packagings must always be in accordance with all applicable local regulations.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 12 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with

flue gas scrubbing.

Do not contaminate water, foodstuffs, feed or seed by storage or

disposal. Do not discharge to sewer systems.

Disposal of packaging It is recommended to consider possible ways of disposal in the

following order:

1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.

2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

3. Delivery of the packaging to a licensed service for disposal of hazardous waste.

4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

♣ SECTION 14: TRANSPORT INFORMATION

ADR/RID/IMDG/IATA/ICAO classification

14.1. **UN number** 3018

14.2. **UN proper shipping name** Organophosphorus pesticide, liquid, toxic (cadusafos)

14.3. Transport hazard class(es) 6.1

14.4. Packing group III

14.5. Environmental hazards Marine pollutant

14.6. **Special precautions for user** Avoid any unnecessary contact with the product. Misuse can result in

damage to health. Do not discharge to the environment.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC code The product is not transported in bulk by ship.

♣ SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category (Dir. 2012/18/EU): toxic

Second Seveso category: dangerous for the environment



Thyborønvej 78 DK-7673 Harboøre

Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 13 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

Young people under the age of 18 are not allowed to work with the substance.

All ingredients are covered by EU chemical legislation.

15.2. Chemical safety assessment A chemical safety assessment is not required to be included for this

product.

SECTION 16: OTHER INFORMATION

Relevant changes in the safety data sheet

Numerous changes have been made to adapt the format of the safety data sheet, but these do not involve new information about hazardous properties.

Hygienists

BAT Biologische Arbeitsstoff-Toleranzwert

BEI Biological Exposure Index CAS Chemical Abstracts Service

Dir. Directive

DNEL Derived No Effect Level EC European Community EC₅₀ 50% Effect Concentration

E_rC₅₀ 50% Effect Concentration based on growth

EINECS European INventory of Existing Commercial Chemical

Substances

EW Emulsion, oil in Water

GHS Globally Harmonized classification and labelling System of

chemicals, Fifth revised edition 2013

HSE Health & Safety Executive, UK
IBC International Bulk Chemical code

ISO International Organisation for Standardization IUPAC International Union of Pure and Applied Chemistry

LC₅₀ 50% Lethal Concentration

LD₅₀ 50% Lethal Dose

MAK Maximale Arbeitspaltz-Konzentration

MARPOL Set of rules from the International Maritime Organisation

(IMO) for prevention of sea pollution

NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration

n.o.s. Not otherwise specified

OSHA Occupational Safety and Health Administration

PBT Persistent, Bioaccumulative, Toxic

PEL Personal Exposure Limit

PNEC Predicted No Effect Concentration

Reg. Regulation

STOT Specific Target Organ Toxicity

TLV Threshold Limit Value

vPvB very Persistent, very Bioaccumulative

WEL Workplace Exposure Limit WHO World Health Organisation



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	6244-NFP	Page 14 of 14
Product name	RUGBY® 10 ME (EW)	
		February 2019

References	Data measured on the product are unpublished company data. Data on ingredients are available from published literature and can be found several places.	
Method for classification	Acute oral toxicity: test data Acute dermal toxicity: test data Inhalation toxicity: test data Skin irritation: test data Eye irritation: test data Hazards to the aquatic environment: calculation method	
Used hazard statements	H300 H302 H310 H311 H315 H319 H330 H332 H400 H412 EUH401	Fatal if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. Fatal if inhaled. Harmful if inhaled. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects. To avoid risks to human health and the environment, comply with the instructions of use.
Advice on training	This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.	

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Corporation / Cheminova A/S / GHB