

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	02.08.2022	50000082	Date of first issue: 08.02.2022

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** Exirel(R) 100SE

#### Other means of identification

**Product code** 50000082

#### 1.2 **Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub-stance/Mixture : Insecticide

Recommended restrictions on use : Use as recommended by the label.

#### 1.3 Details of the supplier of the safety data sheet

#### Supplier Address

FMC Chemicals (Pty) Ltd  
Company Registration Number: 1988/001451/07  
West End Office Park, Building C  
Cnr. West Ave & Hall Street  
Centurion, 0014

E-mail address: SDS-Info@fmc.com (E-Mail General Information)

#### 1.4 Emergency telephone

For leak, fire, spill or accident emergencies, call:  
South Africa: 0-800-983-611 (CHEMTREC)

Medical emergency:  
For any emergency or poisoning contact: Griffon Poison Information Centre (24 hrs) - +27-(0)-82-446-8946

---

### SECTION 2: Hazards identification

#### 2.1 **Classification of the substance or mixture**

#### **Classification (REGULATION (EC) No 1272/2008)**

Skin irritation, Category 2 H315: Causes skin irritation.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.  
**Response:**  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.

Hazardous ingredients which must be listed on the label:  
1,2-benzisothiazol-3(2H)-one

### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cyantraniliprole	736994-63-1	Aquatic Acute 1;	>= 10 - < 20

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
 Date of first issue: 08.02.2022

		H400 Aquatic Chronic 1; H410	
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts	84989-14-0 284-903-7	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	$\geq 1 - < 2,5$
methyl decanoate	110-42-9 203-766-6	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 0,1 - < 0,25$
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	$\geq 0,0025 - < 0,025$
		M-Factor (Acute aquatic toxicity): 10	

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.  
 Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.
- Protection of first-aiders : No special precautions are necessary for first aid responders.  
 Avoid inhalation, ingestion and contact with skin and eyes.  
 Immediate medical attention is required in case of ingestion.  
 A specific antidote against this substance is not known. Gas-  
 tric lavage and/or administration of activated charcoal can be  
 considered.

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

- If inhaled : If unconscious, place in recovery position and seek medical advice.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
If breathing has stopped, apply artificial respiration.
- Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off with soap and water.  
Call a physician if irritation develops or persists.  
Wash contaminated clothing before reuse.
- If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Protect unharmed eye.  
Remove contact lenses.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Seek medical advice.
- Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Obtain medical attention.
- Clean mouth with water and drink afterwards plenty of water.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.
- Causes skin irritation.  
May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

## Exirel(R) 100SE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	02.08.2022	50000082	Date of first issue: 08.02.2022

---

Treat symptomatically.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Halogenated compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides  
Hazardous combustion products

#### 5.3 Advice for firefighters

- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.
- Further information : Standard procedure for chemical fires.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Immediately evacuate personnel to safe areas.  
Keep people away from and upwind of spill/leak.  
Evacuate personnel to safe areas.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Ensure adequate ventilation.  
Treat recovered material as described in the section "Disposal considerations".

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	02.08.2022	50000082	Date of first issue: 08.02.2022

---

Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Never return spills in original containers for re-use.  
For disposal considerations see section 13.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Clean contaminated surface thoroughly.  
Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Pick up and transfer to properly labeled containers.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. This product should be used only by all personnel thoroughly trained to handle it. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

General industrial hygiene practice. Do not inhale aerosol.

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a place accessible by authorized persons only. Store in original container.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propane-1,2-diol	57-55-6	TWA OEL-RL (particulate)	10 mg/m <sup>3</sup>	ZA OEL
Further information	Recommended Limit			
		TWA OEL-RL (Vapour + particulates)	150 ppm 470 mg/m <sup>3</sup>	ZA OEL
Further information	Recommended Limit			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
Fatty acids, C16-18 and C18-unsatd., Me esters	Workers	Inhalation	Long-term systemic effects	6,96 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	10 mg/kg bw/day
	Consumers	Dermal	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	23 mg/m <sup>3</sup>
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m <sup>3</sup>

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Inhalation	Long-term local effects	10 mg/m3
methyl decanoate	Workers	Inhalation	Long-term systemic effects	61,4 mg/m3
	Workers	Dermal	Long-term systemic effects	121,8 mg/kg
	Consumers	Inhalation	Long-term systemic effects	15,13 mg/m3
	Consumers	Dermal	Long-term systemic effects	60,9 mg/kg
	Consumers	Oral	Long-term systemic effects	6,09 mg/kg
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Fatty acids, C16-18 and C18-unsatd., Me esters	Fresh water	2,504 mg/l
	Sea water	0,25 mg/l
	Intermittent use (freshwater)	25,04 mg/l
	Sewage treatment plant	520 mg/l
propane-1,2-diol	Fresh water	260 mg/l
	Intermittent use/release	183 mg/l
	Sea water	26 mg/l
	Sewage treatment plant	20 g/l
	Fresh water sediment	572 mg/kg
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts	Sea sediment	57,2 mg/kg
	Soil	50 mg/kg
	Fresh water	270 µg/l
	Intermittent use/release	2,7 mg/l
	Sea water	270 µg/l
	Intermittent use/release	2,7 mg/l
	Sewage treatment plant	5,5 mg/l
	Fresh water sediment	23,8 mg/kg dry weight (d.w.)
	Sea sediment	23,8 mg/kg dry weight (d.w.)
	Soil	35 mg/kg dry weight (d.w.)
methyl decanoate	Fresh water	0,0011 mg/l
	Sea water	110 ng/l
	Intermittent use/release	0,0011 mg/l



# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,0469 mg/kg dry weight (d.w.)
	Sea sediment	0,0047 mg/kg dry weight (d.w.)
	Soil	10 mg/kg dry weight (d.w.)
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Sea water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Sea sediment	0,00499 mg/l

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Eye wash bottle with pure water  
Tightly fitting safety goggles

#### Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Long sleeved clothing.  
Impervious clothing  
Footwear protecting against chemicals

Protective measures : Plan first aid action before beginning work with this product.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Color : off-white

Odor : mild, phenol-like

Odor Threshold : No data available

pH : 5,4 - 5,6  
Concentration: 10 g/l

Melting point/range : No data available

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

Boiling point/boiling range : 97 °C

Flash point : > 97 °C  
Method: closed cup

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Density : 0,982 g/cm<sup>3</sup> (20 °C)  
No data available

Solubility(ies)  
Water solubility : emulsifiable

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : 454 mPa.s  
50 rpm

Viscosity, kinematic : No data available

Explosive properties : Not explosive

### 9.2 Other information

Self-ignition : 358 °C

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

Stable under normal conditions.

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

No decomposition if stored and applied as directed.

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	02.08.2022	50000082	Date of first issue: 08.02.2022

---

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid extreme temperatures  
Avoid formation of aerosol.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers.

### 10.6 Hazardous decomposition products

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2,4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The component/mixture is minimally toxic after short term inhalation.  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

#### Components:

#### **Cyantraniliprole:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat, male and female): 1.080 - 1.630 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### **methyl decanoate:**

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
Remarks: Based on data from similar materials  
no mortality

### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.  
GLP : yes

Remarks : May cause skin irritation and/or dermatitis.

#### **Components:**

##### **Cyantraniliprole:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Result : Skin irritation

### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Exposure time : 72 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes  
Remarks : Minimal effects that do not meet the threshold for classification.

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

### **Components:**

#### **Cyantraniliprole:**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 405  
Result : No eye irritation  
Remarks : Minimal effects that do not meet the threshold for classification.

#### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Result : Irreversible effects on the eye

#### **methyl decanoate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### **1,2-benzisothiazol-3(2H)-one:**

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Result : No eye irritation

Species : Rabbit

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version            Revision Date:            SDS Number:            Date of last issue: -  
2.0                02.08.2022                50000082                Date of first issue: 08.02.2022

---

Method                                : EPA OPP 81-4  
Result                                 : Irreversible effects on the eye

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Product:

Test Type                            : Buehler Test  
Species                               : Guinea pig  
Assessment                          : May cause sensitization by skin contact.  
Method                                : OECD Test Guideline 406  
Result                                 : Causes sensitization.  
GLP                                     : yes

Remarks                             : Causes sensitization.

#### Components:

##### **Cyantraniliprole:**

Method                                : OECD Test Guideline 429  
Result                                 : Does not cause skin sensitization.

##### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Test Type                            : Maximization Test  
Species                               : Guinea pig  
Method                                : OECD Test Guideline 406  
Result                                 : Does not cause skin sensitization.  
Remarks                             : Based on data from similar materials

##### **methyl decanoate:**

Test Type                            : Maximization Test  
Routes of exposure                 : Skin contact  
Species                               : Guinea pig  
Method                                : OECD Test Guideline 406  
Result                                 : Does not cause skin sensitization.  
Remarks                             : Based on data from similar materials

##### **1,2-benzisothiazol-3(2H)-one:**

Test Type                            : Maximization Test  
Species                               : Guinea pig  
Method                                : OECD Test Guideline 406  
Result                                 : May cause sensitization by skin contact.

Species                                : Guinea pig  
Method                                : FIFRA 81.06  
Result                                 : May cause sensitization by skin contact.

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version            Revision Date:            SDS Number:            Date of last issue: -  
2.0                    02.08.2022                50000082                Date of first issue: 08.02.2022

---

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Cyantraniliprole:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

#### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 475  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **methyl decanoate:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Species: Chinese hamster (male and female)  
Application Route: Oral  
Result: negative

#### **1,2-benzisothiazol-3(2H)-one:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Not classified based on available information.

#### **Components:**

##### **Cyantraniliprole:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

##### **Cyantraniliprole:**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Effects on fertility : Test Type: Two-generation study  
General Toxicity Parent: NOAEL: > 350 mg/kg body weight  
General Toxicity F1: NOAEL: > 350 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Developmental Toxicity: NOAEL: > 350 mg/kg body weight  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **methyl decanoate:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Application Route: Oral



# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg wet weight  
Symptoms: No effects on reproduction parameters.  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **STOT-single exposure**

Not classified based on available information.

#### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Components:**

##### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT-repeated exposure**

Not classified based on available information.

#### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Components:**

##### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **1,2-benzisothiazol-3(2H)-one:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

##### **Cyantraniliprole:**

Species : Rat  
NOAEL : > 1.000 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 407  
Symptoms : increased liver weight  
Remarks : Based on available data, the classification criteria are not met.

##### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Species : Rat, male and female  
NOAEL : 85 mg/kg  
LOAEL : 145 mg/kg  
Application Route : Oral  
Exposure time : 9 months  
Target Organs : Kidney, Liver  
Remarks : Based on data from similar materials

##### **methyl decanoate:**

Species : Rat, male and female  
NOAEL : 1.000 mg/kg  
Application Route : Oral  
Exposure time : 14 - 45 d  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

##### **1,2-benzisothiazol-3(2H)-one:**

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Method : OECD Test Guideline 407  
Symptoms : Irritation

Species : Rat, male and female  
NOAEL : 69 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : Irritation, Reduced body weight

## Exirel(R) 100SE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	02.08.2022	50000082	Date of first issue: 08.02.2022

---

**Aspiration toxicity**

Not classified based on available information.

**Product:**

The mixture does not have properties associated with aspiration hazard potential.

**Components:****methyl decanoate:**

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

**Further information****Product:**

Remarks : No data available

---

**SECTION 12: Ecological information**
**12.1 Toxicity****Product:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 130 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,232 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00969 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
GLP: yes

**Components:****Cyantraniliprole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0204 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

ErC50 (Lemna gibba (duckweed)): > 12,1 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 2,9 mg/l  
Exposure time: 28 d  
Species: Cyprinodon variegatus (sheepshead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 0.0934 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

LD50: > 0.1055 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: 2.250 mg/kg  
Species: Colinus virginianus (Bobwhite quail)

**Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Toxicity to fish : LC50 : 1,7 - 7,7 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 5,7 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: water accommodated fractions (WAF)

Toxicity to algae/aquatic plants : NOELR (Pseudokirchneriella subcapitata (green algae)): 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: water accommodated fractions (WAF)

EL50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

Remarks: water accommodated fractions (WAF)

Toxicity to microorganisms : EC50 (activated sludge): 162 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **methyl decanoate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 170 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,055 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : NOEC (activated sludge): >= 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,081 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

### **1,2-benzisothiazol-3(2H)-one:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

plants      mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### 12.2 Persistence and degradability

#### **Product:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Estimation based on data obtained on active ingredient.

#### **Components:**

##### **Cyantraniliprole:**

Biodegradability : Remarks: Not readily biodegradable.

##### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301F

##### **methyl decanoate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 28 d

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### **Product:**

Bioaccumulation : Remarks: Does not bioaccumulate.

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

Estimation based on data obtained on active ingredient.

### Components:

#### **Cyantraniliprole:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 1  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,97 (22 °C)  
pH: 4

log Pow: 2,07 (22 °C)  
pH: 7

log Pow: 1,74 (22 °C)  
pH: 9

#### **Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:**

Partition coefficient: n-octanol/water : log Pow: 4,3 - 5,8 (25 °C)  
pH: 7  
Method: OECD Test Guideline 117

#### **methyl decanoate:**

Partition coefficient: n-octanol/water : log Pow: 4,42

#### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7

log Pow: 0,99 (20 °C)  
pH: 5

### **12.4 Mobility in soil**

#### Product:

Distribution among environmental compartments : Remarks: The product is not expected to be mobile in soils.

### Components:

#### **Cyantraniliprole:**

Distribution among environ- : Remarks: The product is not expected to be mobile in soils.

## Exirel(R) 100SE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	02.08.2022	50000082	Date of first issue: 08.02.2022

---

mental compartments

**1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9,33, log Koc: 0,97  
Method: OECD Test Guideline 121

## 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : No other ecological effects to be specially mentioned. See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.



# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

---

### SECTION 14: Transport information

#### 14.1 UN number

**IMDG** : UN 3082  
**IATA** : UN 3082

#### 14.2 UN proper shipping name

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cyantraniliprole)  
(, Decanoic acid, methyl ester)  
**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(Cyantraniliprole)  
(Cyantraniliprole, Decanoic acid, methyl ester)

#### 14.3 Transport hazard class(es)

**IMDG** : 9  
**IATA** : 9

#### 14.4 Packing group

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous  
**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

#### 14.5 Environmental hazards

**IMDG**  
Marine pollutant : yes  
**IATA (Passenger)**  
Environmentally hazardous : yes  
**IATA (Cargo)**  
Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	02.08.2022	50000082	Date of first issue: 08.02.2022

---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The ingredients of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.  3-BROMO-1-(3-CHLORO-2-PYRIDYL)-4'-CYAN-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### 15.2 Chemical Safety Assessment

---

## SECTION 16: Other information

#### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version 2.0      Revision Date: 02.08.2022      SDS Number: 50000082      Date of last issue: -  
Date of first issue: 08.02.2022

H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitization  
ZA OEL : South Africa. Hazardous Chemical Substances Regulations,  
Occupational Exposure Limits  
ZA OEL / TWA OEL-RL : Long term occupational exposure limits - recommended limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Other information :

### Classification of the mixture:

Skin Irrit. 2      H315  
Skin Sens. 1      H317  
Aquatic Acute 1      H400  
Aquatic Chronic 1      H410

### Classification procedure:

Based on product data or assessment  
Based on product data or assessment  
Based on product data or assessment  
Based on product data or assessment

# SAFETY DATA SHEET



## Exirel(R) 100SE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	02.08.2022	50000082	Date of first issue: 08.02.2022

---

### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### **Prepared by**

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

ZA / EN